

Expozice králíků

Č.kl.	Tetov.	Ocenění	ČC	Vystavovatel
			Kč	

Francouzský beran železitý

1,0	C1-6 18	94,0	J	1100
0.1	C1-6 19	93,5	J	1100
0.1	C1-6 20	92,0	J	1100

Velký světlý stříbrný

1,0	C1-6 512	93,5	S	550
1,0	C1-6 513	94,0	S	550
0.1	C1-6 514	92,0	S	550
0.1	C1-6 515	92,0	S	550 (371.5 b)
1,0	C1-6 371	92,5	J	550

Činčila velká

0.1	C1-6 40	93,0	S	
0.1	C1-6 42	93,0	S	
0.1	C1-6 43	V (0)	S	
0.1	C1-6 44	94,0	S	
0.1	C1-6 51	94,0	S	
0.1	C1-6 52	V (0)	S	
0.1	C1-6 53	93,5	S	
0.1	C1-6 54	93,5	S	

Vídeňský modrý

1,0	C1-6 525	95,5	S	990
0.1	C1-6 526	95,0	S	
0.1	C1-6 523	95,5	S	
0.1	C1-6 524	96,0	S	(382 b) 🏆
1,0	C1-6 519	94,5	J	1100
1,0	C1-6 522	nkl.	J	880
1,0	C1-6 60	nkl.	S	
1,0	C1-6 62	nkl.	S	
1,0	C1-6 63	nkl.	S	
0.1	C1-6 64	95,0	S	
1,0	C1-6 61	94,0	J	550

Vídeňský černý

1,0	C1-6 175	94,5	S	660
1,0	C1-6 176	94,5	S	770
1,0	C1-6 177	95,5	S	
0.1	C1-6 178	94,5	S	660 (379 b)
1,0	C1-6 180	95,5	S	
1,0	C1-6 182	95,5	S	
0.1	C1-6 184	95,5	S	
0.1	C1-6 185	95,5	S	(382 b) 🏆

Vídeňský šedý

1,0	C6-5 31-1	92,0	J	440
1,0	C6-5 31-2	výl.	J	
0.1	C6-5 31-3	92,0	J	440

Novozélandský červený

0.1	C1-6 651	94,5	J	550
0.1	C1-6 653	94,5	J	

Burgundský

1,0	C11-5 12-97	91,5	J	
1,0	C10-5 31-18	93,5	S	660
1,0	C10-5 31-19	93,0	S	
0.1	C10-5 31-21	92,5	S	660
0.1	C10-5 31-22	92,5	S	(371.5 b)

Kuní velký hnědý

1,0	C1-6 96	92,5	J	
0.1	C1-6 98	92,5	J	385
0.1	C1-6 99	92,5	J	385

Kalifornský černý

1,0	C1-6 37	94,5	S	
1,0	C1-6 39	94,0	S	
0.1	C1-6 41	94,5	S	
0.1	C1-6 42	94,5	S	(377.5 b) 🏆
1,0	C1-6 35	94,0	S	
1,0	C1-6 36	V (0)	S	
1,0	C1-6 38	94,0	S	
1,0	C1-6 40	94,0	S	

Činčila malá

1,0	C1-6 209	94,0	CHS	330
1,0	C1-6 210	V (0)	CHS	
0.1	C1-6 211	92,0	CHS	275
1,0	C2-6 89	91,0	CHS	275
1,0	C2-6 90	95,5	J	385
1,0	C2-6 91	92,5	J	275
1,0	C3-6 172	95,5	S	
0.1	C3-6 173	95,0	S	
0.1	C3-6 170	96,0	S	
0.1	C3-6 171	94,5	S	(381 b) 🏆

Malý vídeňský bílý

1,0	C2-6 18	94,5	S	880
0.1	C2-6 19	94,0	S	880
0.1	C2-6 20	96,0	S	880
0.1	C2-6 21	95,5	S	880 (380 b) 🏆

Český červený

0.1	C3-6 294	94,0	J	330
0.1	C3-6 293	V (0)	J	330

Stříbrný havanovitý

1,0	C2-6 81	V (0)	S	
1,0	C2-6 82	91,0	S	
1,0	C2-6 83	V (0)	S	
0.1	C2-6 84	93,0	S	

Stříbrný světlý

1,0	C1-6 6	V (0)	S	385
1,0	C1-6 7	V (0)	S	385
1,0	C1-6 8	94,5	S	385
1,0	C1-6 9	V (0)	S	

Tříslivý černý

0.1	C2-6 16	94,5	J	880
0.1	C2-6 7	95,0	J	880
0.1	C2-6 1	96,0	J	
1,0	C2-6 2	V (0)	J	
1,0	C1-6 17	94,5	S	
1,0	C1-6 18	93,5	S	
1,0	C1-6 19	nkl.	S	
0.1	C1-6 20	94,0	S	
0.1	C1-6 21	94,0	J	

Český černopesíkatý

1,0	C3-6 45	93,0	S	
0.1	C3-6 46	92,5	S	
0.1	C2-6 42	94,0	S	
0.1	C2-6 44	V (0)	S	

Zakrslý beran divoce modrý

1,0	C3-6 20	93,0	J	880
0.1	C3-6 21	V (0)	S	880
0.1	C3-6 22	93,5	S	880
0.1	C3-6 23	94,5	S	880
0.1	C3-6 24	93,0	S	880

Zakrslý beran činčilový

0.1	C3-6 59	95,5	S	P04
0.1	C3-6 60	96,0	S	
0.1	C3-6 61	96,5	S	
0.1	C3-6 62	95,0	S	(383 b) P03 P05 P01

Zakrslý beran tříslivý černý

1,0	C2-6 1	92,5	CHS	
0.1	C2-6 6	93,5	CHS	1100
0.1	C2-6 7	93,0	CHS	
0.1	C2-6 8	94,0	CHS	(373 b)
1,0	C3-4 31-1	V (0)	J	550

Zakrslý beran tříslivý marburský

1,0	558 Z117	93,5	J	
-----	----------	-------------	---	--

Zakrslý beran strakáč činčilový

0.1	C3-6 16	94,5	J	
0.1	C3-6 15	V (0)	J	330

Hermelín modrooký

0.1	C3-6 100	95,0	J	
1,0	C3-6 99	94,0	J	
1,0	C3-6 98	V (0)	J	220

Zakrslý černý

1,0	C1-5 27-5	94,5	J	550
0.1	3514 C855	V (0)	J	550

Zakrslý činčilový

1,0	C1-6 48	96,0	S	P02
1,0	C1-6 49	95,5	S	
0.1	C1-6 50	95,0	S	
0.1	C1-6 51	93,5	S	(380 b) 🏆

Zakrslý bílopesíkatý modrý

0.1	C3-6 31	93,0	J	880
0.1	C3-6 30	93,5	J	

Zakrslý rex tříslivý černý

1,0	C5-4 31-5	x	J	
-----	-----------	----------	---	--

Expozice drůbeže voliéry

Č.kl.	Tetov.	Ocenění	ČC	Vystavovatel
			Kč	

Husy české

1,0	7990	V (0)	1D	
0.1	7783	V (0)	1D	
1,0	2246	92,0	1D	1100

Husy francké modře divoké

1,0	6047	V (0)	1D	880
1,0	6050	91,0	1D	

Pížmovky bílé

1,0	4459	93,0	1D	🏆
0.1	22093	92,0	1D	

Kachny saské modrožlutě divoké

1,0	15335	93,0	3D/1	
0.1	15337	93,0	3D/1	440
0.1	15339	93,0	3D/1	440 (279 b)
1,0	15345	93,0	3D/2	550
0.1	15332	94,0	3D/2	🏆 440
0.1	15342	93,0	3D/2	440 (280 b)

Kachny čárkované stříbrné divoké

1,0	11075	90,0	3D/1	440
1,0	11076	91,0	3D/1	440
0.1	11087	92,0	3D/1	(273 b)

Kachny indičí běžci pstruhoví

1,0		nekr.	1D	220
1,0		nekr.	1D	220
1,0		nekr.	1D	220
0.1		nekr.	1D	220
0.1		nekr.	1D	220

Brahmanky koroptví vlnité

1,0	542	92,0	3D/1	
0.1	4696	93,0	3D/1	
0.1	4693	95,0	3D/1	(280 b)

Amroksky krahujcovité

1,0	8182	92,0	3D/1	
0.1	22081	92,0	3D/1	
0.1	22078	92,0	3D/1	(276 b)

Australky černé

1,0	8171	N (0)	3D/1	
0.1	22339	93,0	3D/1	
0.1	22336	93,0	3D/1	

Bílefeldské slepice rodoobarvé hnědoprsé

1,0	6052	91,0	3D/1	165
0.1	11136	92,0	3D/1	495
0.1	11135	92,0	3D/1	495 (275 b)
1,0	6059	92,0	3D/2	165
0.1	11146	91,0	3D/2	495
0.1	11149	92,0	3D/2	495 (275 b)
1,0	6058	92,0	3D/3	165
1,0	6055	90,0	3D/3	165
1,0	6051	91,0	3D/3	165 (273 b)

Hempšírky měděně červené

1,0	6149	91,0	1D	220
1,0	6150	V (0)	1D	220
1,0	6146	V (0)	1D	220
1,0	6148	V (0)	1D	220
1,0	6147	91,0	1D	220
1,0	8106	95,0	3D/1	
0.1	22429	94,0	3D/1	
0.1	22433	91,0	3D/1	(280 b)

Mechelenky krahujcovité

1,0	68	V (0)	3D/1	440
0.1	6155	93,0	3D/1	
0.1	6153	93,0	3D/1	
1,0	2251	V (0)	3D/2	
0.1	6152	93,0	3D/2	
0.1	6157	92,0	3D/2	

Plymutky bílé

1,0	6142	91,0	1D	330
1,0	6137	91,0	1D	330
1,0	6160	94,0	3D/1	220
0.1	11019	92,0	3D/1	
0.1	11018	93,0	3D/1	(279 b)

1,0	11016	90,0	1D	165
1,0	2257	V (0)	1D	165
1,0	11010	90,0	1D	165
1,0	2256	V (0)	3D/2	220
0.1	11014	91,0	3D/2	220
0.1	11013	93,0	3D/2	220

Rodajlendky červené

1,0	11459	92,0	3D/1	385
0.1	22478	V (0)	3D/1	
0.1	20390	93,0	3D/1	

Sasexky bílé

1,0	8122	90,0	3D/1	
0.1	22418	93,0	3D/1	
0.1	22406	93,0	3D/1	(276 b)

Vlašky koroptví

1,0	15570	V (0)	1D	220
1,0	15559	N (0)	1D	220
1,0	15573	V (0)	1D	220
0.1	11322	N (0)	1D	220

Vlašky stříbrně zbarvené

1,0	11005	90,0	1D	220
1,0	11003	V (0)	1D	220
1,0	11008	V (0)	1D	220
1,0	11020	V (0)	1D	220
1,0	11021	V (0)	1D	220

Vlašky rodoobarvé šedoprsé

1,0	22075	94,0	3D/1	
0.1	10609	96,0	3D/1	P08
0.1	10627	93,0	3D/1	(283 b) P06

Araukany divoké

změna: Ameraucany

1,0	nekr.	1D	330
1,0	nekr.	1D	330
1,0	nekr.	1D	330
1,0	nekr.	1D	330
1,0	nekr.	1D	330

Araukany černé

1,0	15536	90,0	3D/1	275
0.1	11454	93,0	3D/1	550
0.1	11438	91,0	3D/1	550 (274 b)
1,0	22451	V (0)	1D	330

Araukany modré

1,0	11436	91,0	3D/1	220
0.1	15539	92,0	3D/1	550
0.1	11453	92,0	3D/1	550 (275 b)

Hedvábníčky vousaté bílé

1,0	10403	92,0	1D	
0.1	10369	91,0	1D	
0.1	14051	91,0	1D	
0.1	17163	91,0	1D	

Hedvábníčky černé

1,0	11281	91,0	1D	330
1,0	11278	90,0	1D	330
1,0	11276	92,0	1D	330
0.1	11282	94,0	1D	🏆

Hedvábníčky šedé

1,0	11279	92,0	1D	
0.1	11275	92,0	1D	

Oravky zdrobnělé rodobarvé

1,0	17996	92,0	3D/1	
0.1	E199	V (0)	3D/1	
0.1	H496	92,0	3D/1	

Plymutky zdrobnělé bílé

1,0	1997	92,0	3D/1	220
0.1	16876	91,0	3D/1	220
1,0	1998	V (0)	3D/1	220

Velsumky zdrobnělé rezavě koroptví

1,0	14441	91,0	3D/1	
0.1	21048	V (0)	3D/1	
0.1	21056	92,0	3D/1	

Vyandotky zdrobnělé oranžově koroptví vlnité

1,0	1976	91,0	3D/1	
0.1	16853	93,0	3D/1	
0.1	16838	92,0	3D/1	(276 b)

Vyandotky zdrobnělé lososové

modře lososové

1,0	1997	91,0	3D/1	
0.1	16852	91,0	3D/1	
0.1	16851	93,0	3D/1	(275 b)

lososové

1,0	1988	93,0	3D/2	
0.1	16848	92,0	3D/2	
0.1	16836	92,0	3D/2	(277 b)

1,0	11107	91,0	1D	165
0.1	16823	95,0	1D	🏆
0.1	16824	94,0	1D	

1,0	11103	91,0	1D	165
0.1	16835	92,0	1D	220
0.1	1961	94,0	1D	220

1,0	11106	91,0	3D/3	165
0.1	16822	93,0	3D/3	220
0.1	16833	92,0	3D/3	220 (276 b)

Vyandotky zdrobnělé zlaté modře lemované

1,0	581	N (0)	1D	
-----	-----	-------	----	--

Vyandotky zdrobnělé zlaté bíle lemované

0.1	673	V (0)	1D	
-----	-----	-------	----	--

Bojovnice indické zdrobnělé bažantí

1,0	15027	V (0)	3D/1	
0.1	1876	92,0	3D/1	
0.1		x	3D/1	

1,0	11140	V (0)	1D	220
0.1	4733	V (0)	1D	220

Jokohamky zdrobnělé červeně sedlaté tečkované

1,0	16972	93,0	3D/1	220
0.1	10599	V (0)	3D/1	
0.1	10598	92,0	3D/1	
1,0	10596	V (0)	1D	220
0.1	10597	93,0	1D	

Rousné zakrslé slepice zlatokrké

1,0	16821	94,0	1D	🏆
0.1	16859	92,0	1D	
0.1	16854	V (0)	1D	

Rousné zakrslé slepice oranžovokrké

1,0	16929	V (0)	1D	198
-----	-------	-------	----	-----

Rousné zakrslé slepice citronové porcelánové

1,0	26579	N (0)	3D/1	
0.1	17207	N (0)	3D/1	
0.1	Z788	N (0)	3D/1	
0.1	1772	91,0	1D	

Rousné zakrslé slepice šedě porcelánové

1,0	1065	92,0	1D	220
0.1	1056	92,0	1D	
0.1	1063	92,0	1D	
0.1	1049	V (0)	1D	
1,0	1048	92,0	1D	220
0.1	1059	92,0	1D	
0.1	1058	91,0	1D	
0.1	1054	92,0	1D	
1,0	1050	92,0	1D	220
0.1	1055	V (0)	1D	
0.1	1057	92,0	1D	
0.1	1061	91,0	1D	

P09

Expozice holubů klece

Č.kl.	Tetov.	Ocenění	ČC	Vystavovatel
			Kč	

Maltéz červený				
1,0	S232/25	94,0	J	

Americký výstavní tmavě kapratý				
1,0	AP917/23	96,0	J	
0.1	AP880/23	95,0	J	
0.1	BN316/24	94,0	J	
0.1	AX401/22	93,0	J	

Koburský skřivan bezpruhý				
1,0	AP488/25	96,0	J	
1,0	B59/25	94,0	J	

Koburský skřivan pruhový				
1,0	BC534/25	94,0	J	
1,0	BC555/25	93,0	J	

Koburský skřivan kapratý				
1,0	S895/25	96,0	J	
1,0	S887/25	93,0	J	

Texan plavý				
1,0	M22/25	94,0	J	
1,0	M45/25	95,0	J	
0.1	W88/22	93,0	J	
0.1	D597/24	95,0	J	

Moravský pštros černý				
1,0	R826/24	92,0	J	
1,0	R821/24	92,0	J	

Moravský pštros žlutý				
1,0	AP167/25	93,0	J	
1,0	AP92/25	94,0	J	

Prácheňský kánik černý				
1,0		x	J	

Německý výstavní modrý pruhový				
1,0	AR224/25	93,0	4H/1	
1,0	AR263/25	96,0	4H/1	🏆
změna: modrý kapratý				
1,0	AR210/25	95,0	4H/1	
0.1	AR211/25	95,0	4H/1	(379 b)

Německý výstavní šedohnědý				
1,0	AR273/25	94,0	J	
1,0	AR208/25	96,0	J	

Německý výstavní žlutě plavý				
1,0	AR296/25	93,0	J	

King bílý				
1,0	E963/25	96,0	J	🏆
1,0	E721/26	95,0	J	
1,0	E906/25	V (0)	J	
1,0	W164/21	96,0	J	
0.1	L85/22	95,0	J	

King černý				
0.1	24-C605	93,0	J	

King stříbřitý				
1,0	24-B73	94,0	J	

King andaluský				
0.1	25-A929	93,0	J	
1,0	21-D387	x	J	
1,0	26-P831	93,0	J	

King černý strak				
1,0	21-H652	V (0)	J	

King indigo				
0.1	25-A947	V (0)	J	

Moravský morák				
1,0	U34/24	96,0	J	
1,0	P774/20	96,0	J	
0.1	L106/26	97,0	J	
0.1	R96/24	94,0	J	
1,0	26-P832	x	J	110
0.1	26-V681	x	J	110

Český stavák černý sedlatý				
1,0	W462/24	94,0	J	
1,0	B246/23	96,0	J	🏆
0.1	D929/21	94,0	J	
0.1	647/24	93,0	J	

Voorburský voláč štítník modrý bezpruhý				
1,0	AP41/25	93,0	J	
1,0	AD474/22	94,0	J	

Voorburský voláč štítník modrý bělopruhý				
1,0	AF457/25	95,0	J	

Voorburský voláč štítník červený				
0.1	F888/25	96,0	J	P12

Český bublák modrý				
1,0	A914/25	94,0	J	
1,0		x	J	

Arabský bublák bílý

1,0	M131/24	94,0	J
1,0	M736/24	94,0	J
1,0	M133/24	93,0	J
1,0	A524/25	93,0	J

Altenburský bublák žlutě plavý

1,0	AU417/21	94,0	J
1,0	AU406/21	96,0	J
1,0	AU420/21	94,0	J
1,0	D6944/25	94,0	J

Expozice holubů voliéry

Č.kl.	Tetov.	Ocenění	ČC Kč	Vystavovatel
-------	--------	---------	----------	--------------

Pomořanský voláč černý

1,0	A214/25	96,0	5H/1
1,0	A35/25	95,0	5H/1
0.1	D161/25	95,0	5H/1
0.1	E775/23	94,0	5H/1
0.1		x	5H/1

Koburský skřivan bezpruhý

1,0	X461/24	96,0	5H/1	🏆
1,0	X445/24	94,0	5H/1	
1,0	AP183/25	94,0	5H/1	
0.1	X495/24	96,0	5H/1	
0.1		94,0	5H/1	(474 b)

Prácheňský kánik černý

1,0	AS507/22	94,0	J
1,0	E592/20	93,0	J
1,0	E554/24	92,0	J
1,0	AF445/24	94,0	J
1,0	E508/20	92,0	J
1,0	AF493/25	94,0	J

Slezský barevnohlávek černý

1,0	R712/24	95,0	5H/1		
1,0	R713/24	96,0	5H/1		
1,0	M926/23	95,0	5H/1		
0.1	T697/22	96,0	5H/1		
0.1	C172/20	93,0	5H/1	(475 b)	P10
0.1	M935/23	93,0	J		

Polský výstavní holub

změna: Staropolský holub				
1,0	C201/21	94,0	5H/1	
1,0	T877/22	95,0	5H/1	
1,0	X483/24	95,0	5H/1	
0.1	AP87/25	95,0	5H/1	
0.1	E954/20	95,0	5H/1	(474 b)

King bílý

1,0	<i>E734/25</i>	96,0	5H/1
1,0	<i>H991/25</i>	95,0	5H/1
1,0	<i>H984/25</i>	94,0	5H/1
0.1	<i>P741/24</i>	94,0	5H/1
0.1	<i>P748/24</i>	95,0	5H/1

(474 b)

Moravský morák

1,0	23-Y841	94,0	J	
1,0	21-AY115	96,0	J	🏆
1,0	21-C552	94,0	J	
0.1	21-AL161	95,0	J	
0.1	24-R188	94,0	J	
0.1	21-C551	95,0	J	

Slezský voláč červený bělopruhý

1,0	B274/25	94,0	J
1,0	B272/25	96,0	J
1,0	B270/25	94,0	J
0.1	G102/24	95,0	J
0.1	B263/25	94,0	J
0.1	AP892/23	95,0	J

Rakovnický kotrlák červený sedlatý

1,0	G56/26	Nv	J
1,0	G23/26	Nv	J
1,0	C352/21	94,0	J
1,0	C411/18	94,0	J
1,0	G250/23	94,0	J
1,0	G21/26	Nv	J