

Expozice drůbeže

Č.kl.	Kroužek	Ocenění	Čestná cena Kč	Vystavovatel
-------	---------	---------	-------------------	--------------

Krůty naraganset černošedé

1,0	4495-25	92,0	J	
1,0	A5123	93,0	J	1725
0.1	230523	95,0	J	1725
1,0	8024	94,0	J	
0.1	2283	92,0	J	1725
1,0		x	J	

Krůty německé černobílé

1,0	3724	96,0	J	1150
0.1	2064	95,0	J	1150

Expozice vodní drůbeže

Husy labutí bílé

0.1	3243-25	91,0	J	2875
1,0	3249-25	92,0	J	2875

Husy české

1,0	2217-25	90,0	K	1150
0.1	2214-25	93,0	K	1150
0.1	2219-25	94,0	K	1150
0.1	2207-25	94,0	K	1150 (371 b)
1,0	555-24	93,0	K	1725
1,0	2350-25	90,0	K	1150
0.1	326-24	94,0	K	1725
0.1	2346-25	93,0	K	1150 (370 b)
1,0	840-25	91,0	J	
0.1	837-25	93,0	J	1725
0.1	847-25	92,0	J	1725
0.1	824-25	94,0	J	1380
0.1	825-25	94,0	J	1380
0.1	828-25	94,0	J	1380
1,0	6422-25	V (0)	J	1035
1,0	6437-25	V (0)	J	1035
0.1	6426-25	V (0)	J	1035
1,0	2202-25	93,0	K	1783
1,0	258-25	93,0	K	1783
1,0	243-25	90,0	K	1725
0.1	232-25	95,0	K	1725 (371 b)
1,0	259-25	93,0	K	1840
1,0	2205-25	93,0	K	1725
0.1	247-25	94,0	K	1783 (373 b)
1,0	260-25	93,0	K	
1,0	28/25	91,0	J	
0.1	27-25	94,0	J	

Husy české chocholaté

1,0	3361-25	95,0	J	1610	P106
1,0	230025	91,0	J	1725	
0.1	229025	V (0)	J	1725	

Husy francké modře divoké

1,0	10671-25	94,0	J	1725	
0.1	10504-25	93,0	J	1725	
1,0	5876-25	90,0	K	1150	
1,0	5874-25	91,0	K	1150	
0.1	4530-25	91,0	K	1150	
0.1	4528-25	N (0)	K	1150	

Pižmovky divoké

1,0	7516-25	95,0	K	1035	
0.1	6689-25	94,0	K	805	
0.1	6698-25	95,0	K	805	
0.1	6696-25	96,0	K	805 (380 b)	MJM

Pižmovky hnědě sedlaté

1,0	6450-25	92,0	J	920	
-----	---------	------	---	-----	--

Kachny elsberské bílé

1,0	20731	96,0	J	2760	P100
0.1	20442	95,0	J	2760	

Kachny pekingské americké bílé

1,0		x	K		
1,0		x	K		
0.1		x	K		
0.1		x	K		

Kachny pekingské německé bílé

1,0	13693	94,0	J	1150	
0.1	13669	V (0)	J	1150	

Kachny ruánské anglické divoké

1,0	4491-25	90,0	K	805	
1,0	4499-25	91,0	K	805	
0.1	17427-25	90,0	K	805	
0.1	17503-25	90,0	K	805 (361 b)	
1,0	17381	94,0	K		
1,0	17387	95,0	K		
0.1	17318	94,0	K		
0.1	17390	95,0	K		(378 b)

Kachny ruánské anglické modře divoké

1,0	17508-25	93,0	K	920	
1,0	4418-25	90,0	K	920	
0.1	4498-25	96,0	K	920	P107
0.1	17425-25	94,0	K		(373 b)

Kachny ruánské anglické světle hnědě modře divoké

1,0	4510-25	91,0	K	920
1,0	4505-25	94,0	K	920
0.1	4493-25	94,0	K	920
0.1	4494-25	94,0	K	(373 b)

Kachny saské modrožlutě divoké

1,0	2703-25	94,0	K	633
1,0	2725-25	92,0	K	633
1,0	2726-25	92,0	K	633
0.1	2707-25	91,0	K	633 (369 b)
0.1	2734-25	93,0	J	633
0.1	2735-25	92,0	J	633
1,0	234-25	92,0	J	1495
1,0	11551	91,0	K	575
0.1	11519	92,0	K	575
0.1	11554	94,0	K	575
0.1	11508	90,0	K	575 (367 b)
1,0	11576	94,0	J	575
0.1	11780	90,0	J	575
1,0	11133-25	V (0)	J	920
0.1	11124-25	95,0	J	805

Kachny čárkované stříbrně divoké

1,0	3807-24	90,0	K	
1,0	20403-25	90,0	K	
0.1	20405-25	92,0	K	
0.1	5565-25	91,0	K	(363 b)

Kachny indiští běžci divocí

1,0	2849-25	96,0	J	345
1,0	10144-25	95,0	J	345
0.1	2795-25	90,0	J	460

Kachny indiští běžci stříbrní divocí

1,0	16578-25	90,0	K	805
0.1	16553-25	91,0	K	805
0.1	16574-25	90,0	K	805
0.1	16579-25	90,0	K	805 (361 b)

Kachny indiští běžci bílí

NEDODÁNO
1,0 3456-25 x J

NEDODÁNO
1,0 3476-25 x J

Kachny kajugy černé

1,0	5513-25	96,0	K	805
1,0	5508-25	95,0	K	805
1,0	5502-25	94,0	K	805
0.1	5510-25	95,0	K	(380 b)

MJM

1,0	4190-25	93,0	K	805
1,0	4222-25	94,0	K	805
0.1	4189-25	92,0	K	920
0.1	4229-25	92,0	K	920 (371 b)
1,0	1173-25	94,0	J	805
1,0	1169-25	94,0	J	805

Kachny orpingtonské hnědožluté

1,0	1167-25	95,0	K	920
0.1	1163-25	95,0	K	
0.1	1171-25	94,0	K	
0.1	1170-25	91,0	K	920 (375 b)

Kachny selské bílé

1,0	14139	96,0	K	805
1,0	14140	94,0	K	805
0.1	14165	94,0	K	805
0.1	14172	90,0	K	575 (374 b)

Kachny Vorsterovy bílé

1,0	24107-25	90,0	K	1150
0.1	24103-25	93,0	K	
0.1	24104-25	94,0	K	
0.1	24105-25	94,0	K	(371 b)
1,0	24110-25	90,0	J	1035
0.1	24108-25	92,0	J	1035

Perličky divoké s úplným perlením

1,0	8366	94,0	K	690
1,0	8307	91,0	K	690
0.1	6863	91,0	K	805
0.1	8305	94,0	K	805 (370 b)
0.1	8306	93,0	J	805
1,0	8303	93,0	J	690

Expozice drůbeže - perličky

0.1	8922-25	92,0	J	
0.1	8921-25	92,0	J	

Perličky šedé s úplným perlením

1,0	4829-25	93,0	K	690
0.1	4781-25	92,0	K	805
0.1	4827-25	91,0	K	805
0.1	16387-25	94,0	K	805 (370 b)

Perličky světle modré s úplným perlením

1,0	8309	90,0	J	690
0.1	8362	92,0	J	805
1,0	8364	x	J	
1,0	734/24	96,0	K	
0.1	13749/25	95,0	K	
0.1	21087/24	92,0	K	
0.1	21431/25	96,0	K	(379 b)

P110

Expozice hrabavé drůbeže

Bojovnice indické bažantí

1,0 A639 90,0 J

Bojovnice indické bílé bažantí

0.1 A658 92,0 J

0.1 D357 93,0 J

0.1 D356 V (0) J

0.1 A543 V (0) J

Bojovnice šamo divoké

1,0 x J

0.1 x J

Bojovnice šamo pšeničné

1,0 x J

0.1 x J

Bojovnice šamo černé

1,0 x K

1,0 x K

0.1 3000 x K

0.1 x K

Bojovnice tuzo bílé

1,0 x K

1,0 x K

1,0 x K

0.1 x K

Brahmánky koroptví vlnité

0.1 6484 92,0 J 920

0.1 63 V (0) J 920

Brahmánky modré koroptví vlnité

0.1 62 93,0 J 920

Brahmánky černé

0.1 3702-24 92,0 J

1,0 2254-25 94,0 J

1,0 2205-25 91,0 J

Brahmánky modré

1,0 4811-24 95,0 J

1,0 2243-25 93,0 J

0.1 4830-24 94,0 J

0.1 64 94,0 J 920

Orpingtonky žluté černě lemované

0.1 CZ25-4158 92,0 J

0.1 CZ25-4160 92,0 J

Orpingtonky porcelánové

1,0 CZ25-4118 94,0 J

0.1 CZ25-412 94,0 J

Orpingtonky žluté

0.1 CZ25-4145 95,0 J

0.1 CZ25-4141 92,0 J

Orpingtonky černé

0.1 18582 95,0 J

Orpingtonky modré s lemy

0.1 CZ25-4148 92,0 J

0.1 CZ25-4137 93,0 J

Orpingtonky bílé

0.1 18508 91,0 J

Amroksky krahujcovité

1,0 7936-25 92,0 K 1150

0.1 16526-25 92,0 K

0.1 16506-25 94,0 K

0.1 16505-25 92,0 K (370 b)

0.1 541 94,0 J

0.1 543 93,0 J

0.1 539 90,0 K

0.1 562 92,0 K

0.1 542 92,0 K (364 b)

1,0 66/25 90,0 K

Australky černé

1,0 6134-25 92,0 J 690

1,0 6147-25 92,0 J 690

1,0 6143-0 N (0) J 690

1,0 6159 90,0 J 690

1,0 6150 V (0) J 690

0.1 988-25 95,0 J

0.1 989-25 94,0 J

1,0 6463-25 93,0 J

0.1 6441-25 95,0 J

1,0 x J

modré

1,0 7501-25 93,0 J 805

0.1 6693-25 92,0 J

1,0 25-4697 95,0 J

0.1 25-19350 94,0 J

0.1 25-19348 95,0 J

1,0 3251-25 90,0 K

1,0 3256-25 90,0 K 690

0.1 8039-25 92,0 K

0.1 8037-25 92,0 K (364 b)

1,0	12610	94,0	K	
0.1	11093-25	92,0	K	
0.1	11089-25	95,0	K	
1,0	12611-25	95,0	K	(376 b)
0.1	11088-25	V (0)	K	ŠJM
1,0	12613-25	96,0	K	
0.1	11092-25	95,0	K	ŠJM
0.1	11091-25	96,0	K	
0.1	15125	95,0	J	
0.1	15139	V (0)	J	
Australky modré s lemy				
1,0	6146	92,0	J	690
1,0	6133	90,0	J	690
1,0	6442-25	94,0	J	690
1,0	7525-25	93,0	J	805
1,0	7502-25	91,0	J	805
Barneveldky dvojlemované				
1,0	4806-25	92,0	K	575
0.1	2303-25	93,0	K	
0.1	2307-25	95,0	K	
0.1	2309-25	93,0	K	(373 b) P105
1,0	1841225	94,0	J	575
Barneveldky modře dvojlemované				
1,0	131-25	92,0	J	460
0.1	151-25	91,0	J	575
0.1	128-25	90,0	J	575
Bílefeldské slepice rodoobarvé hnědoprsé				
1,0	974	91,0	K	863
0.1	18110	92,0	K	863
1,0	979	90,0	K	805
0.1	18190	92,0	K	863 (365 b)
1,0	966	90,0	K	805
0.1	18183	93,0	K	863
1,0	968	90,0	K	805
0.1	18181	93,0	K	863 (366 b)
0.1	16521	93,0	J	920
0.1	16522	91,0	J	920
NEDODÁNO				
0.1		x	J	
NEDODÁNO				
0.1		x	J	
1,0	9907	91,0	K	575
0.1	1123	94,0	K	575
0.1	1127	92,0	K	575
0.1	1126	92,0	K	575 (369 b)

Faverolky německé lososové				
1,0	5872	92,0	J	
0.1	4519	V (0)	J	
0.1	4518	92,0	J	
Hempšírky měděně červené				
1,0	54-25	91,0	J	690
1,0	55-25	92,0	J	690
1,0	6163-25	V (0)	J	690
1,0	6813-25	95,0	J	
0.1	37-25	96,0	J	P124
1,0	9963/25	93,0	J	575
0.1	1267/25	V (0)	J	
0.1	1252/25	93,0	J	
1,0	6024-25	V (0)	J	690
0.1	18519-25	V (0)	J	575
0.1	18561-25	V (0)	J	575
1,0	4525	92,0	K	575
1,0	D343125	95,0	K	
0.1	1325	92,0	K	
0.1	1840825	95,0	K	(374 b)
Maransky černé měděněkrké				
1,0	25-4688	92,0	J	
0.1	25-19330	92,0	J	
1,0	25-4686	N (0)	J	
0.1	25-19349	V (0)	J	
1,0	12557	95,0	J	
0.1	3807	V (0)	J	
Oravky bílé				
1,0	50-25	N (0)	K	
1,0	13706-24	V (0)	K	
0.1	2797-25	N (0)	K	
0.1	2796-25	N (0)	K	
Plymutky žluté				
1,0	nedod	x	K	
0.1	nedod	x	K	
0.1	nedod	x	K	
0.1	nedod	x	K	
Rodajlendky červené				
1,0	4409-25	92,0	J	460
0.1	4416-25	92,0	J	
0.1	4418-25	N (0)	J	
Velsumky rezavě koroptví				
1,0		x	J	
Vyandotky německé stříbrné černě lemované				
1,0	2843	91,0	J	
0.1	2807	94,0	J	
0.1	2806	94,0	J	

Orlovky pestré

1,0	1346-25	90,0	K	
1,0	8937-25	91,0	K	
0.1	22779-25	94,0	K	
0.1	8923	94,0	K	(369 b)

Leghornky americké bílé

1,0	12777	V (0)	J	
0.1	21599	0	J	
0.1	13651	94,0	J	
1,0	8125	91,0	J	
1,0	6680-25	0	J	575
1,0	nedod.	x	J	
1,0	nedod.	x	J	
1,0	nedod.	x	J	

Španělky černé

1,0	13689	92,0	J	575
0.1	14780	93,0	J	
0.1	21139	93,0	J	

Vlašky koroptví

1,0	10846	V (0)	J	
0.1	13584	93,0	J	
0.1	13671	V (0)	J	
1,0	1155-25	92,0	J	
0.1	1237-25	95,0	J	

Vlašky stříbrně zbarvené

1,0	11633	V (0)	K	
0.1	14373	94,0	K	
0.1	14377	95,0	K	🏆
0.1	14368	92,0	K	
1,0	3809	V (0)	2+2	575
1,0	3806	95,0	2+2	
0.1	22504	94,0	2+2	
0.1	22477	92,0	2+2	

Vlašky černé bíle skvrnité

1,0	2060-25	93,0	K	
1,0	2058-25	94,0	K	
0.1	15438-25	93,0	K	
0.1	15436-25	94,0	K	(374 b)
1,0	2057-25	93,0	K	460
1,0	2056-25	94,0	K	460
0.1	15439-25	93,0	K	
0.1	15428-25	V (0)	K	

Vlašky žíhané

0.1	91,0	J	
0.1	93,0	J	

Brakelky stříbrné černě pruhované

1,0	10916-25	92,0	K	460
1,0	10918-25	94,0	K	460
0.1	9661-25	90,0	K	460
0.1	9662-25	95,0	K	🏆 460 (371 b)
0.1	9663-25	N (0)	J	460

České slepice zlaté kropenaté

1,0	2501-25	92,0	J	575
1,0	2502-25	92,0	J	690

České slepice stříbrné kropenaté

1,0	147-25	93,0	K	
1,0	141-25	94,0	K	
0.1	183-25	94,0	K	
0.1	187-25	95,0	K	(376 b) P19
1,0	160-25	94,0	J	460
0.1	185-25	92,0	J	

Holandské chocholaté slepice bílé bílochocholaté

1,0	8	93,0	K	805
0.1	10	91,0	K	748
1,0	9	91,0	K	748
0.1	12	90,0	K	748 (365 b)
1,0	6	92,0	J	748
0.1	1012	92,0	J	748

Araukany divoké

1,0	5023	93,0	J	575
1,0	5024	91,0	J	518
1,0	13682	92,0	J	575
1,0	20418	93,0	J	575
0.1	13983	92,0	J	

Hedvábníčky vousaté bílé

0.1	19656	92,0	J	
0.1	19660	93,0	J	
0.1	11870	92,0	J	
0.1	11874	96,0	J	🏆

Hedvábníčky černé

0.1	x	K	
0.1	x	K	
0.1	x	K	
0.1	x	K	
1,0	x	J	
1,0	x	J	

Hedvábníčky modré

1,0	25-10842	91,0	K	
0.1	25-10857	94,0	K	
0.1	23-12925	93,0	K	
0.1	22-8929	95,0	K	(373 b)

Hedvábníčky bílé

1,0	13595-25	x	J	
1,0	13596-25	93,0	J	403
1,0	13597-25	92,0	J	403

Holokrčky černé

1,0	3964	91,0	K	
0,1	11530	92,0	K	748
0,1	11528	91,0	K	748
0,1	11526	92,0	K	748 (366 b)
1,0	3811	91,0	J	489

Brahmánky zdobně koroptví vlnité

1,0	7929-25	95,0	K	345
0,1	17932-25	95,0	K	
0,1	11065-25	92,0	K	
0,1	11069-25	95,0	K	(377 b)

Brahmánky zdobně modré koroptví vlnité

1,0	2473-25	94,0	J	920
0,1	16157-25	91,0	J	1150
0,1	16158-25	93,0	J	1150

Brahmánky zdobně bílé kolumbijské

1,0	17595-25	92,0	K	
0,1	17916-25	95,0	K	
0,1	17932-25	94,0	K	
0,1	17597-25	94,0	K	(375 b)
1,0	499	95,0	J	
0,1	E748	93,0	J	
0,1	334	96,0	J	

Kočinky zakrslé černé

1,0		95,0	J	 920
1,0		95,0	J	920
1,0		x	K	
0,1		x	K	
0,1		x	K	
0,1		x	K	

Kočinky zakrslé modré

1,0		x	K	
1,0		x	K	
0,1		x	K	
0,1		x	K	

Orpingtonky zdobně černé

1,0	CZ25-123	V (0)	K	
0,1	CZ25-643	96,0	K	 P109
0,1	CZ25-646	95,0	K	
0,1	CZ25-647	94,0	K	

Amroksky zdobně krahujcovité

1,0	20483-25	93,0	J	403
0,1	3239-25	94,0	J	
1,0	25 3967	95,0	J	403
1,0	25 3917	95,0	J	 403
0,1	25 14274	90,0	J	
1,0	25 3912	90,0	J	403

Australky zdobně černé

1,0	12690	N (0)	J	575
1,0	12668	90,0	J	575
1,0	1230925	94,0	K	460
1,0	1230625	95,0	K	460
0,1	7461-25	93,0	K	460
0,1	746325	93,0	K	460 (375 b)
1,0	12428-25	93,0	K	460
0,1	6707-25	94,0	K	
0,1	6703-25	N (0)	K	
0,1	6705	95,0	K	
1,0	12427	N (0)	K	460
1,0	12438	92,0	K	460
0,1	6701	93,0	K	575
0,1	6709	94,0	K	575

Barnevelsky zdobně dvojlemované

1,0	10568	V (0)	K	
1,0	10571	93,0	K	
0,1	2792	N (0)	K	
0,1	2794	92,0	K	
0,1	3012	N (0)	J	
0,1	3014	96,0	J	
0,1	3054	93,0	J	
1,0	10561-25	92,0	J	

Barnevelsky zdobně stříbrné dvojlemované

1,0	5172-24	92,0	J	
0,1	14820-25	91,0	J	
0,1	11838-24	93,0	J	

Faverolky německé zdobně lososové

1,0	5519-25	V (0)	K	230
1,0	5516-25	V (0)	K	230
0,1	6842-25	V (0)	K	
0,1	6848-25	92,0	K	

Hempširky zdobně měděně červené

1,0	12-25	91,0	K	690
1,0	12453-25	94,0	K	690
0,1	689	92,0	K	
0,1	686-25	95,0	K	(372 b)
1,0	12458-25	95,0	K	690
1,0	1-25	94,0	K	690
1,0	2-25	91,0	K	690
1,0	559-25	94,0	K	690 (374 b)

1,0	4525	93,0	J	460
0.1	1325	92,0	J	
1,0	14-25	95,0	K	
0.1	20-25	V (0)	K	
0.1	725	x	K	
0.1	5-25	93,0	K	
1,0	8015	92,0	J	
0.1	7826	90,0	J	
0.1	7827	92,0	J	

Hempšírky zdobně modře měděně červené

1,0	7-25	94,0	K	
1,0	4-25	96,0	K	🏆
0.1	4-25	V (0)	K	
0.1	688-25	93,0	K	

Maransky zdobně černé měděněkrké

0.1	12486-25	90,0	J	575
0.1	12586-25	N (0)	J	920
0.1	9694-25	N (0)	J	920

Plymutky zdobně žluté

1,0	16935-25	93,0	K	
0.1	16944-25	90,0	K	
0.1	16946-25	92,0	K	
0.1	16950-25	93,0	K	(368 b)

Plymutky zdobně černé

1,0	11524/25	93,0	K	
1,0	11520/25	V (0)	K	
0.1	19154/25	93,0	K	
0.1	19163/25	95,0	K	🏆
1,0	1287	92,0	K	
0.1	473	95,0	K	
0.1	4665	95,0	K	🏆
0.1	471	92,0	K	(374 b)
1,0	602	93,0	J	
0.1	4642	95,0	J	

Oravky zdobně rodoobarvé

1,0	F972	92,0	J	
-----	------	------	---	--

Rodajlendky zdobně červené

1,0	3408-25	92,0	K	
1,0	3401-25	94,0	K	
0.1	5089-25	95,0	K	🏆
0.1	5099-25	94,0	K	(375 b)
1,0	3412-25	93,0	K	
0.1	3423-25	94,0	K	
0.1	3417-25	95,0	K	🏆
0.1	5062-25	93,0	K	(375 b)

Šumavanky zdobně zlaté stříkané

0.1	6463-25	91,0	J	
0.1	6466-25	92,0	J	
0.1	6470-25	93,0	J	
1,0	8141-25	92,0	J	

Velsumky zdobně rezavě koroptví

1,0	1877-25	94,0	J	575
1,0	12082-25	92,0	J	
0.1	3345-25	V (0)	J	
1,0	3121-25	92,0	J	460
1,0	3139-25	95,0	J	

P102 P103

1,0	3129-25	92,0	J	460
1,0	3137-25	92,0	J	460
1,0	3127-25	94,0	J	460
1,0	5721-25	90,0	K	
0.1	7694-25	94,0	K	
0.1	2049-24	N (0)	K	
0.1	2270-24	90,0	K	

1,0	3134	91,0	K	
0.1	3097	94,0	K	🏆
0.1	3065	93,0	K	
0.1	3096	96,0	J	

ŠJM P104

0.1	3098	94,0	K	(372 b)
1,0	12152-25	91,0	K	460
0.1	7125-25	92,0	K	
1,0	12088-25	94,0	K	
0.1	7111-25	91,0	K	(368 b)

1,0	12154-25	92,0	K	
1,0	12145-25	93,0	K	460
0.1	7110-25	93,0	K	
0.1	7005-25	91,0	K	(369 b)

Velsumky zdobně stříbrně koroptví stříbropřsě

0.1	2567/25	91,0	J	
0.1	2564/25	91,0	J	
1,0	13592/25	90,0	J	
0.1	16664/25	90,0	J	
0.1	2565/25	90,0	J	
1,0	3194-25	90,0	J	460
1,0	3199-25	92,0	J	460
1,0	4530-24	V (0)	J	
0.1	3433-25	90,0	J	
0.1	3437-25	x	J	

Velsumky zdobně rezavě oranžové

1,0	C589-25	V (0)	J	
0.1	C761-25	V (0)	J	

Velsumky zdrobnělé modré rezavě koroptví

0.1 3248-25 x J

Vyandotky zdrobnělé koroptví vlnité

0.1 4812-25 92,0 J 460

0.1 4813-25 94,0 J 575

0.1 4817-25 93,0 J 575

Vyandotky zdrobnělé stříbrně koroptví vlnité

1,0 8426-25 95,0 K

1,0 12614-25 94,0 K 460

0.1 12612-25 93,0 K 575

0.1 12613-25 90,0 K 575 (372 b)

1,0 95-25 91,0 J 690

0.1 7192-25 V (0) J 805

0.1 6521-25 V (0) J 805

1,0 12005-25 95,0 K

1,0 12049-25 V (0) K 575

0.1 7052-25 95,0 K

0.1 7053-25 95,0 K

1,0 12194-25 90,0 K

1,0 12197-25 90,0 K 437

0.1 7128-25 94,0 K

0.1 7133-25 93,0 K (367 b)

1,0 12010-25 V (0) J 437

1,0 12196-25 90,0 J 437

Vyandotky zdrobnělé oranžově koroptví vlnité

1,0 3342-25 90,0 J 575

1,0 3347-25 90,0 J 575

1,0 D101-25 91,0 K 575

1,0 D72-25 94,0 K 690

0.1 D719-25 94,0 K 690

0.1 D725-25 95,0 K 690 (374 b)

1,0 D102-25 92,0 K 690

1,0 D108-25 91,0 K 575

0.1 D689-25 94,0 K 690

0.1 D720-25 92,0 K 345 (369 b)

1,0 1751-25 94,0 J 460

1,0 1748-25 94,0 J 460

Vyandotky zdrobnělé lososové

1,0 9697-25 92,0 K 460

1,0 9686-25 93,0 K 460

1,0 9726-25 93,0 K 460

1,0 9733-25 V (0) K 460

1,0 B803 92,0 K 690

1,0 B805 92,0 K 690

0.1 C245 93,0 K 690

0.1 C256 92,0 K 690 (369 b)

1,0 308 91,0 K

0.1 87 V (0) K

0.1 71 93,0 K

0.1 464 V (0) K

1,0 334 92,0 K 690

1,0 333 93,0 K 690

0.1 72 94,0 K 863

0.1 468 93,0 K 863 (372 b)

1,0 327 94,0 K

1,0 318 92,0 K 690

0.1 84 95,0 K 863

0.1 82 92,0 K 863 (373 b)

Vyandotky zdrobnělé žluté kolumbijské

1,0 6503-25 90,0 K 518

1,0 6505-25 93,0 K 518

1,0 6525-25 90,0 K 518

1,0 12660-25 92,0 K 518 (365 b)

Vyandotky zdrobnělé stříbrně černě lemované

1,0 16616-25 92,0 J 345

1,0 x J

1,0 16797-25 93,0 J

0.1 2584-25 93,0 J

0.1 2585-25 93,0 J

1,0 12139-25 93,0 K 460

0.1 7181-25 95,0 K 863

0.1 7182-25 94,0 K

0.1 7104-25 93,0 K (375 b)

1,0 1756 92,0 J 403

1,0 1736 94,0 J 403

Vyandotky zdrobnělé černé

1,0 16513/25 93,0 K 460

1,0 16514/25 93,0 K 460

0.1 2233/25 94,0 K

0.1 2235/25 95,0 K 863 (375 b)

1,0 A407 92,0 K

0.1 10950 95,0 K

0.1 10943 92,0 K

0.1 14833 V (0) K

1,0 12024-25 91,0 J 575

0.1 1773-25 90,0 J 690

1,0 12026-25 V (0) K 575

0.1 7034-25 94,0 K

0.1 7033-25 95,0 K

0.1 7028-25 96,0 K 863

1,0 12097-25 94,0 K 368

1,0 12056-25 V (0) K 460

0.1 7177-25 93,0 K

0.1 12072-25 93,0 K

P123

Vyandotky zdobně bílé

1,0 6546-25 **91,0** K 575
 1,0 12609-25 **92,0** K 575
 1,0 12610-25 **92,0** K 575
 1,0 12658-25 **92,0** K 575 (367 b)

1,0 338 **96,0** J  575
 0.1 337 **93,0** J

1,0 CZ-16 25-EE23903 **92,0** K
 1,0 CZ-16 25-EE23904 **93,0** K
 0.1 CZ-13 25-EE3466 **92,0** K
 0.1 CZ-16 25-EE3465 **90,0** K (367 b)

1,0 11851-25 **93,0** J

1,0 9395 **92,0** K 460
 1,0 9397 **95,0** K
 0.1 965 **94,0** K 805
 0.1 6419 **96,0** K 978 (377 b) ŠJM P122

1,0 9392 **92,0** K 518
 0.1 11926 **93,0** K 690
 0.1 7519 **95,0** K 805
 0.1 6441 **96,0** K  978 (376 b)

1,0 11853-25 **V (0)** K 805
 1,0 11859-25 **92,0** K 575
 0.1 19646-25 **92,0** K
 0.1 19654-25 **92,0** K

1,0 C275 **91,0** K 690
 1,0 B804 **N (0)** K 690
 0.1 B811 **91,0** K 690
 0.1 B838 **90,0** K 690

0.1 7179-25 **95,0** K
 0.1 7097-25 **95,0** K
 0.1 7044-25 **94,0** K (379 b) P101

1,0 12054-25 **95,0** K 575
 1,0 12016-25 **93,0** K 518
 1,0 12148-25 **95,0** K 518

0.1 7063-25 **92,0** K
 0.1 7045-25 **94,0** K (374 b)

1,0 12147-25 **96,0** J 437 ŠJM P121

1,0 12060-25 **95,0** J

1,0 12352 **92,0** J 345
 0.1 20425-24 **92,0** J
 0.1 20426-24 **91,0** J

Bojovnice novoanglické zdobně stříbrné

1,0 3084-25 **97,0** K  P108
 0.1 5382-25 **N (0)** K
 0.1 5388-25 **93,0** K
 1,0 3082-25 **94,0** K 

Bojovnice staroanglické zdobně rodoobarv oranzovohřbeté

1,0 2191-25 **V (0)** K 805
 1,0 2185-25 **95,0** K 805
 0.1 3360-24 **93,0** K
 0.1 5442-25 **91,0** K

Bojovnice staroanglické zdobně zlatokrké

1,0 2197 **92,0** J 805

Bojovnice staroanglické zdobně modré zlatokrké

1,0 2187-25 **V (0)** J 805
 0.1 5445-25 **94,0** J

Bojovnice staroanglické zdobně červeně sedlaté zlatokrké

1,0 2193-25 **95,0** J 805
 0.1 3359-24 **95,0** J 

Vlašky zdobně zlaté zbarvené

1,0 14740-25 **94,0** K 460
 1,0 14729-25 **V (0)** K 460
 1,0 14727-25 **90,0** K 460
 0.1 8004-25 **94,0** K 575
 1,0 2381-25 **95,0** J
 0.1 8175-25 **90,0** J
 1,0 14719-25 **94,0** J 460

Vlašky zdobně stříbrné zbarvené

1,0 14737-25 **93,0** J
 1,0 14749-25 **93,0** J 460
 1,0 14748-25 **92,0** J

Vlašky zdobně šedé oranzově zbarvené

1,0 23993 **93,0** K 575
 1,0 23998 **V (0)** K 575
 1,0 3381 **94,0** K 633
 1,0 3382 **93,0** K 575
 1,0 23989 **93,0** J 575

Vlašky zdobně porcelánové

1,0 CZ25-4225 **93,0** K
 0.1 CZ25-8369 **95,0** K 
 0.1 CZ25-22029 **93,0** K
 0.1 CZ25-22074 **93,0** K (374 b)

České slepice zdobně zlaté kropenaté

0.1 590-25 **92,0** K
 0.1 587-25 **94,0** K
 0.1 22515-25 **94,0** K
 0.1 22512-25 **94,0** K (374 b)

1,0	1841	V (0)	K	345
0.1	9196	95,0	K	
1,0	1849	92,0	K	
0.1	9190	92,0	K	
1,0	1920	93,0	K	345
0.1	9195	94,0	K	
1,0	1846	92,0	K	345
0.1	9189	91,0	K	(370 b)
1,0	269/13/25	92,0	K	345
1,0	7587/1325	90,0	K	345
0.1	266/1325	92,0	K	460
0.1	7553/13/25	95,0	K	460 (369 b)
1,0	7585/13/25	91,0	K	345
1,0	17867/15/25	91,0	K	345
0.1	7592/13/25	95,0	K	460
0.1	7582/1325	94,0	K	460 (371 b)

České slepice zdobně stříbrné kropenaté

1,0	22532-25	92,0	J	
0.1	22538-25	95,0	J	
0.1	22534-25	95,0	J	

České slepice zdobně bílé

1,0	1844	92,0	K	345
0.1	9198	95,0	K	345
1,0	1847	V (0)	K	345
0.1	9187	95,0	K	345
1,0	19017	91,0	K	460
0.1	19727	92,0	K	460
1,0	19016	90,0	K	460
0.1	9205	92,0	K	460 (365 b)
1,0	19018	V (0)	K	460
0.1	4134	92,0	K	460
0.1	9201	V (0)	K	460
0.1	4131	94,0	K	460

Holandské chocholaté slepice zdobně černé bílochocholaté

1,0	C25-11791	91,0	K	575
1,0	C25-11794	90,0	K	575
0.1	C25-6682	94,0	K	
0.1	C25-6683	93,0	K	(368 b)
1,0	C25-11795	91,0	J	575
1,0	C25-11800	90,0	J	575
1,0	C25-11778	93,0	K	575
1,0	C25-11772	93,0	K	575
0.1	C25-8241	93,0	K	
0.1	C25-8243	95,0	K	460 (374 b)
1,0	23267-25	92,0	K	
0.1	4445-25	94,0	K	
0.1	4447-25	93,0	K	
0.1	4448-25	94,0	K	(373 b)

1,0	23263-25	93,0	J	
0.1	23426-25	92,0	J	1035
1,0	23261-25	91,0	K	
0.1	4448-25	95,0	K	
0.1	4442-25	94,0	K	
0.1	23272-25	94,0	K	(374 b)
1,0	23261-25	93,0	K	
0.1	4451-25	94,0	K	
0.1	4445-25	93,0	K	1035
0.1	4445-25	93,0	K	1035 (373 b)
1,0	18310	x	J	
0.1	8108	x	J	

Araukany zdobně pšeničné

1,0	7540-23	91,0	K	690
1,0	7532-23	91,0	K	690
0.1	1304	N (0)	K	1150
0.1	1543	94,0	K	1150
0.1	6601-25	92,0	J	
0.1	6611-25	95,0	J	
1,0	11946-25	90,0	J	

Araukany zdobně modře pšeničné

1,0	6645	92,0	K	690
1,0	6616	N (0)	K	690
0.1	1582	91,0	K	1150
0.1	1545	94,0	K	1150
1,0	6647	92,0	K	863
1,0	6613	92,0	K	690
0.1	1559	93,0	K	1150
0.1	1542	95,0	K	1150 (372 b)
1,0	840-24	93,0	J	920
0.1	606-24	92,0	J	1150
0.1	601-24	V (0)	J	1150
1,0	11943-25	V (0)	J	
0.1	6602-25	93,0	J	
0.1	6613-25	V (0)	J	

Paduánky zdobně žlutě plavé bíle lemované - typ II

1,0	19592-25	91,0	K	
1,0	19589-25	90,0	K	
0.1	19590-25	95,0	K	460
0.1	19598-25	95,0	K	(371 b)

Jokohamky zdobně červeně sedlaté tečkové

1,0	11995-24	96,0	K	575
1,0	11982-24	95,0	K	575
1,0	11988-24	94,0	K	575
0.1	F164-23	93,0	K	(378 b)
1,0	3519-24	91,0	J	805
0.1	4874-24	90,0	J	1150

Antverpští vousáči křepelčí

1,0	7756-25	92,0	K	345
1,0	3510-25	92,0	K	345
0.1	7638-25	94,0	K	345
0.1	4324-25	92,0	K	345 (370 b)

Antverpští vousáči černí

0.1	5789-25	93,0	J	690
0.1	6512-25	93,0	J	690
0.1	6509-25	93,0	J	690

Bantamky divoké

1,0	638-25	92,0	J	345
0.1	1225-25	92,0	J	

Bantamky černé

1,0	2960-25	93,0	J	345
1,0	1704-25	94,0	K	345
1,0	1703-25	92,0	K	288
0.1	1545-25	94,0	K	
0.1	1521-25	94,0	K	(374 b)

Bantamky modré s lemy

0.1	1223-25	94,0	J	
-----	---------	-------------	---	--

Holandské zakrslé slepice zlatokrké

1,0	E841-25	95,0	K	575
1,0	E817-25	91,0	K	460
0.1	F847-25	92,0	K	575
0.1	F871-25	95,0	K	575 (373 b)

Japonky čabo bílé černoocasé

1,0	14072	92,0	K	
0.1	2404	93,0	K	
0.1	2401	94,0	K	
0.1	2405	95,0	K	(374 b)

Japonky čabo černé bíle skvrnité

1,0	3209-25	94,0	K	460
0.1	3210-25	93,0	K	460
1,0	3207-25	93,0	K	460
0.1	3215-25	93,0	K	(373 b)
1,0	3205-25	90,0	K	460
1,0	3211-25	V (0)	K	460
0.1	3212-25	93,0	K	
0.1	3208-25	92,0	K	460
1,0	2406	92,0	J	

Japonky čabo černé

0.1	2407	93,0	J	
-----	------	-------------	---	--

Japonky čabo černé s tmavým hřebenem a obličejem

1,0	14073	N (0)	J	
0.1	2402	92,0	J	
0.1	A0363	92,0	J	

Sebritky zlaté černě lemované - typ II

1,0	187	94,0	K	
1,0	86	95,0	K	
0.1	4796	93,0	K	
0.1	4783	94,0	K	(376 b)

Sebritky stříbrné černě lemované - typ II

1,0	364	93,0	K	
1,0	377	94,0	K	
0.1	512	94,0	K	
0.1	4762	94,0	K	(375 b)

Sebritky citronové černě lemované - typ II

1,0	221-25	94,0	K	403
1,0	223-25	93,0	K	403
1,0	226-25	V (0)	K	403
0.1	252-25	94,0	K	

Klubová expozice rousné zakrslé drůbeže**Rousné zakrslé slepice zlatokrké**

1,0	16820-25	92,0	J	805
1,0	16805-25	91,0	J	805

Rousné zakrslé slepice stříbrokrké

1,0	16804-25	91,0	J	805
1,0	16829-25	90,0	J	805

Rousné zakrslé slepice porcelánové

1,0	13076/25	96,0	K	805	ŠJM
1,0	13077/25	95,0	K	805	
0.1	16342/25	95,0	K		
0.1	16371/25	93,0	K	(379 b)	
0.1	16343/25	96,0	J		ŠJM P120
0.1	16341/25	91,0	J		
1,0	E819-25	91,0	K	978	
0.1	E807-25	91,0	K	805	
0.1	F150-25	92,0	K	805	
0.1	C869-25	N (0)	K	805	
1,0	25-16369 CZ-16	92,0	K		
0.1	25-10112 CZ-15	92,0	K		
0.1	25-10104 CZ-15	93,0	K		
0.1	25-10103 CZ-15	90,0	K	(367 b)	
1,0	25-16370 CZ-16	95,0	K	805	
0.1	25-10109 CZ-15	92,0	K	805	
0.1	25-10114 CZ-15	94,0	K	805	
0.1	25-10108 CZ-15	93,0	K	805 (374 b)	
1,0	25-16367 CZ-16	95,0	K	920	
0.1	25-10107 CZ-15	95,0	K	920	
0.1	25-10115 CZ-15	94,0	K	920	
0.1	25-10102 CZ-15	93,0	K	(377 b)	

1,0	19273-24	94,0	K	
0.1	59-25	92,0	K	
0.1	17325-24	90,0	K	
0.1	17328-24	92,0	K	(368 b)

Rousné zakrslé slepice stříbrné porcelánové

1,0	25796	94,0	K	230
0.1	9303	94,0	K	
0.1	9304	95,0	K	
0.1	9305	92,0	K	(375 b)
0.1	9301	94,0	J	1035
0.1	9308	93,0	J	1035
0.1	9310	93,0	J	1035

Rousné zakrslé slepice šedě porcelánové

1,0	13362	95,0	J	690
0.1	16162	91,0	J	690
0.1	16163	95,0	J	690

Rousné zakrslé slepice černé bíle skvrnité

0.1	16181	94,0	J	690
0.1	16161	92,0	J	690
0.1	16180	V (0)	J	690

Rousné zakrslé slepice černé

1,0	13151/25	91,0	K	575
1,0	13153/25	91,0	K	575
0.1	16201/25	91,0	K	
0.1	649/24	90,0	K	(363 b)
1,0	13148/25	92,0	J	575
1,0	13149/25	93,0	J	575

Rousné zakrslé slepice žluté bíle tečkované bíloocasé

1,0	13171/25	V (0)	K	805
1,0	13172/25	V (0)	K	805
1,0	13176/25	95,0	K	805
0.1	16228/25	92,0	K	

Expozice křepelk

Křepelky japonské masné divoké

1,0	162	95,0	K	345
1,0	142	93,0	K	345
1,0	143	94,0	K	345
0.1	146	96,0	K	(378 b) P21 P28

Kachny smaragdové černé

1,0	3266-25	95,0	K	690
1,0	3265-25	93,0	K	690
0.1	3267-25	92,0	K	
0.1	3204-25	96,0	K	(376 b) ŠJM P117

Speciální klubová výstava zakrslých a smaragdových kachen

1,0	15633	V (0)	J	345
0.1	15812	90,0	J	345
1,0	6311/25	96,0	K	690
				ŠJM P113 P118
1,0	6312/25	95,0	K	690
1,0	6310/25	94,0	K	690
0.1	6313/25	96,0	K	920 (381 b) MJM
1,0	6316/25	V (0)	J	690
1,0	1687	V (0)	J	690
1,0	11626	V (0)	J	690
0.1	1689	94,0	J	690
1,0	12035-25	94,0	K	
1,0	16795-25	92,0	K	
0.1	16560-25	V (0)	K	
0.1	16794-25	93,0	K	
1,0	8383-25	92,0	K	
1,0	8392-25	93,0	K	690
0.1	8381-25	95,0	K	690
0.1	8382-25	94,0	K	690 (374 b)
0.1	8388-25	95,0	J	575
1,0	7787-25	x	J	
1,0	7788-25	x	J	
0.1	7789-25	x	J	
1,0	19033	94,0	K	690
1,0	19055	93,0	K	690
1,0	19038	92,0	K	690
0.1	19050	94,0	K	(373 b)
1,0	19908	94,0	J	

Kachny zakrslé divoké

1,0	1339	N (0)	K	690
1,0	1587	90,0	K	690
0.1	1609	91,0	K	1035
0.1	5042	93,0	K	1035
1,0	1590	V (0)	K	690
1,0	1554	92,0	K	690
0.1	2303	94,0	K	1035
0.1	2398	95,0	K	1035
1,0	1507	90,0	K	690
1,0	958	93,0	K	690
0.1	1910	97,0	K	
				ŠJM P114
0.1	1336	93,0	K	1035 (373 b)
1,0	1581	V (0)	K	690
1,0	1611	V (0)	K	690
0.1	1605	92,0	K	1035
0.1	2400	93,0	K	1035

1,0	1506	90,0	K	690
1,0	1633	92,0	K	690
0.1	2300	93,0	K	1035
0.1	5054	94,0	K	1035 (369 b)

1,0	1604	V (0)	K	690
0.1	1608	94,0	K	1035
0.1	1589	96,0	K	1035
0.1	1504	94,0	K	1035

1,0	1553	94,0	K	690
1,0	1556	90,0	K	690
1,0	1505	90,0	K	690
1,0	2281	95,0	K	690 (369 b)

1,0	7779-25	90,0	K	575
1,0	7777-25	V (0)	K	575
0.1	7764-25	N (0)	K	575
0.1	7731-25	91,0	K	575

1,0	1232-25	92,0	K	575
1,0	1246-25	91,0	K	575
0.1	640-25	90,0	K	
0.1	1221-25	93,0	K	(366 b)

1,0	2237-25	95,0	K	633
1,0	2264-25	94,0	K	
0.1	2236-25	94,0	K	920
0.1	2268-25	94,0	K	920 (377 b)

0.1	285-25	92,0	J	403
0.1	286-25	92,0	J	403

1,0	9902	91,0	K	
1,0	9920	92,0	K	
0.1	9962	94,0	K	
0.1	9968	94,0	K	(371 b)

Kachny zakrslé modře divoké

1,0	2235-25	95,0	K	690
1,0	2233-25	96,0	K	690
0.1	2266-25	95,0	K	
0.1	SB783-25	94,0	K	(380 b)

P112

MJM

Kachny zakrslé stříbrně divoké

1,0	8208	N (0)	K	
0.1	8215	93,0	K	
0.1	8219	92,0	K	
0.1	8212	93,0	K	
1,0	8211	90,0	K	
0.1	8213	93,0	K	
0.1	2611-23	95,0	K	
0.1	8206	93,0	K	(371 b)
1,0	9030-21	N (0)	K	
0.1	8209	93,0	K	
0.1	8218	93,0	K	
0.1	2014-24	93,0	K	

1,0	3499/24	94,0	J	
1,0	1443/25	90,0	J	
0.1	2888/24	N (0)	J	
0.1	1442/25	V (0)	J	
1,0	7767-25	92,0	K	575
1,0	7768-25	92,0	K	575
0.1	7772-25	92,0	K	575
0.1	7775-25	93,0	K	575 (369 b)

Kachny zakrslé modrožlutě divoké

1,0	2261-25	95,0	K	690
1,0	2244-25	94,0	K	690
0.1	2280-25	94,0	K	920
0.1	2249-25	94,0	K	920 (377 b)
1,0	2281-25	94,0	K	690
1,0	2248-25	94,0	K	690
1,0	2278-25	94,0	K	690
0.1	2267-25	95,0	K	920 (377 b)

Kachny zakrslé černé

1,0	1602	V (0)	J	
-----	------	-------	---	--

Kachny zakrslé modré

1,0	470-25	94,0	J	
0.1	488-25	V (0)	J	

Kachny zakrslé bílé

1,0	9315	96,0	K	
1,0	1619	94,0	K	
0.1	1552	92,0	K	
0.1	1551	94,0	K	(376 b)
1,0	7994	N (0)	K	
0.1	1555	95,0	K	
0.1	1889	94,0	K	
0.1	1914	97,0	K	

ŠJM P119

1,0	1597	V (0)	K	
1,0	5060	93,0	K	
0.1	1884	94,0	K	
0.1	1620	94,0	K	
1,0	1600	90,0	K	
1,0	1915	95,0	K	
0.1	1582	94,0	K	
0.1	1885	94,0	K	(373 b)
1,0	3022	93,0	K	460
1,0	3025	93,0	K	460
1,0	3027	91,0	K	460
0.1	3026	93,0	K	(370 b)

ŠJM P111

1,0	270-25	93,0	K	863	P116
1,0	7718-25	94,0	K	863	
0.1	195-25	94,0	K	863	
0.1	7714-25	94,0	K	863 (375 b)	
1,0	4122-25	x	J		
1,0	2117-25	92,0	K	690	P115
1,0	9620-25	92,0	K	690	
0.1	2116-25	V (0)	K		
0.1	9619-25	95,0	K		

Kachny zakrslé divoké hrubě strakaté

1,0	1954	95,0	K	🏆	
1,0	1892	94,0	K		
0.1	1918	94,0	K		
0.1	1886	93,0	K		(376 b)
1,0	1594	93,0	K	863	
1,0	1891	94,0	K		
0.1	1887	93,0	K		
0.1	1587	90,0	K	1150 (370 b)	

Expozice králíků

Č.kl.	Tetov.	Ocenění	Čestná cena Kč	Vystavovatel
-------	--------	---------	-------------------	--------------

Belgický obr bílý červenooký

1,0	C4-5 11-3	x	4S	
1,0	C4-5 11-4	96,0	4S	🏆 2300
0.1	C4-5 11-5	94,0	4S	
0.1	C4-5 11-6	94,5	4S	

Belgický obr divoce zbarvený

1,0	C	x	2+2	
1,0	C	x	2+2	
0.1	C	x	2+2	
0.1	C	x	2+2	
1,0	C	x	4S	
0.1	C	x	4S	
0.1	C	x	4S	
0.1	C	x	4S	
1,0	S3-5 S6210	95,0	J	1725

Belgický obr železitý

1,0	S3-5 S6702	95,5	J	2300
-----	------------	-------------	---	------

Belgický obr modrý

1,0	C3-5 64-2	N (0)	2+2	
1,0	C3-5 64-3	93,5	2+2	3105
1,0	C5-5 64-4	93,0	2+2	2070
0.1	C5-5 64-7	V (0)	2+2	2070

Německý obrovitý strakáč černý

1,0	C2-5 S197	93,5	J	2875
-----	-----------	-------------	---	------

1,0	C1-5 S193	V (0)	4S	2875
1,0	C1-5 S194	94,0	4S	2875
0.1	C1-5 S195	95,5	4S	
0.1	C1-5 S196	N (0)	4S	
1,0	S3-5 S-141	92,5	2+2	1610
0.1	S3-5 S-139	94,5	2+2	
1,0	S4-5 S-143	93,0	2+2	1610
0.1	S4-5 S-150	95,0	2+2	(375 b)
0.1	S3-5 S-133	94,5	J	
1,0	C11-4 75-17	94,0	J	2300
1,0	S3-5 P36	94,0	J	1725
1,0	S3-5 P37	93,0	J	1725

Německý obrovitý strakáč havanovitý

1,0	C1-5 S37	93,5	J	2875
1,0	C1-5 S36	94,5	4S	2875
0.1	C1-5 S38	95,0	4S	
0.1	C1-5 S40	95,0	4S	
0.1	C1-5 S39	95,5	4S	🏆 (380 b)
1,0	C4-5 81-3	91,5	J	1150
1,0	S3-5 S21	91,5	J	1610
1,0	S4-5 S26	91,5	J	1725
1,0	S4-5 S27	90,5	J	1725
1,0	S3-5 P38	91,5	J	1840

Francouzský beran divoce zbarvený

1,0	C2-5 83-15	93,0	2+2	920
0.1	C2-5 83-13	95,0	2+2	920
1,0	C4-5 83-24	96,0	2+2	920
1,0	C4-5 83-25	96,0	2+2	920 (380 b) 🏆
1,0	C2-5 83-8	nekl.	2+2	920
1,0	C3-5 83-21	92,5	2+2	920
0.1	C3-5 83-22	95,5	2+2	920
0.1	C3-5 83-23	95,5	2+2	920
1,0	C3-5 83-17	94,5	2+2	920
0.1	C3-5 83-18	95,0	2+2	920
0.1	C3-5 83-19	94,5	2+2	920
0.1	C3-5 83-20	V (0)	2+2	920
1,0	C2-5 83-1	nekl.	2+2	863
1,0	C2-5 83-3	93,0	2+2	863
0.1	C4-5 83-29	96,0	2+2	🏆 920
1,0	C2-5 83-16	93,5	2+2	863
1,0	C3-5 74-1	95,0	J	1035
1,0	C3-5 74-2	94,5	J	1035
1,0	C6-5 74-9	x	J	
0.1	C6-5 74-10	94,5	J	1035

Francouzský beran černý

1,0	C1-5 75-3	95,0	J	
1,0	C1-5 75-4	95,0	J	

0.1	C2-5 83-1	94,0	J	920	
Francouzský beran modrý					
1,0	S2-5 S71-09	95,5	CHS	1610	
1,0	S0-5 P-10	nekl.	CHS		
0.1	S2-5 S71-19	95,0	CHS	1495	
1,0	S4-5 S71-22	95,0	CHS	1495	
1,0	C3-5 83-9	95,0	2+2	920	
0.1	C3-5 83-12	94,5	2+2	1725	
0.1	C3-5 83-14	95,5	2+2	1380	
0.1	nedod.	x	2+2		
Francouzský beran marburský					
1,0	S2-5 S23-01	95,5	J	1495	
Francouzský beran žlutý					
1,0	C4-5 62-3	94,5	4S	920	
1,0	C4-5 62-4	90,0	4S	920	
1,0	C4-5 62-5	V (0)	4S	920	
0.1	C4-5 62-6	V (0)	4S	920	
1,0	C6-5 61-21	94,0	4S	805	
1,0	C6-5 61-22	95,0	4S	805	
0.1	C6-5 61-27	93,0	4S	805	
0.1	C6-5 61-28	94,0	4S	805	(376 b)
Francouzský beran strakáč modrý					
1,0	S3-5 S71-14	96,0	J	1495	🏆
1,0	S3-5 S71-13	95,5	J	1610	
Francouzský beran strakáč marburský					
0.1	nedod	x	J		
Francouzský beran strakáč žlutý					
0.1	C6-5 61-24	93,0	J	805	
0.1	C6-5 61-25	N (0)	J	805	
0.1	C6-5 61-26	93,0	J	805	
Moravský modrý					
0.1	C3-5 S-179	93,0	CHS		
0.1	C4-5 S-397	95,5	CHS		
1,0	C4-5 S-398	N (0)	CHS	1380	
1,0	C1-4 S-8	93,0	CHS		
0.1	C6-5 S-499	V (0)	J	1150	
Velký světlý stříbrný					
1,0	C4-5 S862	96,0	CHS	805	
1,0	C4-5 S955	95,5	CHS	805	
0.1	C4-5 S958	94,5	CHS	805	
0.1	C4-5 S950	96,0	CHS	805	(382 b) 🏆 P215
1,0	C1-5 S115	96,0	CHS		P214
1,0	C2-5 S263	96,0	CHS		
0.1	C4-5 S1583	96,0	CHS		
0.1	C1-5 S1805	95,0	CHS	(383 b)	MJM

0.1	C4-5 S-894	95,0	CHS	920	
1,0	C4-5 S-896	95,0	CHS		
1,0	C4-5 S-897	94,5	CHS		
0.1	C4-5 S898	96,0	CHS		(380.5 b)
0.1	C2-5 S-0414	94,0	4S	805	
1,0	C2-5 S-0410	93,0	4S		
0.1	C2-5 S-0412	94,5	4S	805	
0.1	C2-5 S-0415	94,5	4S	805	(376 b)
1,0	C2-5 S-0403	95,0	4S	920	
0.1	C2-5 S-0405	96,0	4S	920	
0.1	C2-5 S-0404	95,5	4S	805	
1,0	C1-5 S-60	94,0	4S	805	(380.5 b)
1,0	C1-5 S-20	94,0	CHS	805	
0.1	C1-5 S-21	94,5	CHS	805	
0.1	C1-5 S-22	95,0	CHS	690	
1,0	C1-5 S-24	95,0	CHS	748	(378.5 b)
0.1	C4-5 S-240	95,5	J	690	
0.1	C1-5 S-26	V (0)	J	690	
1,0	C3-5 64-95	93,0	4S	920	
1,0	C3-5 64-96	93,0	4S	920	
1,0	C3-5 64-93	95,5	4S	920	
1,0	C3-5 64-97	94,0	4S	920	(375.5 b)
1,0	C3-5 64-88	95,5	2+2	920	
0.1	C3-5 64-91	94,0	2+2	920	
0.1	C3-5 64-107	93,5	2+2	920	
0.1	C3-5 64-108	N (0)	2+2	920	
1,0	C3-5 64-101	92,0	J	920	
1,0	C2-5 69-15	94,0	J	575	
1,0	C2-5 69-16	92,5	J	575	
1,0	C4-5 69-19	92,0	J	575	
1,0	C4-5 64-130	94,0	CHS	805	
0.1	C4-5 64-138	95,5	CHS	805	
0.1	C4-5 64-139	N (0)	CHS	805	
0.1	C4-5 64-141	N (0)	CHS	805	
1,0	C4-5 64-128	93,5	4S	805	
1,0	C4-5 64-129	93,5	4S	805	
0.1	C4-5 64-132	95,0	4S	805	
0.1	C4-5 64-133	94,0	4S	805	(376 b)
0.1	nedod.	x	J		
1,0	C2-5 64-61	95,0	J	805	
1,0	C2-5 64-57	94,5	J	805	
1,0	C3-5 64-65	91,5	J	805	
1,0	C4-5 64-72	91,5	J	805	
0.1	C5-5 62-37	94,5	4S	805	
0.1	C5-5 62-36	94,5	4S	805	
0.1	C5-5 62-35	94,0	4S	805	
1,0	C5-5 62-34	94,0	4S	805	(377 b)
1,0	C4-5 S-926	94,5	4S		
0.1	C4-5 S-928	92,5	4S	575	
0.1	C4-5 S-929	95,0	4S	805	
0.1	C4-5 S-931	93,0	4S	690	(375 b)

0.1	C5-5 S-888	94,0	J	920
0.1	C5-5 S-889	94,5	J	920
1,0	C2-5 S-369	94,5	J	1150
0.1	C1-5 S-75	96,0	J	1150
0.1	C4-5 64-141	N (0)	J	805
1,0	C3-5 64-123	95,0	2+2	
1,0	C2-5 64-82	95,0	2+2	805
0.1	C3-5 64-126	95,0	2+2	
0.1	C2-5 64-83	96,0	2+2	920 (381 b)
0.1	C4-5 64-139	N (0)	J	805
0.1	C4-5 64-136	95,5	4S	805
0.1	C4-5 64-137	95,0	4S	805
0.1	C4-5 64-138	95,0	4S	805
0.1	C4-5 64-140	96,0	4S	805 (381.5 b)
1,0	C1-5 64-77	95,5	CHS	
0.1	C2-5 64-84	95,5	CHS	805
0.1	C3-5 64-125	95,5	CHS	805
0.1	C3-5 64-124	96,0	CHS	920 (382.5 b) 🏆
1,0	C2-5 S-343	95,5	4S	690
1,0	C5-5 S-900	93,0	4S	690
0.1	C5-5 S-903	93,5	4S	
0.1	C2-5 S-347	95,0	4S	690 (377 b)
0.1	C1-5 nedod.	x	J	
1,0	C1-5 nedod.	x	J	
1,0	C1-5 nedod.	x	J	
0.1	C1-5 81-4	94,5	2+2	
0.1	C1-5 81-10	95,5	2+2	
1,0	C1-5 81-12	94,5	2+2	805
0.1	C1-5 81-16	94,5	2+2	(379 b)
1,0	C1-5 67-28	94,5	4S	920
1,0	C2-5 67-48	94,5	4S	920
0.1	C2-5 67-55	94,0	4S	
0.1	C3-5 67-59	95,5	4S	(378.5 b)
1,0	2-5 62-22	92,0	J	920
0.1	2-5 62-21	91,0	J	920

Francouzský stříbrný

1,0	C2-5 64-20	95,0	CHS	920
0.1	C3-5 64-32	95,5	CHS	920
0.1	C3-5 64-33	95,0	CHS	
0.1	C3-5 64-35	95,5	CHS	920 (381 b) 🏆
1,0	C1-5 64-2	94,5	2+2	805
0.1	C1-5 64-4	95,5	2+2	920
0.1	C1-5 64-9	94,0	2+2	805
0.1	C1-5 64-11	95,5	2+2	920 (379.5 b)
1,0	C4-5 75-1	94,0	2+2	805
1,0	C4-5 75-2	94,0	2+2	805
0.1	C4-5 75-7	92,5	2+2	805
0.1	C4-5 75-9	92,0	2+2	805 (372.5 b)

1,0 C4-5 75-3 94,5 J 805

Činčila velká

1,0	C1-5 S-46	95,5	CHS	920
1,0	C3-5 S-3043	94,5	CHS	920
0.1	C3-5 S-3029	93,0	CHS	920
0.1	C6-5 S-4733	95,0	CHS	920 (378 b)
1,0	S1-5 14-6	96,0	CHS	805
0.1	S1-5 14-7	95,0	CHS	805
0.1	S1-5 14-8	95,0	CHS	805
0.1	S1-5 14-9	96,0	CHS	805 (382 b)
1,0	C4-5 S-660	94,5	4S	920
0.1	C4-5 S-663	95,5	4S	1035
0.1	C4-5 S-669	95,0	4S	920
0.1	C4-5 S-672	93,0	4S	805 (378 b)
0.1	C3-5 S-585	94,0	J	920
0.1	C3-5 S-3548	96,0	J	🏆
0.1	C4-5 S-3570	95,5	J	
0.1	C4-5 S-675	94,5	J	

MJM

Meklenburský strakáč černý

1,0	C2-5 S-8	95,0	CHS	920
1,0	C1-5 S-5	95,5	CHS	920
1,0	C1-5 S-4	x	CHS	
1,0	C2-5 S-9	x	CHS	
1,0	C3-5 73-8	V (0)	2+2	920
0.1	C2-5 73-4	94,5	2+2	
0.1	C3-5 73-9	92,0	2+2	920
0.1	C	x	2+2	
0.1	C2-5 64-8	95,5	2+2	
0.1	C2-5 64-5	94,0	2+2	
1,0	C2-5 64-2	93,5	2+2	
0.1	C2-5 64-3	94,0	2+2	805 (377 b)

Meklenburský strakáč modrý

0.1	C2-5 64-21	94,5	J	
0.1	C2-5 64-24	94,5	J	
1,0	C1-5 64-2	95,5	CHS	805
1,0	C2-5 64-7	92,0	CHS	805
1,0	C3-4 64-3	V (0)	CHS	
1,0	C1-4 64-1	96,5	CHS	🏆

Meklenburský strakáč durynský

1,0	C4-5 64-11	92,5	2+2	805
1,0	C3-5 64-5	91,5	2+2	
1,0	C2-5 64-1	93,0	2+2	805
0.1	C2-5 64-4	94,5	2+2	(371.5 b)

Vídeňský modrý

1,0	C55 6482	92,5	4S	805
1,0	C55 6483	92,5	4S	805
1,0	C55 6480	95,5	4S	805
1,0	C55 6481	V (0)	4S	805

nedod.

0.1	C55 6483	x	J		
1,0	C55 6498	94,0	2+2	805	
0.1	C55 6499	92,5	2+2	805	
0.1	C55 6487	92,5	2+2	805	
0.1	C55 6486	93,0	2+2	805	(372 b)
1,0	C4-5 S113	93,5	2+2		
1,0	C4-5 S114	94,0	2+2	1150	
0.1	C3-5 S109	94,0	2+2	1150	
0.1	C3-5 S110	95,0	2+2		(376.5 b)
0.1	C5-5 S265	92,5	J	1150	
1,0	C2-5 S14-6	95,0	J		
1,0	C6-5 80-20	94,5	J	920	
1,0	C5-5 80-15	95,0	J	1035	
1,0	C4-5 80-10	95,0	J	1150	
1,0	C4-5 80-7	95,5	J	1150	
1,0	C4-5 P55	96,0	CHS	1380	
1,0	C4-5 P57	95,5	CHS	1380	
1,0	C3-5 P31	96,0	CHS	1380	
0.1	C3-5 P38	94,0	CHS		(381.5 b) 🏆
0.1	C4-5 P59	93,5	J		
1,0	C4-5 64-36	93,5	4S	805	
0.1	C4-5 64-37	94,0	4S	805	
0.1	C4-5 64-38	92,5	4S	805	
0.1	C4-5 64-39	92,5	4S	805	(372.5 b)
0.1	C3-5 64-33	92,5	J	805	
0.1	C3-5 64-34	93,5	J	805	
0.1	C4-5 64-45	93,5	J	805	
0.1	C4-5 64-47	92,5	J	805	
1,0	C4-5 S-85	95,5	CHS	920	
1,0	C4-5 S-86	95,0	CHS	920	
0.1	C4-5 S-78	V (0)	CHS	690	
0.1	C4-5 S-93	95,5	CHS	805	
1,0	C4-5 S-87	93,5	J	690	
0.1	C4-5 S-79	96,0	J	1035	🏆
0.1	C4-5 S-81	94,0	J	690	
0.1	C7-5 S-221	94,5	J	690	
1,0	C6-5 S-223	94,0	4S	690	
1,0	C6-5 S-224	94,0	4S	690	
1,0	C6-5 S-226	95,5	4S	690	
0.1	C6-5 S-227	96,0	4S	1150	(379.5 b)
0.1	C4-5 67-14	92,5	4S	1150	
0.1	C4-5 67-13	91,5	4S	1150	
1,0	C4-5 67-11	V (0)	4S	1150	
1,0	C4-5 67-10	V (0)	4S	1150	
0.1	SJ1-5 14-3	93,0	J	840	
0.1	SJ1-5 14-7	92,5	J	840	
1,0	C3-5 83-10	94,5	4S	1035	
0.1	C3-5 83-12	93,5	4S	1035	
0.1	C3-5 83-13	V (0)	4S	1035	
0.1	C3-5 83-15	94,0	4S	1035	

0.1	C3-5 83-14	92,5	J	1035
0.1	C1-5 83-5	V (0)	J	1035

nedod.

0.1	C3-5	x	J	
1,0	C3-5 64-72	95,0	CHS	920
0.1	C3-5 64-73	94,5	CHS	920
0.1	C2-5 64-65	94,5	CHS	920
1,0	C4-5 64-76	96,0	CHS	1150 (380 b) 🏆
1,0	C6-5 64-90	92,5	4S	805
1,0	C6-5 64-91	93,5	4S	805
1,0	C6-5 64-92	94,0	4S	805
0.1	C6-5 64-93	93,0	4S	805 (373 b)

Vídeňský černý

1,0	C5-5 72-33	94,5	4S	690
1,0	C5-5 72-34	94,5	4S	690
1,0	C5-5 72-35	94,5	4S	690
0.1	C5-5 72-36	94,5	4S	690 (378 b)
1,0	C1-5 72-29	V (0)	J	
1,0	C1-5 72-30	96,0	J	805
0.1	C5-5 S-35	95,0	4S	
0.1	C5-5 S-34	94,5	4S	
0.1	C5-5 S-33	95,0	4S	
1,0	C5-5 S-32	94,5	4S	(379 b) 🏆

Vídeňský modrošedý

1,0	C4-5 S-9	95,5	2+2	920
1,0	C4-5 S-11	96,0	2+2	1150
1,0	C4-5 S-17	96,0	2+2	1150
0.1	C4-5 S-19	96,0	2+2	(383.5 b) MJM P229
0.1	C4-5 S-20	N (0)	J	799
0.1	C4-5 S-21	96,0	J	
0.1	C6-5 S-48	96,0	J	1035
0.1	C6-5 S-49	94,0	J	799
0.1	C6-5 S-50	94,5	J	799
0.1	C1-5 66-5	93,5	4S	
0.1	C1-5 66-6	95,5	4S	805
1,0	C1-5 66-2	V (0)	4S	690
1,0	C1-5 66-3	95,5	4S	805

Vídeňský bílý

0.1	C3-5 80-23	95,0	2+2	
1,0	C4-5 80-42	95,0	2+2	1150
0.1	C4-5 80-43	94,5	2+2	1150
0.1	C4-5 80-44	94,5	2+2	1150 (379 b)
1,0	C3-5 S-12	94,0	4S	
1,0	C3-5 S-14	93,5	4S	
1,0	C2-4 S-24	94,5	4S	
0.1	C3-5 S-19	94,0	4S	(376 b)
1,0	S2-5 56-1	95,0	2+2	1150
0.1	S2-5 56-3	95,5	2+2	
0.1	S2-5 56-4	93,5	2+2	
0.1	S2-5 56-6	94,5	2+2	1150 (378.5 b)

Vídeňský šedý

1,0	C2-5 P-35	95,5	CHS		
0.1	C2-5 P-40	96,0	CHS		
0.1	C1-5 P-15	95,0	CHS		
1,0	C1-5 P-12	96,0	CHS	(382.5 b)	🏆
1,0	C2-5 P-43	96,5	CHS		
0.1	C2-5 P-46	96,0	CHS		
0.1	C2-5 P-47	95,0	CHS		
0.1	C1-5 P-24	95,5	CHS	(383 b)	MJM
0.1	C3-5 83-1	95,0	J		
0.1	C3-5 83-2	93,0	J	1495	
1,0	C5-5 83-3	94,0	J	805	
1,0	C5-5 83-4	94,0	J	805	
0.1	C5-5 83-5	94,5	J	805	
1,0	C2-5 S-52	95,5	2+2	1150	
0.1	C2-5 S-55	95,0	2+2	1150	
1,0	C2-5 S-59	95,0	2+2	1150	
1,0	C2-5 S-56	95,5	2+2	1150	(381 b)
1,0	C4-5 S-131	x	J		
1,0	C4-5 S-125	95,0	CHS	1150	
1,0	C1-5 S-11	95,5	CHS	1150	
0.1	C4-5 S-128	95,0	CHS	1150	
0.1	C4-5 S-129	95,5	CHS	1150	(381 b)
1,0	C2-5 S-47	96,0	CHS	1150	
1,0	C2-5 S-48	95,5	CHS	1150	
1,0	C2-5 S-57	96,0	CHS	1150	
0.1	C1-5 S-8	94,5	CHS	1150	(382 b) 🏆
1,0	C3-5 76-4	96,0	CHS	1150	
1,0	C3-5 76-3	93,5	CHS	1150	
0.1	C3-5 76-5	95,0	CHS		
0.1	C3-5 76-2	96,0	CHS	(380.5 b)	
0.1	C3-5 76-7	95,0	J	1380	
1,0	C5-5 75-66	95,0	4S	748	
1,0	C5-5 75-67	94,5	4S	748	
1,0	C5-5 75-68	94,0	4S	748	
1,0	C5-5 75-69	94,5	4S	748	(378 b)
0.1	C5-5 75-70	94,5	4S	748	
0.1	C5-5 75-71	94,0	4S	748	
1,0	C5-5 75-73	94,0	4S	748	
1,0	C5-5 75-74	94,0	4S	748	(376.5 b)
1,0	S1-5 14-11	94,0	J	840	
1,0	S1-5 14-13	94,5	J	840	
1,0	C3-5 S-152	95,5	2+2		
1,0	C3-5 S-154	95,5	2+2	920	
1,0	C4-5 S-165	96,0	2+2	1035	
1,0	C4-5 S-164	95,0	2+2	1035	(382 b) 🏆
1,0	C5-5 S-201	93,0	J	920	
1,0	C4-5 S-163	94,5	J	1035	
1,0	C5-5 S-204	95,0	J	920	
1,0	C5-5 S-200	95,0	J	920	

1,0	C3-5 S-184	96,0	4S	
1,0	C3-5 S-185	95,0	4S	
0.1	C3-5 S-188	94,5	4S	
0.1	C3-5 S-190	95,5	4S	(381 b)

Hototský bílý

0.1	C5-5 62-14	93,5	J	460	
1,0	C6-5 16-1	94,5	4S	920	
0.1	C6-5 16-2	95,0	4S	920	
0.1	C6-5 16-3	95,0	4S	920	
0.1	C6-5 16-4	94,5	4S	920	(379 b) 🏆
1,0	C3-5 S-18	95,0	2+2	920	
1,0	C3-5 S-19	92,5	2+2	920	
1,0	C3-5 S-33	93,0	2+2	920	
0.1	C3-5 S-34	94,5	2+2	920	(375 b)

Český albin

1,0	C1-5 S-34	94,5	2+2	575	
1,0	C1-5 S-32	95,5	2+2	575	
0.1	C1-5 S-23	95,0	2+2	575	
1,0	C1-5 S-21	94,5	2+2	575	(379.5 b) 🏆
1,0	C5-5 S-311	V (0)	2+2	690	
0.1	C5-5 S-315	94,5	2+2	690	
1,0	C5-5 S-316	95,0	2+2	690	
0.1	C5-5 S-317	93,0	2+2	690	
1,0	C2-5 S-246	95,5	CHS	748	
1,0	C3-5 S-251	96,0	CHS		
0.1	C3-5 S-249	95,5	CHS		
0.1	C3-5 S-253	95,0	CHS	(382 b)	MJM
0.1	C3-5 S425	95,5	4S	805	
0.1	C3-5 S428	94,0	4S	805	
0.1	C3-5 S430	95,0	4S	805	
0.1	C3-5 S431	94,0	4S	805	(378.5 b)

Novozélandský červený

1,0	C4-5 S-0390	95,0	4S	805	
1,0	C4-5 S-0391	96,0	4S	805	P212
1,0	C4-5 S-0392	93,0	4S	805	
0.1	C4-5 S-0393	95,0	4S	(379 b)	
1,0	C4-5 S-962	94,5	J	805	
0.1	C4-5 S-964	95,5	J	805	
1,0	C4-5 S-96	92,0	4S	690	
0.1	C4-5 S-100	91,5	4S	690	
0.1	C4-5 S-101	93,0	4S	690	
0.1	C4-5 S-102	vyl.	4S	690	
0.1	C2-5 S-803	93,0	J	920	
1,0	C3-5 S-91	93,5	J	690	
0.1	C3-5 S-93	93,0	J		
1,0	C3-5 S-172	91,5	J	690	
1,0	C4-5 S-539	94,5	4S	805	
1,0	C4-5 S-540	95,0	4S	805	
0.1	C4-5 S-542	95,5	4S	805	
0.1	C1-5 S-203	96,0	4S	(381 b)	🏆 P213

1,0	C	x	2+2	
1,0	C	x	2+2	
1,0	C	x	2+2	
0.1	C	x	2+2	
1,0	C2-5 S-938	93,0	CHS	
0.1	C2-5 S-941	95,0	CHS	
0.1	C2-5 S-943	95,5	CHS	
0.1	C2-5 S-936	95,5	CHS	(379 b)
0.1	C3-5 S-0333	93,5	4S	748
0.1	C3-5 S-0334	95,5	4S	
0.1	C3-5 S-0335	94,5	4S	748
0.1	C3-5 S-0336	94,0	4S	748 (377.5 b)
0.1	C4-5 S-0344	94,5	J	
1,0	1-5 62-1	95,5	J	
1,0	1-5 62-2	96,0	J	

Novozélandský bílý

1,0	C5-5 82-17	95,0	4S	920	
1,0	C5-5 82-18	95,0	4S	920	
1,0	C5-5 82-19	95,0	4S	1035	
0.1	C5-5 82-21	96,0	4S		(381 b)
1,0	C1-5 75-3	96,5	CHS	🏆	
1,0	C1-5 75-2	96,0	CHS		
0.1	C1-5 75-5	V (0)	CHS	920	
0.1	C2-5 75-9	94,5	CHS		
1,0	C1-5 75-1	94,0	J	920	
1,0	S4-5 S-310	95,0	2+2	1150	
0.1	S4-5 S-313	95,0	2+2	1150	
1,0	S1-5 S-246	96,0	2+2	1150	
1,0	S1-5 S-261	96,0	2+2	1150	(382 b) MJM

Burgundský

1,0	C1-5 76-1	94,5	4S	920	
1,0	C1-5 76-2	95,0	4S	920	
0.1	C1-5 76-3	94,0	4S	920	
0.1	C1-5 76-4	94,0	4S	920	(377.5 b)
1,0	C5-5 74-25	95,0	J	805	
0.1	C5-5 74-26	95,5	J	🏆 805	
1,0	C5-5 64-113	95,0	4S	920	
0.1	C5-5 64-116	94,0	4S	920	
0.1	C5-5 64-117	94,5	4S	920	
0.1	C5-5 64-118	x	4S		
0.1	C4-5 S502	95,5	J	575	
0.1	C1-5 74-13	95,5	J	575	
0.1	C3-5 74-21	V (0)	J	575	
1,0	C4-5 S-421	95,5	2+2		
0.1	C4-5 S-422	94,5	2+2		
0.1	C4-5 S-424	94,5	2+2		
0.1	C4-5 S-425	94,5	2+2	1150	(379 b)

1,0	C1-5 S-15	95,5	4S		
1,0	C1-5 S-18	95,0	4S	1150	
1,0	C4-5 S-419	95,0	4S		
0.1	C4-5 S-423	93,5	4S	1150	(379 b)
1,0	C4-5 64-86	95,5	4S	920	
1,0	C4-5 64-87	96,0	4S	920	
0.1	C4-5 64-88	0	4S	920	
0.1	C4-5 64-91	0	4S	920	
1,0	C6-5 75-105	95,0	J	799	
1,0	C4-5 64-121	91,0	J	690	
1,0	C3-5 S-503	94,5	4S		
0.1	C3-5 S-504	94,5	4S		
0.1	C3-5 S-505	95,0	4S	805	
0.1	C3-5 S-506	95,0	4S	805	(379 b)
1,0	C1-5 64-32	96,0	4S	1035	
1,0	C1-5 64-34	96,0	4S		
0.1	C1-5 64-36	95,0	4S	1035	
0.1	C1-5 64-37	96,0	4S	1035	(383 b) MJM P237
1,0	C5-5 S-679	94,5	2+2	920	
0.1	C5-5 S-681	95,0	2+2	920	
1,0	C5-5 S-689	94,0	2+2	920	
1,0	C5-5 S-690	94,0	2+2	920	(377.5 b)
1,0	C6-5 S-751	94,5	2+2	920	
0.1	C6-5 S-752	95,0	2+2	920	
1,0	C6-5 S-758	95,0	2+2	920	
0.1	C6-5 S-761	96,0	2+2	920	(380.5 b) 🏆
1,0	C6-5 75-106	95,0	J	690	
0.1	C4-5 64-120	nekl.	J	690	
0.1	C4-5 64-122	nekl.	J	690	

Kuní velký hnědý

1,0	C3-5 64-6	94,0	J	690	
1,0	C3-5 64-7	92,0	J	575	
0.1	C3-5 64-9	95,5	J	🏆 690	
1,0	5-5 71-6	95,0	4S	920	
1,0	5-5 71-7	95,0	4S	920	
0.1	5-5 71-8	96,0	4S	920	
0.1	5-5 71-9	96,0	4S	920	(382 b) MJM
0.1	5-5 71-12	94,5	J	920	
0.1	5-5 71-13	95,0	J	920	

Kuní velký modrý

1,0	C4-5 76-4	93,0	2+2	690	
0.1	C4-5 76-6	94,5	2+2	690	
0.1	C4-5 76-9	95,0	2+2	🏆 690	
0.1	C4-5 76-10	94,0	2+2	690	(376.5 b)
1,0	C6-5 76-15	93,0	4S	690	
1,0	C6-5 76-16	93,0	4S	690	
1,0	C6-5 76-17	92,0	4S	690	
0.1	C6-5 76-19	93,0	4S	690	(371 b)

1,0	C6-5 76-18	94,0	J	690
0.1	C6-5 76-20	92,0	J	690
1,0	C	x	2+2	
1,0	C	x	2+2	
0.1	C	x	2+2	
0.1	C	x	2+2	
1,0	C	x	J	
1,0	C	x	J	
1,0	C6-5 S-46	95,5	2+2	805
1,0	C6-5 S-47	95,5	2+2	805
0.1	C6-5 S-44	94,5	2+2	
0.1	C6-5 S-45	93,0	2+2	(378.5 b)
1,0	C1-5 61-1	94,0	J	690
1,0	C1-5 69-7	94,5	4S	633
0.1	C1-5 69-13	94,5	4S	575
0.1	C1-5 69-33	93,5	4S	633
1,0	C2-5 69-39	94,5	4S	575 (377 b)

Siamský velký žlutý

1,0	C1-5 S-2	94,0	J	633
-----	----------	-------------	---	-----

Kalifornský černý

1,0	C5-5 S-533	96,0	4S	805	P238
1,0	C5-5 S-534	96,0	4S		
0.1	C5-5 S-535	95,0	4S	805	
0.1	C5-5 S-539	95,5	4S	(382.5 b)	MJM
1,0	C3-5 S-307	95,0	J		
1,0	C7-5 S-547	95,0	4S		
1,0	C7-5 S-548	94,0	4S		
0.1	C7-5 S-549	94,5	4S	575	
0.1	C7-5 S-552	94,5	4S	575 (378 b)	
1,0	C6-5 S-726	94,5	4S	690	
0.1	C6-5 S-729	93,5	4S	690	
0.1	C6-5 S-730	93,0	4S	690	
0.1	C6-5 S-731	93,0	4S	690 (374 b)	
1,0	C1-5 S-77	93,0	2+2	920	
0.1	C1-5 S-81	94,5	2+2		
1,0	C3-5 S-469	93,5	2+2	863	
0.1	C3-5 S-471	94,5	2+2	863 (375.5 b)	
1,0	C1-5 75-17	93,5	J	805	
0.1	C2-5 75-20	93,5	J	805	
0.1	C5-4 S-593	93,5	J	805	
0.1	C1-5 61-21	94,0	J	690	
0.1	C1-5 61-22	93,0	J	690	
0.1	C1-5 61-23	93,5	J	690	
1,0	C7-5 72-53	95,0	4S		
1,0	C7-5 72-54	90,0	4S		
0.1	C7-5 72-57	92,0	4S		
0.1	C7-5 72-59	92,0	4S	(369 b)	

1,0	C1-5 83-2	94,5	4S	575
1,0	C2-5 83-20	95,5	4S	575
1,0	C2-5 83-21	92,5	4S	575
0.1	C2-5 83-18	94,5	4S	575 (377 b)

Kalifornský modrý

1,0	C6-5 S-17	94,5	4S	805
0.1	C6-5 S-20	94,5	4S	805
1,0	C6-5 S-22	93,5	4S	805
0.1	C6-5 S-24	91,0	4S	805 (373.5 b)

Tříbarevný strakáč

1,0	C2-5 69-6	94,5	CHS	690
0.1	C2-5 69-7	94,0	CHS	
1,0	C3-5 69-9	93,0	CHS	690
0.1	C3-5 69-15	92,5	CHS	(374 b)
0.1	C2-5 69-2	94,5	J	690
0.1	C5-5 69-19	93,5	J	
1,0	C4-5 68-11	94,0	J	
0.1	C2-5 68-2	93,5	J	920

Japonský

1,0	C3-5 S-34	nekl.	4S	
1,0	C3-5 S-35	94,0	4S	690
1,0	C3-5 S-36	95,0	4S	690
0.1	C3-5 S-37	93,5	4S	
1,0	C1-5 S-31	V (0)	2+2	690
0.1	C1-5 S-33	92,5	2+2	
1,0	C3-5 S-39	92,0	2+2	690
1,0	C3-5 S-40	92,5	2+2	690
0.1	C4-5 S-38	93,0	J	690

Český luštič

0.1	C2-5 S2201	93,5	J	460
1,0	C2-5 S404	V (0)	J	460
1,0	C2-5 S405	92,0	J	460
1,0	C3-5 S211	90,5	2+2	460
0.1	C3-5 S215	94,0	2+2	460
1,0	C2-5 S205	91,0	2+2	460
0.1	C2-5 S208	V (0)	2+2	460
1,0	C2-5 S122	92,5	2+2	
1,0	C2-5 S121	94,0	2+2	
0.1	C2-5 S401	94,0	2+2	460
0.1	C2-5 S403	V (0)	2+2	460
1,0	1-5 62-1	95,0	4S	518
1,0	1-5 62-2	V (0)	4S	518
1,0	1-5 62-3	96,0	4S	518
1,0	1-5 62-6	93,5	4S	518
0.1	C4-5 73-14	92,0	CHS	460
0.1	C2-5 73-9	94,0	CHS	518
0.1	C2-5 73-8	V (0)	CHS	518
1,0	C12-4 S-320	94,0	CHS	

Aljaška

1,0	C3-5 64-3	93,0	4S	805	
1,0	C3-5 64-4	N (0)	4S	805	
1,0	C3-5 64-5	94,5	4S	805	
0.1	C3-5 64-8	95,0	4S	805	
1,0	C 255	95,0	4S	978	
1,0	C 3513	95,0	4S	978	
0.1	C 259	95,5	4S	978	
0.1	C 3514	96,0	4S	978 (381.5 b)	MJM
1,0	C3-5 64-16	94,5	J	575	
1,0	C3-5 64-17	94,5	J	575	

Havana

1,0	S1-5 14-13	94,5	CHS	575	
1,0	S1-5 14-12	95,5	CHS	575	
0.1	S3-5 14-18	95,5	CHS	575	
0.1	S3-5 14-19	96,0	CHS	575 (381.5 b)	

Durynský

1,0	C55 6416	95,5	4S	805	
1,0	C55 6417	94,5	4S	805	
0.1	C55 6420	95,0	4S		
0.1	C55 6419	94,5	4S	(379.5 b)	
nedod.					
0.1	C55 6420	N (0)	J		
1,0	C4-5 S-64	95,0	CHS	805	
1,0	C4-5 S-63	95,5	CHS	805	
0.1	C4-5 S-65	95,5	CHS	805	
0.1	C3-5 S-26	96,0	CHS	(382 b)	
0.1	C3-5 S-24	93,5	J	805	
1,0	C4-5 S-61	92,5	J	805	
0.1	C1-5 74-3	95,5	J		
1,0	C4-5 59-26	95,5	4S	805	
1,0	C4-5 59-29	95,0	4S	805	
1,0	C4-5 59-30	96,0	4S	805	
0.1	C4-5 59-32	95,0	4S	(381.5 b)	
1,0	C4-5 59-27	96,0	CHS	805	
0.1	C4-5 59-33	96,0	CHS	805	
1,0	C4-5 59-38	94,5	CHS	805	
0.1	C3-5 59-25	96,0	CHS	805 (382.5 b)	
1,0	154 N84	95,5	4S	1035	
1,0	1520 N84	96,0	4S	1035	
0.1	2540 N84	96,0	4S	1035	
0.1	2543 N84	95,5	4S	1035 (383 b)	MJM P23
1,0	C3-5 62-45	94,5	4S	690	
1,0	C3-5 62-46	94,5	4S	690	
0.1	C3-5 62-47	93,5	4S		
0.1	C3-5 62-48	94,0	4S	(376.5 b)	

1,0	S3-5 62-1	94,5	J	920	
0.1	S3-5 62-5	94,0	J	920	

Bílopesíkatý černý

1,0	C4-5 S-14	95,0	4S	805	
1,0	C4-5 S-15	96,0	4S	805	
1,0	C4-5 S-16	96,0	4S	805	
0.1	C4-5 S-17	95,0	4S	805 (382 b)	MJM
1,0	C4-5 59-22	95,0	CHS		
1,0	C3-5 59-13	95,0	CHS		
1,0	C3-5 59-6	95,5	CHS	805	
0.1	C3-5 59-17	94,5	CHS	(380 b)	
1,0	C3-5 59-7	95,5	2+2	805	
0.1	C3-5 59-8	94,0	2+2	805	
1,0	C4-5 59-19	95,5	2+2	805	
0.1	C4-5 59-20	93,5	2+2	805 (378.5 b)	

Sallander

1,0	C2-5 S-6	95,5	CHS		
0.1	C3-5 S-16	96,0	CHS		
0.1	C3-5 S-15	96,0	CHS		P210
0.1	C3-5 S-13	96,0	CHS	(383.5 b)	MJM P209

Klubová výstava činčil malých, dailenárů a salladerů

1,0	C6-5 S-34	94,5	4S	863	
0.1	C6-5 S-36	95,0	4S	920	
0.1	C6-5 S-37	95,0	4S		
0.1	C6-5 S-38	94,0	4S	920 (378.5 b)	
0.1	C6-5 S-30	93,5	J	920	
1,0	C6-5 S-33	93,0	J	920	
0.1	C6-5 S-39	95,0	J		
1,0	CN84 154	94,0	4S	1035	
0.1	CN84 155	94,5	4S	1035	
0.1	CN84 156	94,5	4S	1035	
0.1	CN84 157	94,5	4S	1035 (377.5 b)	
0.1	C3-5 71-2	93,0	4S	690	
0.1	C3-5 71-3	92,5	4S	690	
0.1	C3-5 71-4	92,0	4S	690	
0.1	C3-5 71-5	93,0	4S	690 (370.5 b)	
1,0	C6-5 80-1	93,5	J	690	
1,0	C6-5 80-2	N (0)	J	690	
1,0	242 S232	94,0	CHS		
1,0	C1-5 P-2	94,0	CHS	920	
0.1	1514 T628	95,0	CHS		
1,0	C1-5 P-1	94,0	CHS	1035 (377 b)	
1,0	C1-5 P-6	96,0	CHS		
1,0	C1-5 P-9	95,5	CHS	1035	
0.1	C1-5 P-4	94,0	CHS		
0.1	C4-5 P-26	94,5	CHS	(380 b)	

1,0	C6-5 P-31	93,5	2+2	1035
0.1	C6-5 P-32	93,5	2+2	920
1,0	C6-5 P-34	95,0	2+2	805
1,0	C6-5 P-35	94,5	2+2	805 (376.5 b)
0.1	554 E1	94,5	J	
1,0	C3-5 62-5	92,0	2+2	805
1,0	C3-5 62-6	92,0	2+2	805
0.1	C3-5 62-11	94,5	2+2	805
0.1	C3-5 62-12	94,5	2+2	(373 b)
1,0	C3-5 62-1	94,5	J	690

Dailenár

1,0	C3-5 S-125	V (0)	2+2	
0.1	C4-5 S-131	96,5	2+2	
0.1	C4-5 S-129	94,5	2+2	
0.1	C4-5 S-130	96,0	2+2	
0.1	C2-5 S-27	95,5	2+2	
0.1	C2-5 S-28	94,5	2+2	
1,0	C4-5 S-106	95,0	2+2	345
1,0	C4-5 S-111	94,0	2+2	345 (379 b)
1,0	C6-5 67-37	92,5	4S	690
0.1	C6-5 67-40	94,5	4S	690
1,0	C6-5 67-38	95,0	4S	690
0.1	C6-5 67-39	95,0	4S	690 (377 b)
1,0	C6-5 67-31	93,0	2+2	575
0.1	C6-5 67-34	93,5	2+2	575
0.1	C6-5 67-35	95,0	2+2	575
1,0	C6-5 67-33	95,5	2+2	575 (377 b)
1,0	C2-5 S-85	94,5	2+2	
1,0	C2-5 S-86	93,5	2+2	518
1,0	C2-5 S-88	95,0	2+2	518
0.1	C2-5 S-89	93,5	2+2	(376.5 b)
1,0	C3-5 S-93	V (0)	2+2	518
1,0	C3-5 S-94	93,5	2+2	518
0.1	C2-5 S-90	95,5	2+2	
0.1	C2-5 S-91	94,0	2+2	
1,0	C1-5 S-14	94,5	2+2	518
0.1	C3-5 S-78	94,5	2+2	575
0.1	C1-5 S-17	93,0	2+2	575
0.1	C3-5 S-79	94,0	2+2	575 (376 b)
0.1	C3-5 S-84	93,5	2+2	
1,0	C3-5 S-82	95,5	2+2	
1,0	C3-5 S-81	96,0	2+2	
1,0	C3-5 S-80	94,0	2+2	(379 b) 🏆
1,0	C1-5 S-2	95,0	CHS	
1,0	C5-5 S-175	94,0	CHS	575
0.1	C3-5 S-83	95,0	CHS	690
0.1	C3-5 S-64	94,5	CHS	(378.5 b)
0.1	C5-5 S-180	94,0	J	690
0.1	C1-5 S-20	94,5	J	690

P207

0.1	C-3-5 80-29	95,0	CHS	
0.1	C5-5 80-23	93,5	CHS	
1,0	C2-5 80-19	95,5	CHS	
1,0	C2-5 80-20	95,0	CHS	(379 b)
1,0	C3-5 80-25	94,5	4S	460
0.1	C3-5 80-26	93,5	4S	
0.1	C3-5 80-27	94,5	4S	
0.1	C3-5 80-28	93,5	4S	460 (376 b)
0.1	C5-5 S-139	93,5	2+2	690
1,0	C5-5 S-143	93,5	2+2	690
0.1	C5-5 S-133	95,5	2+2	690
0.1	C5-5 S-140	92,0	2+2	690 (374.5 b)
1,0	C1-5 S-132	94,0	4S	690
0.1	C1-5 S-134	V (0)	4S	690
0.1	C1-5 S-135	97,0	4S	
0.1	C1-5 S-136	95,5	4S	690

ŠJM P208

Činčila malá

0.1	C5-5 81-23	V (0)	CHS	690
1,0	C1-5 81-3	N (0)	CHS	690
0.1	C5-5 81-22	95,0	CHS	690
1,0	C1-5 81-1	94,5	CHS	690
1,0	C5-5 81-19	95,0	CHS	690
1,0	C5-5 81-20	94,0	CHS	690
0.1	C6-5 81-30	95,0	CHS	690
0.1	C1-5 81-12	93,5	CHS	690 (377.5 b)
0.1	C7-5 S-92	94,5	CHS	575
0.1	C7-5 S-93	93,5	CHS	575
0.1	C7-5 S-91	94,5	CHS	575
0.1	C7-5 S-94	94,0	CHS	575 (376.5 b)
1,0	C4-5 S-40	94,5	CHS	690
1,0	C4-5 S-38	95,5	CHS	690
1,0	C2-5 S-28	V (0)	CHS	748
1,0	C2-5 S-27	95,0	CHS	748
0.1	C5-5 76-29	V (0)	4S	690
0.1	C5-5 76-31	93,0	4S	690
0.1	C5-5 76-32	94,0	4S	690
0.1	C5-5 76-35	94,0	4S	690
1,0	C6-5 P-32	96,0	CHS	
0.1	C6-5 P-33	95,0	CHS	
1,0	C1-5 P-5	96,0	CHS	
0.1	C1-5 P-11	94,5	CHS	(381.5 b)
1,0	C6-5 73-1	93,5	J	518
1,0	C2-5 75-10	94,5	J	575
1,0	C2-5 75-11	95,5	J	575
1,0	C5-5 75-20	94,5	J	575
0.1	C2-5 S-48	94,0	2+2	
0.1	C2-5 S-49	94,0	2+2	
1,0	C2-5 S50	95,0	2+2	
0.1	C2-5 S52	94,5	2+2	(377.5 b) 🏆

P206

P205

1,0	C4-5 62-1	V (0)	4S	690
1,0	C4-5 62-2	V (0)	4S	690
0.1	C4-5 62-3	V (0)	4S	690
0.1	C4-5 62-4	94,5	4S	690
1,0	S5-5 321	91,5	J	575
0.1	S5-5 322	V (0)	J	

pokračování expozice králíků

Turnézský zlatý

1,0	C5-5 67-30	95,5	4S	978	
0.1	C5-5 67-32	96,0	4S	978	
0.1	C5-5 67-27	96,0	4S	978	
0.1	C5-5 67-28	95,5	4S	978	(383 b) MJM

Moravský bílý hnědooký

1,0	C1-5 S-1	95,0	CHS	690	
1,0	C1-5 S-12	96,0	CHS	690	
1,0	C1-5 S-14	95,0	CHS	690	
0.1	C1-5 S-29	94,5	CHS	690	(380.5 b)
1,0	C1-5 S-17	94,5	CHS	805	
1,0	C1-5 S-19	95,5	CHS		
1,0	C4-5 S-61	96,0	CHS	805	
0.1	C4-5 S-63	95,5	CHS	690	(381.5 b)
1,0	C4-5 S-57	93,0	J	690	
0.1	C4-5 S-59	92,0	J	690	
0.1	C4-5 S-60	96,0	J		P218

Klubová výstava moravských bílých hnědookých

1,0	C3-5 S42	95,5	4S	920	
0.1	C3-5 S43	95,5	4S	920	
0.1	C3-5 S44	95,5	4S	920	
0.1	C3-5 S45	95,5	4S	920	(382 b)
1,0	C3-5 S38	95,0	2+2	920	
0.1	C3-5 S41	95,0	2+2	920	
1,0	C3-5 S46	95,0	2+2	920	
0.1	C3-5 S49	95,5	2+2	920	(380.5 b)
0.1	C3-5 S-92	96,0	CHS	805	
0.1	C3-5 S-90	96,0	CHS	805	
1,0	C1-5 S-142	96,0	CHS	805	MJM P26 P217 P219
1,0	C1-5 S-86	96,0	CHS	805	(384 b)

pokračování expozice králíků

Zaječí bílý červenooký

0.1	C2-4 59-5	96,0	J	
0.1	C10-4 59-9	96,0	J	

Zaječí divoce zbarvený

1,0	4-5 62-6	96,0	J	🏆
1,0	5-5 62-10	96,0	J	
1,0	5-5 62-11	96,0	J	

Zaječí divoce zbarvený ohnivý

0.1	C1-5 64-1	96,0	J	
	nedod.			
1,0	C2-5 64-2	x	J	
0.1	C2-5 64-3	95,5	J	

Malý beran divoce zbarvený

1,0	C2-5 71-3	95,5	J		
1,0	3566 S459	94,0	J		
1,0	C4-5 80-22	97,0	CHS	920	ŠJM
1,0	C4-5 80-23	95,5	CHS	920	
1,0	C3-5 80-2	96,0	CHS	1035	
0.1	C4-5 80-25	96,0	CHS	(384.5 b)	MJM

Malý beran železitý

1,0	C 79-5	x	4S	
0.1	C 79-7	x	4S	
0.1	C 79-8	x	4S	
0.1	C 79-9	x	4S	
1,0	C3-5 80-1	95,5	J	920

Marburský

1,0	C2-5 79-2	96,0	2+2	🏆	575
1,0	C2-5 79-4	95,5	2+2		575
0.1	C4-5 79-12	94,0	2+2		575
0.1	C4-5 79-13	94,0	2+2		575 (379.5 b)
0.1	C1-5 68-1	95,5	J		368
1,0	C2-5 75-3	94,0	J		575
1,0	C2-5 75-4	94,0	J		575
0.1	C2-5 75-5	94,5	J		575

Český červený

1,0	C5-5 68-24	95,5	2+2		460
0.1	C5-5 68-25	95,5	2+2		460
0.1	C5-5 68-26	97,0	2+2		460
0.1	C5-5 68-27	96,0	2+2		460 (384 b) MJM P17 P240
1,0	C1-5 67-1	93,5	2+2		575
0.1	C1-5 67-3	95,0	2+2		575
1,0	C3-5 67-10	95,0	2+2		575
0.1	C3-5 67-14	93,5	2+2		575 (377 b)
1,0	4521 N-84	95,5	4S		805
0.1	157 N-84	95,0	4S		805
0.1	3514 N-84	95,0	4S		805
0.1	4517 N-84	V (0)	4S		805
1,0	C1-5 67-6	94,5	CHS		
0.1	C2-5 67-17	95,5	CHS		
0.1	C2-5 67-18	95,0	CHS		
0.1	C3-5 67-23	95,0	CHS		(380 b)

1,0	C2-5 69-10	95,5	2+2	690
0.1	C2-5 69-14	94,0	2+2	690
1,0	C3-5 69-16	95,5	2+2	690
0.1	C3-5 69-17	96,0	2+2	690 (381 b)
1,0	C4-5 69-21	95,5	4S	690
0.1	C4-5 69-22	94,5	4S	690
0.1	C4-5 69-23	95,5	4S	690
0.1	C4-5 69-24	96,0	4S	690 (381.5 b) 🏆
0.1	C3-5 69-18	94,5	J	690
0.1	C4-5 69-20	95,5	J	690
0.1	C4-5 69-19	95,0	J	690
0.1	C4-5 69-25	94,5	4S	690
0.1	C4-5 69-26	95,5	4S	690
0.1	C4-5 69-27	95,0	4S	690
0.1	C4-5 69-28	96,0	4S	690 (381 b)

Rhönský

1,0	C2-5 S-907	95,0	CHS	575
1,0	C4-5 S-927	95,0	CHS	575
1,0	C4-5 S-929	95,5	CHS	575
0.1	C4-5 S-931	95,0	CHS	575 (380.5 b)
1,0	C4-5 73-4	95,0	J	
1,0	C4-5 73-6	95,5	J	P239

Perlový

1,0	C4-5 64-6	96,5	2+2 🏆	633
1,0	C4-5 64-7	96,0	2+2	633
0.1	C1-5 64-1	94,0	2+2	633
0.1	C1-5 64-3	93,0	2+2	633 (379.5 b)

Stříbrný divoce zbarvený

1,0	C4-5 73-1	x	J	
1,0	C4-5 73-2	x	J	
0.1	C4-5 S-78	95,0	2+2	575
1,0	C4-5 S-87	95,0	2+2	575
0.1	C4-5 S-88	94,0	2+2	575
1,0	C4-5 S-75	94,5	2+2	575 (378.5 b) 🏆
0.1	C6-5 83-3	93,0	J	518
1,0	C7-5 62-1	94,5	4S	
1,0	C7-5 62-2	94,5	4S	
0.1	C7-5 62-3	94,5	4S	
0.1	C7-5 62-4	94,5	4S	(378 b)
0.1	C7-5 62-5	94,5	2+2	
0.1	C7-5 62-6	94,5	2+2	
1,0	C7-5 62-7	94,0	2+2	
1,0	C7-5 62-8	93,5	2+2	(376.5 b)
1,0	C7-5 62-9	94,5	4S	
1,0	C7-5 62-10	94,5	4S	
0.1	C7-5 62-11	95,0	4S	
0.1	C7-5 62-12	94,0	4S	(378 b)

Stříbrný černý

1,0	C3-5 64-8	95,0	CHS	
1,0	C4-5 64-13	96,5	CHS	P228
1,0	C2-5 64-4	94,5	CHS	
0.1	C2-5 64-11	94,0	CHS	(380 b) 🏆
1,0	C1-5 S-61	95,0	2+2	575
0.1	C1-5 S-64	94,0	2+2	575
1,0	C2-5 S-67	95,0	2+2	575
1,0	C2-5 S-68	95,5	2+2	460 (379.5 b)
1,0	C3-5 S-75	95,5	4S	460
1,0	C1-5 S-62	95,0	4S	460
1,0	C1-5 S-63	96,0	4S	460
1,0	C3-5 S-76	95,5	4S	460 (382 b) 🏆
1,0	C1-5 S-47	96,0	2+2	
0.1	C1-5 S-48	V (0)	2+2	
1,0	C2-5 S-55	95,0	2+2	
1,0	C2-5 S-56	94,5	2+2	
1,0	C5-5 S134	95,0	4S	345
0.1	C5-5 S136	94,0	4S	345
1,0	C5-5 S138	94,5	4S	345
0.1	C5-5 S139	95,0	4S	345 (378.5 b)
0.1	C4-5 67-13	94,0	2+2	
0.1	C4-5 67-14	95,0	2+2	690
1,0	C3-5 67-7	93,5	2+2	575
1,0	C3-5 67-8	94,0	2+2	575 (376.5 b)
1,0	C3-5 67-1	94,0	J	575
1,0	C3-5 67-3	93,5	J	575
1,0	C5-5 67-15	94,0	J	575
0.1	C5-5 67-16	95,5	2+2	690
0.1	C5-5 67-17	96,0	2+2	
1,0	C4-5 67-11	95,0	2+2	575
1,0	C4-5 67-12	95,5	2+2	575 (382 b) MJM
1,0	C4-5 83-1	94,0	J	518
1,0	C4-5 83-2	94,0	J	518
1,0	C5-5 S-113	95,0	4S	690
0.1	C5-5 S-118	95,0	4S	690
1,0	C4-5 S-95	V (0)	4S	690
1,0	C1-5 S-1	95,5	4S	690

Stříbrný modrý

0.1	C3-5 83-8	94,5	J	518
1,0	C-55 S-67	94,5	CHS	
0.1	C-55 S-68	96,0	CHS	
0.1	C-55 S-73	95,5	CHS	
0.1	C-55 S-64	95,0	CHS	(381 b) 🏆
1,0	C-25 S-18	94,5	2+2	1150
0.1	C-25 S-22	95,0	2+2	1150
0.1	C-55 S-65	95,0	2+2	
0.1	C-55 S-66	93,5	2+2	(378 b)

1,0	C4-5 71-1	95,0	2+2	
0.1	C4-5 71-3	94,0	2+2	
0.1	C4-5 71-7	94,5	2+2	
0.1	C4-5 71-10	94,5	2+2	(378 b)
1,0	C4-5 75-14	95,5	J	690
1,0	C4-5 75-23	94,0	J	690
0.1	C4-5 75-17	94,0	J	

Stříbřitý havanovitý

1,0	C3-5 S-40	94,5	CHS	575
1,0	C4-5 S-100	96,0	CHS	690
0.1	C3-5 S-51	95,5	CHS	
0.1	C3-5 S-46	95,5	CHS	(381.5 b) 🏆
1,0	C1-5 P-15	95,0	4S	575
1,0	C3-5 P-20	94,5	4S	575
0.1	C1-5 P-12	95,0	4S	575
0.1	C1-5 P-17	94,5	4S	575 (379 b)
1,0	C1-5 P-13	95,0	4S	575
1,0	C1-5 P-14	95,0	4S	575
0.1	C3-5 P-23	94,0	4S	
0.1	C3-5 P-24	V (0)	4S	
1,0	C3-5 83-5	94,5	2+2	518
0.1	C3-5 83-6	94,0	2+2	518
0.1	C3-5 83-2	94,5	2+2	518
0.1	C3-5 83-3	93,0	2+2	518 (376 b)
0.1	C3-5 83-4	92,0	J	518

Stříbřitý žlutý

1,0	C4-5 S-279	95,5	CHS	575
1,0	C5-5 S-308	95,0	CHS	575
0.1	C5-5 S-313	95,5	CHS	575
0.1	C5-5 S-314	95,0	CHS	575 (381 b)
1,0	C3-5 S-269	96,0	CHS	575
0.1	C5-5 S-309	95,5	CHS	805
0.1	C5-5 S-311	93,5	CHS	575
0.1	C4-5 S-307	94,0	CHS	(379 b)
1,0	C4-5 S-280	96,0	CHS	920
0.1	C4-5 S-284	95,5	CHS	
0.1	C4-5 S-306	95,0	CHS	
0.1	C5-5 S-315	96,0	CHS	(382.5 b) MJM P227
1,0	C3-5 S-97	94,0	2+2	575
1,0	C1-5 S-34	95,0	2+2	575
1,0	C1-5 S-06040	95,5	2+2	575
0.1	C1-5 S-06032	94,0	2+2	(378.5 b)
1,0	C4-5 S-218	96,0	2+2 🏆	690
0.1	C4-5 S-219	95,5	2+2	
0.1	C6-5 S-324	95,0	2+2	
0.1	C6-5 S-323	94,0	2+2	(380.5 b)
0.1	C1-5 S-6	95,5	J	690
0.1	C4-5 S-233	94,0	J	690

1,0	C1-5 S-59	95,0	CHS	575
1,0	C1-5 S-71	94,5	CHS	575
1,0	C1-5 S-64	95,5	CHS	575
1,0	C3-5 S-318	95,5	CHS	575 (380.5 b)
0.1	C1-5 83-2	94,5	J	518

Stříbřitý světlý

1,0	C1-5 S-1	95,0	4S	460
1,0	C1-5 S-2	94,5	4S	460
1,0	C1-5 S-3	94,5	4S	460
0.1	C1-5 S-5	93,5	4S	460 (377.5 b)
1,0	C3-5 64-1	94,0	2+2	690
1,0	C3-5 64-2	95,0	2+2	690
0.1	C3-5 64-3	94,0	2+2	
0.1	C3-5 64-7	95,0	2+2	690 (378 b)
0.1	C5-5 73-1	x	J	
0.1	C5-5 73-3	x	J	
1,0	C3-5 S-40	95,5	2+2	575
0.1	C3-5 S-56	95,5	2+2	575
0.1	C4-5 S-72	94,0	2+2	575
0.1	C4-5 S-90	95,0	2+2	575 (380 b) 🏆
1,0	C2-5 83-9	V (0)	J	518
1,0	C2-5 83-10	92,0	J	518
1,0	C3-5 67-8	95,0	2+2	575
0.1	C3-5 67-9	95,0	2+2	575
1,0	C5-5 67-22	94,5	2+2	575
0.1	C5-5 67-24	94,5	2+2	575 (379 b)
1,0	C1-5 S-98	95,5	CHS	
0.1	C4-5 S-118	95,0	CHS	
0.1	C4-5 S-120	95,5	CHS	
1,0	C1-5 S-107	95,0	CHS	(381 b) 🏆
1,0	C3-5 S-115	95,0	CHS	
0.1	C4-5 S-119	95,0	CHS	
1,0	C3-5 S-117	95,0	CHS	
0.1	C3-5 S-114	94,5	CHS	(379.5 b)

Holandský divoce zbarvený

1,0	C2-5 75-2	94,5	J	690
-----	-----------	------	---	-----

Holandský černý

1,0	C1-5 81-1	95,0	2+2	690
1,0	C1-5 81-2	94,5	2+2	690
1,0	C1-5 81-5	94,0	2+2	690
0.1	C1-5 81-6	V (0)	2+2	
1,0	C2-5 S-1	94,0	J	460
1,0	C3-5 S-3	95,5	J	575
0.1	C5-5 S-35	94,0	J	575
1,0	C2-5 75-3	96,0	J 🏆	690
1,0	C2-5 75-5	93,0	J	690
1,0	C1-5 75-1	93,0	J	690

Holandský modrý

1,0	C2-5 S15	93,0	J	575
0,1	C4-5 S-55	93,5	J	575

Holandský havanovitý

1,0	2214 922	94,0	J	
1,0	S3-5 25-6	94,0	J	

Klubová expozice anglických strakáčů

Anglický strakáč černý

1,0	C2-5 S-21	95,5	2+2	805	
1,0	C2-5 S-25	95,0	2+2	805	
1,0	C4-5 S-27	95,0	2+2	805	
0,1	C4-5 S-28	95,0	2+2	805	(380.5 b)
0,1	C2-5 S-24	93,0	J	805	
0,1	C2-5 S-26	92,5	J	805	
0,1	C	x	J		
1,0	C3-5 S-TS	95,0	CHS		
1,0	C3-5 S-58	94,0	CHS	1725	
1,0	C5-5 S-61	94,0	CHS	1725	
0,1	C5-5 S-TS	94,0	CHS		(377 b)
1,0	C4-5 S-32	94,5	CHS	1150	
0,1	C4-5 S-39	92,5	CHS		
0,1	C4-5 S-33	95,0	CHS		
0,1	C4-5 S-38	95,0	CHS		(377 b)
1,0	C3-5 S-15	94,0	CHS	1150	
0,1	C4-5 S-36	95,5	CHS		P231
0,1	C4-5 S-37	94,5	CHS		
0,1	C4-5 S-45	94,0	CHS		(378 b)
1,0	C3-5 S-14	95,5	CHS	1150	
1,0	C1-5 S-2	95,5	CHS		
0,1	C2-5 S-11	95,0	CHS		
1,0	C4-5 S-30	96,0	CHS		(382 b) MJM P230
1,0	C1-5 16-1	93,5	J	345	
1,0	C3-5 16-4	92,5	J	345	
0,1	C3-5 16-5	93,5	J	345	
1,0	S2-5 58-2	95,0	CHS	1035	
1,0	S2-5 58-3	95,0	CHS	1035	
0,1	S2-5 58-4	95,0	CHS	1035	
0,1	S3-5 58-9	93,5	CHS	1035	(378.5 b)

Anglický strakáč modrý

1,0	C2-5 S-2	95,5	2+2	805	P232
1,0	C2-5 S-3	94,0	2+2	805	
0,1	C4-5 S-9	95,0	2+2	805	P233
0,1	C4-5 S-10	94,5	2+2	805	(379 b)

1,0	C2-5 S-4	V (0)	J	805
0,1	C4-5 S-11	94,5	J	805
1,0	C	x	J	

pokračování expozice králíků

Třísloný černý

1,0	C4-5 S-72	95,0	J	690
0,1	C4-5 S-74	V (0)	J	
1,0	C5-5 70-23	94,5	J	575
1,0	C5-5 70-24	95,0	J	575
0,1	C7-5 70-25	95,0	J	
1,0	C1-5 67-12	V (0)	J	
0,1	C1-5 67-15	V (0)	J	
1,0	C1-5 67-28	V (0)	J	575
0,1	C1-5 67-26	V (0)	J	575
1,0	C1-5 67-24	V (0)	J	575
0,1	C1-5 67-19	V (0)	J	575

Český černopesíkatý

0,1	C3-5 S-6	95,5	CHS	575	
1,0	C3-5 S-9	95,5	CHS	575	
0,1	C3-5 S-10	95,5	CHS	575	
0,1	C4-5 S-14	96,0	CHS	575	(382.5 b) MJM
0,1	C4-5 69-14	95,0	2+2		
0,1	C5-5 69-10	94,5	2+2	575	
0,1	C5-5 69-18	93,5	2+2	518	
1,0	C1-5 69-1	94,5	2+2		(377.5 b)
0,1	C5-5 S-98	93,5	4S	460	
1,0	C5-5 S-99	94,5	4S	460	
0,1	C5-5 S-100	94,5	4S	575	
0,1	C5-5 S-101	94,0	4S	575	(376.5 b)
0,1	C3-5 57-3	95,5	J		
1,0	C4-5 71-8	95,0	4S	460	
0,1	C4-5 71-9	95,5	4S	460	
0,1	C4-5 71-10	95,5	4S	460	
0,1	C4-5 71-11	95,0	4S	460	(381 b)
1,0	C1-4 11-13	95,0	CHS	805	
0,1	C4-5 11-16	95,5	CHS		
0,1	C4-5 11-14	96,0	CHS	1150	
0,1	C9-4 51-95	94,0	CHS	575	(380.5 b)

Holíčský modrý

1,0	C2-5 64-25	95,5	CHS	1150	
1,0	C2-5 64-62	95,0	CHS	1150	
1,0	C5-5 64-76	95,0	CHS	1725	
0,1	C5-5 64-65	95,0	CHS		(380.5 b)
1,0	C-25 64-14	95,5	2+2	920	
1,0	C-25 64-16	96,0	2+2		
0,1	C-25 64-17	96,0	2+2		
0,1	C-25 64-18	96,0	2+2		(383.5 b)

1,0	C-45 64-20	96,0	CHS	920	
1,0	C-45 64-21	96,0	CHS	920	
1,0	C-15 64-23	95,5	CHS	920	
0.1	C-45 64-22	V (0)	CHS	920	
1,0	S1-5 77-8	95,5	2+2	1150	
0.1	S1-5 77-12	96,0	2+2	1725	
1,0	S1-5 77-10	96,5	2+2		
1,0	S3-5 77-48	96,0	2+2	1150 (384 b)	MJM
0.1	S2-5 77-30	V (0)	CHS		
1,0	S2-5 77-32	V (0)	CHS		
0.1	S4-5 77-36	95,5	CHS		
0.1	S4-5 77-37	97,0	CHS		
					ŠJM P204
1,0	C4-5 59-2	94,5	J	805	
0.1	C3-5 62-13	V (0)	4S	690	
0.1	C3-5 62-12	94,0	4S	690	
0.1	C4-5 62-10	95,5	4S	690	
0.1	C3-5 62-11	V (0)	4S	690	
1,0	C4-5 64-38	95,0	CHS	1150	
0.1	C1-5 64-2	95,5	CHS		
1,0	C4-5 64-39	V (0)	CHS	1495	
1,0	C1-5 64-10	96,5	CHS	🏆	
Ruský černý					
1,0	C2-4 85-1	95,5	4S	920	
1,0	C2-4 85-2	95,0	4S	920	
1,0	C2-4 85-3	96,0	4S		
1,0	C2-4 85-4	95,5	4S	920 (382 b)	MJM
1,0	C2-4 85-5	95,5	J	920	
Kastorex					
0.1	C3-5 S809	95,0	4S	920	
0.1	C3-5 S810	95,0	4S	920	
0.1	C3-5 S811	95,0	4S	920	
0.1	C3-5 S812	95,0	4S	920 (380 b)	🏆
1,0	C3-5 S-912	94,0	4S		
1,0	C3-5 S-914	93,5	4S		
0.1	C3-5 S-915	95,0	4S		
0.1	C3-5 S-917	93,0	4S	(375.5 b)	
1,0	C4-5 S-2308	93,5	4S		
0.1	C4-5 S-23010	94,5	4S		
0.1	C4-5 S-23011	95,5	4S		
0.1	C4-5 S-23012	94,5	4S	(378 b)	
Slovenský sivomodrý rex					
1,0	C2-5 73-23	93,0	4S	920	
0.1	C2-5 73-25	91,0	4S	690	
0.1	C1-5 73-12	V (0)	4S		
1,0	C2-5 73-22	94,0	4S	920	
1,0	C2-5 S-21	0	4S	920	
0.1	C2-5 S-24	94,5	4S	920	
0.1	C2-5 S-25	95,0	4S	920	
0.1	C2-5 S-26	0	4S	920	

1,0	C3-5 S-37	92,0	J	920	
0.1	C3-5 S-38	93,5	J	920	
Rex bílý červenooký					
Rex kuní modrý					
0.1	C4-5 61-12	93,0	J	690	
1,0	C4-5 61-6	92,5	J		
Rex černý					
1,0	C1-5 71-1	92,0	J	920	
0.1	C1-5 71-2	V (0)	J	920	
1,0	C2-5 71-4	94,0	2+2	920	
0.1	C2-5 71-6	95,0	2+2	920	
1,0	C3-5 71-7	0	2+2	920	
0.1	C3-5 71-10	95,0	2+2	920	
1,0	C6-5 81-14	0	4S		
1,0	C6-5 81-15	93,0	4S		
0.1	C6-5 81-16	0	4S		
0.1	C6-5 81-17	93,5	4S		
1,0	C6-5 81-11	V (0)	J		
1,0	C6-5 81-12	V (0)	J		
1,0	C	x	J		
Rex kuní modrý					
1,0	C3-5 S-301	95,0	J	805	
Rex dalmatinský strakáč černý					
1,0	C2-5 S-35	93,5	J	690	
1,0	C2-5 S-36	93,5	J	690	
1,0	C4-5 S-38	93,5	J	690	
1,0	C4-5 S-39	94,0	J	690	
1,0	C1-5 S-32	N (0)	J	690	
1,0	C2-5 S-37	95,5	J	690	
Rex dalmatinský strakáč černožlutý					
0.1	C4-5 62-2	93,0	J	690	
1,0	C4-5 62-1	93,5	J	690	
0.1	C1-5 11-4	94,0	J		
0.1	C4-5 11-6	95,0	J		
Angora bílá červenooká					
1,0	C6-5 75-11	95,5	2+2	1725	
1,0	C6-5 75-12	94,0	2+2	1725	
0.1	C3-5 75-10	95,5	2+2	🏆	
1,0	C3-5 75-7	V (0)	2+2	1725	
1,0	C3-5 S2	V (0)	J		
Malý vídeňský šedý					
1,0	5532 S-785	96,0	J	🏆	
Český strakáč černý					
0.1	C6-5 S2681	94,0	J	805	
1,0	C7-5 S2385	93,5	J	748	
1,0	C7-5 S2386	93,5	J	748	

1,0	C1-5 S-2303	95,5	CHS		
1,0	C3-5 S-3412	95,0	CHS		
0.1	C1-5 S-2305	96,0	CHS		
0.1	C3-5 S-3414	96,0	CHS	(382.5 b)	P222 MJM P221
0.1	C7-5 S-239	94,0	J	575	
0.1	C6-5 S-233	94,5	J	633	

Klubová expozice českých strakáčů

1,0	C6-5 84-13	94,5	4S		
1,0	C6-5 84-14	94,5	4S	920	
0.1	C6-5 84-15	95,0	4S		
0.1	C6-5 84-16	94,0	4S	920 (378 b)	
1,0	C1-4 S-2219	96,5	CHS		P223
1,0	C4-5 S-2238	94,0	CHS	920	
1,0	C1-5 S-2205	95,5	CHS		
0.1	C4-5 S-4306	94,5	CHS	690 (380.5 b)	🏆
1,0	C3-5 S-2232	94,5	CHS	12	
1,0	C3-5 S-2236	94,5	CHS	690	
0.1	C4-5 S-2239	95,0	CHS		
0.1	C4-4 S-4321	95,0	CHS	(379 b)	🏆
1,0	C2-5 66-10	91,0	J	690	
1,0	C2-5 67-9	94,0	CHS	1150	
0.1	C1-5 67-2	95,5	CHS	1150	
0.1	C2-5 67-7	92,5	CHS	920	
0.1	C2-5 67-8	93,5	CHS	805 (375.5 b)	
1,0	C6-5 S-22102	93,0	2+2	805	
1,0	C6-5 S-22103	93,5	2+2	805	
1,0	C6-5 S-211	94,0	2+2	805	
0.1	C6-5 S-213	92,0	2+2	(372.5 b)	
1,0	C2-5 S-79	95,0	J		
1,0	C5-5 S2505	94,0	J		
0.1	C5-5 S2510	95,0	J		
0.1	C5-5 S2511	95,5	J		
0.1	C4-5 S2227	95,0	J		
1,0	S3-5 S-63	95,5	4S		
1,0	S4-5 S-92	V (0)	4S	690	
0.1	S4-5 S-93	95,0	4S	1150	
1,0	S5-5 S-99	94,0	4S	1150	
0.1	S2-5 S-58	93,0	J	920	
1,0	C5-5 S-223	x	4S		
1,0	C5-5 S-220	x	4S		
1,0	C5-5 S-219	x	4S		
0.1	C5-5 S-221	x	4S		
1,0	S5-5 56-60	V (0)	2+2	1150	
1,0	S5-5 56-59	N (0)	2+2	1150	
0.1	S6-5 56-70	93,5	2+2		
0.1	S6-5 56-71	94,0	2+2		

Český strakáč modrý

0.1	C5-5 S-909	94,0	J		
0.1	C5-5 S-910	94,5	J		
0.1	S4-5 S-11	94,0	J		
0.1	S1-5 S-6	92,0	J		
1,0	C3-4 S-48	95,5	J		P226
0.1	C3-5 S-916	95,5	J		P225
1,0	C8-4 S-915	94,5	J		
1,0	S2-2 S-22	93,0	J		
0.1	C3-5 83-12	91,5	J	690	
1,0	C6-5 83-23	93,5	J	690	
0.1	C6-5 83-24	V (0)	J	690	
1,0	S4-5 56-46	V (0)	2+2	1150	
1,0	S4-5 56-50	94,5	2+2	1150	
0.1	S4-5 56-51	V (0)	2+2		
0.1	S6-5 56-69	95,0	2+2		

Český strakáč havanovitý

1,0	C6-5 67-4	92,5	J	690	
0.1	C6-5 67-5	94,0	J	690	

Český strakáč žlutý

1,0	C4-5 S-29	93,0	J		
1,0	C7-3 S-53	94,0	J		
1,0	C5-5 S-25	95,0	J		

Český strakáč černožlutý

1,0	C2-5 2-K	95,5	CHS		
1,0	C4-5 S-21	95,0	CHS		
0.1	C4-5 S-22	94,5	CHS		
0.1	C4-5 S-23	94,0	CHS	805 (379 b)	P224
0.1	C6-5 67-1	94,5	J	575	

Český strakáč modrožlutý

0.1	C2-3 S-7	94,5	J		
1,0	C4-4 S-5	94,0	J		

Klubová expozice zakrslých králíků

Zakrslý beran bílý červenooký

1,0	C4-5 76-1	93,0	J	575	
1,0	C6-5 76-2	93,5	J		
0.1	C6-5 76-3	95,0	J		

Zakrslý beran bílý modrooký

0.1	C5-5 nedod.	x	J		
1,0	C5-5 73-9	93,5	J	575	
0.1	C5-5 73-10	93,5	J	575	
0.1	C5-5 73-11	95,0	J	575	

1,0	C4-4 67-1	93,5	J	
1,0	C2-5 62-1	93,5	J	575
1,0	C5-5 30-15	95,0	J	518
0,1	C5-5 30-17	V (0)	J	345
1,0	C3-5 73-15	95,5	J	345
1,0	C3-5 73-13	95,0	J	345

Zakrslý beran divoce zbarvený

1,0	C2-5 75-1	95,0	2+2	575	
0,1	C2-5 75-2	94,5	2+2	575	
1,0	C3-5 75-12	94,0	2+2	575	
1,0	C3-5 75-13	95,5	2+2	575	(379 b)
1,0	C2-5 21-4	97,0	CHS		ŠJM
1,0	C2-4 21-4	96,0	CHS		
1,0	C3-5 21-23	95,5	CHS		
0,1	C2-5 21-7	96,0	CHS	(384.5 b)	P236
1,0	C2-5 73-1	96,0	4S	690	
1,0	C3-5 73-6	95,5	4S	690	
1,0	C3-5 73-8	95,5	4S	690	
0,1	C3-5 73-9	96,0	4S	690	(383 b) 🏆
1,0	C4-5 80-1	x	J		
1,0	C4-5 62-1	94,5	4S	575	
1,0	C4-5 62-2	95,0	4S	575	
1,0	C4-5 62-3	94,5	4S	575	
1,0	C5-5 62-6	95,0	4S	920	(379 b)

Zakrslý beran železitý

1,0	S4-5 S1501	95,0	J	1725	
0,1	C3-5 62-1	93,5	2+2	920	
0,1	C3-5 62-2	95,0	2+2	920	
1,0	C3-5 62-5	94,0	2+2	920	
0,1	C3-5 62-6	93,5	2+2	920	(376 b)

Zakrslý beran divoce modrý

1,0	C3-5 S-2	93,5	2+2	575	
1,0	C3-5 S-3	93,5	2+2	575	
1,0	C3-5 S-5	94,5	2+2	575	
1,0	C5-5 S-9	94,0	2+2	575	(375.5 b)
0,1	C5-5 62-5	x	J		

Zakrslý beran černý

1,0	C3-5 21-2	96,0	4S		
1,0	C3-5 21-3	97,5	4S		
					ŠJM P202 P234
0,1	C3-5 21-7	96,0	4S		
0,1	C3-5 21-6	95,0	4S	(384.5 b)	
1,0	C4-5 83-1	93,0	J	575	

Zakrslý beran modrý

1,0	C4-5 76-2	94,5	J		
1,0	C5-5 76-4	93,5	J		

Zakrslý beran činčilový

0,1	C4-5 67-7	92,0	2+2	978	
0,1	C4-5 67-8	91,5	2+2	920	
0,1	C4-5 67-9	93,5	2+2	920	
0,1	C4-5 67-10	93,0	2+2	920	(370 b)
0,1	C4-5 67-11	92,0	J	920	
1,0	C4-5 67-13	93,5	CHS	1725	
1,0	C4-5 67-14	93,5	CHS	1725	
0,1	C5-5 67-17	93,0	CHS	1725	
0,1	C5-5 67-16	93,0	CHS	1725	(373 b)

Zakrslý beran durynský

1,0	C4-5 67-2	94,0	2+2	748	
1,0	C4-5 67-3	93,0	2+2	690	
1,0	C5-5 67-10	91,5	2+2	575	
0,1	C5-5 67-11	V (0)	2+2	920	
0,1	C4-5 67-7	92,5	J	920	
1,0	C4-5 S-11	95,5	CHS	805	
0,1	C4-5 S-18	96,0	CHS	920	
1,0	C5-5 S-23	95,0	CHS	805	
0,1	C5-5 S-22	95,5	CHS	920	(382 b)
1,0	C4-5 S-10	95,0	CHS	920	
1,0	C3-5 S-6	95,5	CHS	805	
1,0	C5-5 S-28	95,0	CHS	805	
0,1	C5-5 S-29	95,5	CHS	920	(381 b) 🏆
1,0	C4-5 67-13	94,0	2+2		
1,0	C4-5 67-15	V (0)	2+2	633	
1,0	C4-5 67-17	94,0	2+2	633	
0,1	C4-5 67-19	93,0	2+2		
1,0	C4-5 67-18	93,0	J	518	
1,0	C4-5 67-14	93,5	J		
0,1	C4-5 67-16	91,5	J	518	

Zakrslý beran bílopesíkatý černý

1,0	C4-5 67-7	95,0	CHS	1725	
0,1	C4-5 67-8	94,5	CHS	1725	
0,1	C4-5 67-9	94,5	CHS	1725	
0,1	C4-5 67-11	96,0	CHS	1725	(380 b) 🏆
1,0	SJ6-5 62-13	93,5	4S	575	
1,0	SJ6-5 62-12	93,5	4S	575	
1,0	SJ6-5 62-10	V (0)	4S		
1,0	SJ6-5 62-9	94,0	4S	575	

Zakrslý beran kuní modrý

1,0	C2-5 64-4	94,0	J	690	
0,1	C5-5 64-5	93,5	J	575	
0,1	C5-5 64-7	93,0	J	575	
1,0	C5-5 64-8	96,0	J	575	🏆

Zakrslý beran rhönský

1,0	C5-5 67-8	V (0)	2+2	690	
1,0	C5-5 67-7	V (0)	2+2	690	
1,0	C4-5 67-1	90,5	2+2	690	
0,1	C4-5 67-2	93,5	2+2	920	

0.1	C4-5 67-6	93,0	J	920
1,0	C1-5 16-1	V (0)	J	345
0.1	C1-5 16-3	V (0)	J	345
0.1	C1-5 16-4	V (0)	J	345
1,0	C3-5 16-7	93,5	4S	345
1,0	C3-5 16-8	92,5	4S	345
0.1	C3-5 16-9	94,5	4S	345

nedod.

0.1	C3-5 16-10	V (0)	4S	345
1,0	C3-5 S-1205	93,5	J	345

nedod.

0.1	C3-5 64-20	V (0)	4S	1150
1,0	C12-4 64-21	94,0	4S	1150
0.1	C5-5 64-27	94,0	4S	1150
1,0	C2-5 64-16	94,5	4S	1150

Zakrslý beran strakáč divoce zbarvený

1,0	C5-5 67-4	96,0	2+2	805
0.1	C5-5 67-6	95,0	2+2	1035
1,0	C3-5 67-1	95,5	2+2	805
1,0	C3-5 67-2	95,5	2+2	805 (382 b) MJM
0.1	C6-5 80-3	95,5	J	
1,0	244 B547	96,5	J	🏆

Zakrslý beran strakáč černý

1,0	C3-5 64-6	96,0	CHS	690
1,0	C5-5 64-12	95,0	CHS	575
1,0	C3-5 64-5	95,5	CHS	690
0.1	C4-5 64-10	95,5	CHS	575 (382 b) MJM

Zakrslý beran strakáč durynský

1,0	C2-5 S-2	94,5	J	575
0.1	C5-5 S-5	93,0	J	805

Zakrslý strakáč černý

1,0	C5-5 59-1	92,5	J	
1,0	C5-5 59-2	93,0	J	
1,0	C8-5 59-4	93,5	J	
0.1	C8-5 59-5	92,5	J	
1,0	S3-4 32-8	93,5	J	575
1,0	S5-5 321	92,5	J	690

Zakrslý strakáč modrý

0.1	C5-5 67-13	94,0	CHS	1725
0.1	C3-5 67-7	94,0	CHS	1725
1,0	C5-5 67-10	93,5	CHS	
0.1	C4-5 67-9	93,5	CHS	(375 b)
1,0	S5-5 321	94,5	J	

Zakrslý strakáč havanovitý

1,0	S5-5 322	95,0	J	🏆 1035
-----	----------	------	---	--------

Zakrslý strakáč černožlutý

1,0	S3-4 32-2	x	J	
-----	-----------	---	---	--

Hermelín červenooký

1,0	C2-5 74-1	96,0	CHS	
0.1	C4-5 74-7	95,0	CHS	
1,0	C1-4 47-1	95,5	CHS	
1,0	C3-3 74-6	95,5	CHS	(382 b) 🏆
0.1	C3-4 S-8	96,0	CHS	
1,0	C3-4 S-5	95,5	CHS	920
1,0	C3-4 S-7	95,5	CHS	920
1,0	C1-2 S-1	95,5	CHS	(382.5 b) 🏆
1,0	C3-4 S-6	96,0	J	920
1,0	C6-5 81-14	95,5	2+2	
1,0	C6-5 81-15	95,5	2+2	
0.1	C6-5 81-12	96,0	2+2	
0.1	C6-5 81-13	96,5	2+2	(383.5 b) MJM
1,0	C6-5 81-9	95,5	CHS	805
0.1	C6-5 81-10	94,5	CHS	1035
1,0	C6-3 81-1	96,0	CHS	1150
0.1	C8-4 81-1	96,0	CHS	(382 b)

Hermelín modrooký

1,0	C5-5 S-13	93,0	CHS	115
1,0	C6-5 S-28	94,0	CHS	115
0.1	C6-5 S-29	93,5	CHS	
0.1	C6-5 S-30	93,5	CHS	748 (374 b)
0.1	C3-5 S-27	95,5	4S	
1,0	C3-5 S-24	95,5	4S	
1,0	C3-5 S-23	96,0	4S	805
1,0	C3-5 S-25	94,5	4S	(381.5 b) 🏆
1,0	C4-5 67-4	92,5	J	690
1,0	C4-5 67-6	91,5	J	690
0.1	C4-5 67-5	95,0	J	1725
1,0	C6-3 64-20	95,5	J	
0.1	C2-3 S-19	V (0)	J	
1,0	C2-5 81-1	95,0	J	920
1,0	C6-1 81-3	95,0	J	575
1,0	C2-5 S-3	96,5	CHS	🏆
0.1	C4-5 67-16	91,5	CHS	
0.1	C4-5 67-17	92,0	CHS	
0.1	C4-5 67-18	95,0	CHS	(375 b)
0.1	C	x	2+2	
0.1	C	x	2+2	
0.1	C	x	2+2	
0.1	C	x	2+2	

nedod.

1,0	C5-5 64-3	x	J	
0.1	C5-5 64-5	95,0	J	

P22

nedod.

1,0	C7-5 83-15	x	J	
1,0	C1-5 84-4	95,0	J	
1,0	C1-5 84-5	96,0	J	
1,0	C3-5 83-9	92,0	J	575
0,1	C3-5 83-12	92,5	J	690
1,0	C3-5 83-10	94,0	J	1150

Zakrslý divoce zbarvený

1,0	C1-5 74-1	94,0	CHS	
1,0	C3-5 74-8	94,5	CHS	
0,1	C3-5 74-12	96,5	CHS	🏆
1,0	C1-5 74-3	95,0	CHS	(380 b)
1,0	C3-5 68-1	94,5	2+2	805
1,0	C3-5 68-2	V (0)	2+2	805
0,1	C6-5 68-10	93,5	2+2	805
0,1	C5-5 68-11	94,0	2+2	805
1,0	C4-5 S-31	94,5	J	
1,0	C4-5 69-1	95,0	4S	518
0,1	C4-5 69-2	95,0	4S	518
0,1	C4-5 69-3	95,0	4S	518
0,1	C4-5 69-4	V (0)	4S	518
1,0	C3-5 70-3	96,0	4S	
1,0	C3-5 70-4	95,0	4S	805
1,0	C3-5 70-5	94,5	4S	690
0,1	C3-5 70-6	95,5	4S	(381 b) 🏆
1,0	C4-5 64-6	94,5	CHS	1150
1,0	C4-5 64-9	V (0)	CHS	1150
0,1	C4-5 64-10	95,0	CHS	
1,0	C4-5 64-12	95,0	CHS	
0,1	C4-5 65-1	95,5	J	805

Zakrslý divoce zbarvený ohnivý

0,1	C6-5 64-16	93,5	J	575
0,1	C5-5 64-17	93,0	J	575
0,1	C6-4 83-2	94,5	J	805

Zakrslý černý

1,0	C S-1	96,0	4S	
1,0	C S-2	96,0	4S	920
1,0	C3-5 S-3	96,0	4S	920
0,1	C S-6	95,0	4S	(383 b) MJM
1,0	C3-5 S-4	95,5	4S	920
1,0	C3-5 S-5	N (0)	4S	920
1,0	C3-5 S-7	94,0	4S	
0,1	C3-5 S-8	N (0)	4S	

Zakrslý modrý

1,0	C3-4	V (0)	J	1150
-----	------	-------	---	------

Zakrslý havanovitý

0,1	C4-5 S19	93,0	CHS	
0,1	C4-5 S23	93,5	CHS	
0,1	C2-5 S6	95,5	CHS	🏆
1,0	C2-5 S7	94,0	CHS	(376 b)
1,0	C3-5 68-1	94,0	CHS	805
1,0	C6-5 68-4	94,0	CHS	805
0,1	C6-5 68-5	93,5	CHS	805
0,1	C6-5 68-6	92,5	CHS	805 (374 b)
1,0	C3-5 S-25	93,5	CHS	805
1,0	C3-5 S-26	V (0)	CHS	805
0,1	C3-5 S-27	V (0)	CHS	690
1,0	C5-5 S-35	94,5	CHS	805
1,0	C6-5 64-2	92,0	J	575
1,0	C6-5 64-3	93,0	J	575

Zakrslý marburský

1,0	C3-5 68-1	94,5	J	805
0,1	C7-5 S-34	V (0)	2+2	
1,0	C7-5 S-33	V (0)	2+2	1150
1,0	C7-5 S-31	95,0	2+2	
0,1	C7-5 S-32	95,5	2+2	
0,1	C4-5 S-16	94,5	J	1150
0,1	C4-5 S-17	95,5	J	🏆 1150
1,0	C5-2 17-6	nekl.	J	920
1,0	C5-5 64-4	92,5	J	920
0,1	C12-4 75-35	93,5	J	920
0,1	C12-4 75-34	V (0)	J	920
0,1	C6-4 596	93,0	J	805

Zakrslý červený

0,1	C6-5 S-37	94,0	2+2	805
0,1	C6-5 S-38	91,5	2+2	805
1,0	C6-5 S-40	V (0)	2+2	690
0,1	C6-5 S-42	92,5	2+2	805
1,0	C6-5 S-35	93,0	J	690
0,1	C6-5 S-36	92,5	J	805
1,0	C6-5 S-31	93,0	CHS	1150
1,0	C6-5 S-33	92,5	CHS	805
0,1	C6-5 S-34	92,0	CHS	690
1,0	C3-4 27-1	V (0)	CHS	
1,0	C4-5 83-22	93,0	J	
0,1	C3-5 64-10	92,5	J	
1,0	C3-5 83-10	92,0	J	575
0,1	C3-5 83-5	93,0	J	575
0,1	C3-5 83-6	93,0	J	575
0,1	C3-5 83-17	94,0	J	575
0,1	C3-5 83-18	92,0	J	575

Zakrslý činčilový

1,0	C5-5 59-1	94,0	4S	920
1,0	C5-5 59-2	93,0	4S	920
1,0	C5-5 59-3	95,0	4S	920
1,0	C5-5 59-4	93,5	4S	920 (375.5 b)

0.1	C6-5 59-13	92,0	J	920
0.1	C6-5 59-14	90,5	J	920
1,0	C3-4 59-5	94,5	J	920
1,0	C5-4 59-12	95,5	J	920
1,0	C5-4 59-14	V (0)	J	
1,0	C5-4 59-15	94,5	J	920
1,0	C5-5 59-5	93,0	4S	805
1,0	C5-5 59-6	95,5	4S	805
1,0	C5-5 59-7	V (0)	4S	805
1,0	C5-5 59-8	V (0)	4S	805
1,0	C6-5 59-9	91,0	2+2	920
0.1	C6-5 59-10	95,0	2+2	920
1,0	C6-5 59-11	94,0	2+2	920
1,0	C6-5 59-12	93,0	2+2	920 (373 b)

Zakrslý luštič

0.1	C5-5 S-1	93,0	J	
0.1	C5-5 S-2	92,5	J	

Zakrslý bílopesíkatý černý

1,0	C7-5 S-54	96,0	J	690
1,0	C5-5 S-24	95,5	J	
0.1	C4-4 S-24	95,0	J	
0.1	C5-5 S-26	95,5	J	
1,0	C3-5 S-40	95,0	4S	
1,0	C3-5 S-41	95,5	4S	
1,0	C3-5 S-43	95,0	4S	
1,0	C3-5 S-44	96,5	4S	(382 b)

Zakrslý bílopesíkatý modrý

0.1	C4-5 S-37	x	J	
-----	-----------	---	---	--

Zakrslý tříslový černý

1,0	C4-5 67-1	N (0)	4S	403
1,0	C4-5 67-2	91,5	4S	633
1,0	C4-5 67-3	92,5	4S	633
0.1	C4-5 67-4	V (0)	4S	805
1,0	C6-5 S-15	90,5	J	575
1,0	C3-5 68-1	96,0	CHS	805
1,0	C2-5 68-2	95,5	CHS	805
0.1	C3-5 68-6	95,5	CHS	805
0.1	C6-5 68-11	95,0	CHS	805 (382 b)
1,0	C6-5 68-7	95,5	CHS	805
0.1	C6-5 68-8	96,0	CHS	805
1,0	C6-5 68-9	94,0	CHS	805
1,0	C6-5 68-12	95,0	CHS	805 (380.5 b)
0.1	C5-5 64-6	V (0)	J	920
1,0	C4-5 70-1	96,0	4S	
1,0	C4-5 70-2	95,0	4S	805
0.1	C4-5 70-3	96,5	4S	
0.1	C4-5 70-4	96,0	4S	(383.5 b)

Zakrslý tříslový havanovitý

1,0	C6-5 68-6	95,0	J	805
0.1	C3-5 68-3	93,0	J	805
1,0	C6-4 68-6	V (0)	CHS	805
1,0	C6-5 68-4	93,5	CHS	805
0.1	C6-5 68-5	93,5	CHS	805
0.1	C6-5 68-7	94,0	CHS	805
0.1	C3-5 64-5	92,0	J	920

Zakrslý kuní modrý

1,0	C3-5 59-5	95,0	J	
0.1	C3-5 59-6	96,0	J	
1,0	C3-5 59-1	94,0	J	
0.1	C3-5 59-2	93,5	J	920

Zakrslý siamský žlutý

1,0	C7-5 83-1	92,5	J	
1,0	C4-5 66-5	93,0	J	
0.1	C4-5 66-1	95,0	J	

Zakrslý ruský černý

1,0	C3-4 S-1	95,5	CHS	
1,0	C3-5 65-2	95,5	CHS	
0.1	C3-5 65-4	95,0	CHS	
0.1	C3-5 65-8	96,0	CHS	(382 b)
1,0	C4-5 11-1	V (0)	J	575
1,0	C4-5 11-5	90,5	J	575
0.1	C4-5 11-6	95,0	J	575
0.1	C5-5 S-7	V (0)	4S	
0.1	C5-5 S-2	97,0	4S	
0.1	C5-5 S-9	95,5	4S	
0.1	C5-5 S-12	94,5	4S	
1,0	C6-5 80-1	95,0	J	1150
0.1	C6-4 65-14	94,0	J	
1,0	C3-5 S-3	93,5	J	633
1,0	C3-5 S-4	94,0	J	
1,0	C3-5 S-5	94,5	J	633

ŠJM P203 P235

Zakrslý ruský modrý

0.1	C5-5 62-1	95,0	J	690
-----	-----------	------	---	-----

Zakrslý stříbřitý světlý

1,0	C3-5 69-5	94,5	J	1035
0.1	C6-5 65-4	95,0	J	1035
0.1	C6-5 65-5	95,5	J	1150
0.1	C6-5 65-6	96,0	J	
0.1	C6-5 65-7	94,5	J	805

Zakrslý hototský bílý

1,0	C5-5 64-5	95,0	J	1150
0.1	C4-5 64-4	95,5	J	1150
1,0	C4-5 64-3	95,5	J	1150

Zakrslý zaječí bílý červenooký

0.1	C3-5 21-2	95,0	J	
0.1	C3-5 21-6	95,0	J	805
0.1	C1-5 65-2	95,0	CHS	863
1,0	C1-5 65-3	96,0	CHS	805
1,0	C3-5 65-5	95,5	CHS	748
0.1	C3-5 65-8	95,5	CHS	748 (382 b) 🏆

Zakrslý zaječí modrý

1,0	C6-5 65-1	V (0)	J	
-----	-----------	-------	---	--

Zakrslý zaječí bílopesíkatý černý

1,0	C3-5 65-1	94,0	J	
-----	-----------	------	---	--

Zakrslý zaječí kuní bílopesíkatý hnědý

0.1	C1-5 65-2	95,0	J	
-----	-----------	------	---	--

Zakrslý beran rex modrý

1,0	E24 351	93,0	J	
0.1	E24 354	94,5	J	690
0.1	4546 D223N	94,5	J	

Zakrslý rex v barvě kastorexe

1,0	C5-5 11-7	95,5	4S	1380
1,0	C5-5 11-10	93,5	4S	1380
0.1	C3-5 11-4	95,5	4S	
0.1	C5-5 11-9	94,5	4S	(379 b)
1,0	C3-5 11-2	94,5	J	1380
0.1	C5-5 11-8	96,0	J	🏆 3450

Zakrslý rex modrý

1,0	C2-5 65-3	96,0	CHS	920
0.1	C2-5 65-4	96,0	CHS	
0.1	C2-5 65-5	94,5	CHS	
1,0	C2-5 65-6	96,0	CHS	(382.5 b) P216

Zakrslý rex činčilový

0.1	C3-5 S-201	95,5	2+2	920
0.1	C3-5 S-202	95,5	2+2	920
1,0	C4-5 S-203	95,5	2+2	805
1,0	C4-5 S-204	94,0	2+2	805 (380.5 b)
0.1	C4-5 S-205	92,0	J	920

Zakrslý rex tříslový černý

1,0	C4-5 S14	94,5	J	633
1,0	C4-5 S-9	93,5	J	690
1,0	C4-5 S-12	94,0	J	690
0.1	C4-5 S-10	93,0	J	1725
0.1	C4-5 S-11	94,5	J	1150

Zakrslý rex hototský bílý

0.1	C	x	J	
-----	---	---	---	--

Zakrslý rex dalmatský strakáč černý

1,0	C5-5 S-201	nekl.	2+2	805
0.1	C5-5 S-202	92,5	2+2	920
1,0	C3-5 S-401	94,5	2+2	1150
0.1	C3-5 S-402	94,5	2+2	920
1,0	C1-5 71-2	93,0	J	1035
1,0	C3-5 71-5	92,5	J	1035
1,0	C3-5 71-6	93,0	J	1035
0.1	C3-5 71-7	94,0	J	1035
0.1	C4-5 71-11	95,0	J	1035
0.1	C4-5 71-13	95,0	J	1035
0.1	C4-5 71-14	N (0)	J	

Zakrslý liščí bílý modrooký

1,0	C5-5 67-15	95,0	CHS	1725
1,0	C4-5 67-11	95,0	CHS	1725
0.1	C5-5 67-17	95,5	CHS	2300
1,0	C4-5 67-13	95,5	CHS	1725 (381 b)
1,0	C5-5 67-16	95,5	CHS	1725
0.1	C3-5 67-10	96,0	CHS	2300
1,0	3310 C718	96,0	CHS	
1,0	C4-4 67-1	97,0	CHS	(384.5 b) ŠJM P201 P211

Expozice holubů

Č.kl.	Kroužek	Ocenění	Čestná cena Kč	Vystavovatel
-------	---------	---------	-------------------	--------------

Říman bílý

1,0	764	92,0	J	920
0.1	765	92,0	J	920
1,0	776	94,0	K/4	920
0.1	762	92,0	K/4	920
0.1	778	92,0	K/4	920
0.1	771	96,0	K/4	920 (374 b)
1,0	A583-25	95,0	K/1	
1,0	H908-24	96,0	K/1	🏆
0.1	H909-24	95,0	K/1	
0.1	G681-21	94,0	K/1	(380 b) MJM

Říman červený (recesivní)

1,0	769	95,0	J	920
-----	-----	------	---	-----

Říman žlutý (recesivní)

0.1	770	91,0	J	920
-----	-----	------	---	-----

Koburský skřivan stříbřitý

1,0	F653 25	95,0	K/1	518
0.1	C736 24	95,0	K/1	518
0.1	F667 25	94,0	K/1	518
0.1	F655 25	93,0	K/1	518 (377 b)

0.1	F656 25	95,0	J	518
0.1	C733 24	92,0	J	518
0.1	F651 25	94,0	J	518
1,0	F664 25	94,0	J	518

Koburský skřivan bezpruhý

1,0	881-25	ND	J	
1,0	882-25	ND	J	
1,0	890-25	ND	J	
1,0	985-25	ND	J	
1,0	AG363-24	97,0	K/1	460
0.1	AG903-24	92,0	K/1	460
0.1	C160-25	93,0	K/1	460
0.1	C159-25	0	K/1	460
1,0	A343-25	93,0	J	345
0.1	AN975-24	93,0	J	
1,0	AU503-25	95,0	K/1	
1,0	AU550-25	95,0	K/1	
1,0	AU549-25	96,0	K/1	🏆
1,0	AU541-25	94,0	K/1	(380 b)
1,0	K897-24	96,0	K/1	
1,0	L706-22	95,0	K/1	
1,0	F44-23	94,0	K/1	
0.1	A24-25	95,0	K/1	(380 b)
1,0	F368-22	92,0	K/2	
1,0	A291-22	94,0	K/2	
1,0	L765-22	94,0	K/2	
0.1	A28-25	94,0	K/2	(374 b)
1,0	964	95,0	K/1	🏆
1,0	963	93,0	K/1	
0.1	962	94,0	K/1	
0.1	961	95,0	K/1	(377 b)

P323

ŠJM

Koburský skřivan pruhový

1,0	681/24	94,0	K/1	
1,0	623/24	94,0	K/1	
0.1	682/24	93,0	K/1	
0.1	619/24	92,0	K/1	(373 b)
1,0	C9571-19	95,0	J	
1,0	A1923-19	95,0	J	
1,0	AW45-18	94,0	J	
1,0	T134/23	95,0	K/1	
1,0	P227/25	95,0	K/1	460
0.1	652/24	94,0	K/1	552
0.1	P224/25	94,0	K/1	437 (378 b)
1,0	C134-25	94,0	K/1	460
1,0	C144-25	94,0	K/1	460
1,0	C121-25	92,0	K/1	460
0.1	AC274-24	94,0	K/1	460 (374 b)
1,0	A342-25	93,0	J	345
0.1	A341-25	95,0	J	345

Koburský skřivan kapratý

1,0	L656/24	96,0	K/1		ŠJM
1,0	P231/25	95,0	K/1		
0.1	P225/25	95,0	K/1	437	
0.1	P657/25	93,0	K/1	437 (379 b)	
1,0	C188-25	93,0	K/1	460	
1,0	C162-25	94,0	K/1	🏆 460	
0.1	C189-25	92,0	K/1	460	
0.1	C182-25	93,0	K/1	460 (372 b)	

Hanácký voláč červený (recesivní)

1,0	B26-21	94,0	K/1	🏆	
1,0	B206-22	96,0	K/1		
1,0	B579-25	95,0	K/1		
1,0	B566-25	94,0	K/1	(379 b)	MJM

Hanácký voláč žlutý (recesivní)

1,0	A10-24	94,0	K/1		
1,0	C434-24	94,0	K/1		
1,0	D520-23	94,0	K/1		
1,0	A104-19	94,0	K/1	(376 b)	

Pomořanský voláč modrý anglická kapratá

1,0	176-23	95,0	K/1		
1,0	182-24	96,0	K/1	🏆	P318
1,0	154-25	95,0	K/1		
0.1	151-25	93,0	K/1	(379 b)	
1,0	187-24	94,0	K/2		
1,0	146-24	95,0	K/2		
1,0	170-25	95,0	K/2		
0.1	175-25	93,0	K/2	(377 b)	

Český voláč sedlatý rousný

1,0	783-23 M	94,0	K/1		
1,0	725-23 M	93,0	K/1	2013	
1,0	393-24 M	94,0	K/1		
0.1	790-23 M	92,0	K/1	(373 b)	
1,0	394-25 M	93,0	J		
1,0	787-23 M	93,0	J		
1,0	287-24 Č	94,0	K/2		
1,0	501-23 Č	94,0	K/2		
0.1	755-22 Č	93,0	K/2	(376 b)	
1,0	509-23 Č	95,0	K/2	🏆	
0.1	296-24 Č	93,0	J		
1,0	514-23 Č	93,0	J	2013	
0.1	759-22 Č	94,0	J	1725	

Parukář

1,0	AG365/20	96,0	K/1		
1,0	AP284/24	94,0	K/1		
1,0	AP933/22	94,0	K/1		
0.1	H851/21	96,0	K/1	(380 b)	

1,0	L473/25	93,0	J	
1,0	D504/24	94,0	J	
Kudrnáč bílý				
1,0	268/24	95,0	K/1	
1,0	285/24	94,0	K/1	
1,0	217/24	94,0	K/1	
0.1	264/24	94,0	K/1	(377 b)
Pávik bílý				
1,0	656-23	93,0	J	
1,0	774/25	0	K/1	345
1,0	775/25	0	K/1	345
1,0	335/24	95,0	K/1	345
0.1	748/24	0	K/1	345
Pávik černý				
1,0	411-24	96,0	J	
Pávik žlutý (recesivní)				
1,0	492-25	94,0	J	
Pávik indigo				
0.1	302-24	94,0	J	
0.1	3141-23	94,0	J	
Indický pávik bílý				
1,0	CZ173-25	92,0	J	
1,0	CZ171-25	94,0	K/1	
1,0	CZ172-25	96,0	K/1	🏆
0.1	CZ894-23	95,0	K/1	(378 b)
1,0	CZ131-24	93,0	K/1	
Indický pávik modrý pruhový				
1,0	CZ504-23	95,0	J	
0.1	CZ123-24	93,0	J	
Indický pávik stříbřitý pruhový				
1,0	K974-25	x	K/34	
0.1	K975-25	x	K/34	
0.1	A303-21	x	K/34	
0.1	A324-21	x	K/34	
Indický pávik mandlový				
1,0	CZ135-24	93,0	J	
1,0	FP474-22	94,0	J	
1,0	CZ178-25	96,0	J	
Staroholandský kapucín červený (recesivní)				
1,0	AP286/24	94,0	J	
0.1	D982/19	94,0	J	
1,0	DP255-25	94,0	J	
0.1	DP270-25	95,0	J	

Staroholandský kapucín žlutý (recesivní)				
1,0	CZ989-24	94,0	J	
Staroholandský kapucín bílý				
1,0	H1622	95,0	K/1	
1,0	H2922	94,0	K/1	
1,0	AH9024	96,0	K/1	🏆
0.1	AH8324	94,0	K/1	(379 b)
1,0	AU87021	95,0	K/2	
1,0	AM8324	94,0	K/2	
1,0	AC84723	94,0	K/2	
0.1	AK96225	94,0	K/2	(377 b)
Staroholandský kapucín modrý				
1,0	AP760/24	93,0	J	
Staroholandský kapucín stříbřitý pruhový				
1,0	AP285/24	x	J	
Čínský holub bílý				
1,0	R746/23	93,0	J	
1,0	R734/23	93,0	J	
Čínský holub modrý kapratý				
1,0	C5494/17	91,0	J	
1,0	AT949/18	0	J	
Lahore černý				
1,0	C934/23	95,0	J	460
0.1	C948/23	94,0	J	460
1,0	D307-24	94,0	J	
1,0	K496-23	94,0	J	
1,0	F6-25	94,0	J	
0.1	F16-25	94,0	J	
1,0	H68-25	93,0	J	
Lahore stříbrný				
1,0	D344-24	94,0	J	
1,0	F3-25	94,0	J	
1,0	F24-25	95,0	J	
0.1	F8-25	93,0	J	
1,0	H67-25	93,0	J	
Lahore žlutý (recesivní)				
1,0	C433/24	96,0	J	🏆 403
0.1	D313/24	94,0	J	403
Texan rodobarvý				
1,0	R24-25	94,0	K/1	805
1,0	R21-25	95,0	K/1	🏆 805

1,0	R40-25	94,0	J	805	
0.1	R35-25	93,0	K/1	805	
0.1	R45-25	93,0	K/1	805	(375 b)
1,0	R38-25	95,0	K/2	805	
1,0	R47-25	95,0	K/2	805	
0.1	R26-25	94,0	K/2	805	
0.1	R5-25	95,0	K/2	805	(379 b)
1,0	F654-25	93,0	K/1		
0.1	F660-25	92,0	K/1	575	
0.1	F658-25	94,0	K/1	575	
0.1	F667-25	93,0	K/1	575	(372 b)
1,0	F672-25	95,0	J	575	
0.1	F666-25	95,0	J	575	
1,0	447	93,0	K	460	
0.1	449	výl.	K	345	
0.1	450	92,0	K	460	
0.1	396	94,0	K	460	
1,0	U652-25	94,0	K/1	575	
1,0	U740-25	96,0	K/1	690	
0.1	U678-25	95,0	K/1	575	
0.1	U653-25	94,0	K/1	575	(379 b)
1,0	U677-25	95,0	K/2	575	
0.1	U470-25	95,0	K/2	690	
0.1	U591-25	96,0	K/2	690	
0.1	U668-25	93,0	K/2	690	(379 b)
0.1	U726-25	95,0	K/3	460	(374 b)
1,0	U585-25	92,0	K/3	575	
1,0	U593-25	94,0	K/3	575	
1,0	U738-25	93,0	K/3	575	
0.1	N662-25	95,0	K/1		
0.1	N663-25	94,0	K/1	690	
0.1	N594-25	94,0	K/1	690	
0.1	N630-25	95,0	K/1	690	(378 b)
0.1	N629-25	92,0	K/2	575	
0.1	N592-25	93,0	K/2	575	
0.1	N625-25	93,0	K/2	460	(372 b)
1,0	N624-25	94,0	K/2	575	
1,0	C998-25	97,0	K/1	805	
0.1	C881-25	93,0	K/1	805	
0.1	C945-25	92,0	K/1	805	
0.1	C992-25	93,0	K/1	805	(375 b)
1,0	C887-25	94,0	K/2	805	
0.1	C925-25	94,0	K/2	805	
0.1	C991-25	94,0	K/2	805	
0.1	C934-25	95,0	K/2	805	(377 b)

MJM

ŠJM
MJM

P313

Štraser modrý

1,0	S776-24	95,0	K/2		
0.1	G997-23	93,0	K/2		
0.1	V740-25	92,0	K/2		(374 b)
1,0	L942-24	94,0	K/2		

Moravský pštros černý

1,0	361-22	94,0	K/1		
1,0	342-22	94,0	K/1		
1,0	741-24	96,0	K/1		
1,0	835-25	95,0	K/1		(379 b)
1,0	762-24	94,0	K/2	345	
0.1	696-25	91,0	K/2	345	
0.1	962-25	92,0	K/2	345	(372 b)
1,0	820-25	95,0	K/2	345	

Moravský pštros modrý

1,0	AR87922	94,0	K/1	805	
1,0	AR59224	95,0	K/1		
1,0	Y60425	96,0	K/1		
1,0	AR59924	95,0	K/1		(380 b)

Moravský pštros červený

1,0	V575-24	92,0	K/1		
1,0	AU546-25	93,0	K/1		
0.1	V802-24	93,0	K/1		
0.1	AU552-25	92,0	K/1		(370 b)

Moravský pštros modrý bezpruhý

1,0	T495-24	93,0	K/1		
1,0	T492-24	93,0	K/1		
1,0	B103-23	92,0	K/1		
1,0	T493-24	92,0	K/1		(370 b)
1,0	408-23 -	92,0	K/1		
1,0	411-23	95,0	K/1		
1,0	444-23	96,0	K/1		
0.1	401-23	95,0	K/1		(378 b)
1,0	352-25	94,0	K/2	460	
1,0	358-25	94,0	K/2	460	
0.1	382-25	90,0	K/2	460	
0.1	383-25	94,0	K/2	460	(372 b)
1,0	AU554-25	95,0	K/1		
1,0	AU560-25	94,0	K/1		
0.1	AU556-25	92,0	K/1		
0.1	AU562-25	92,0	K/1		(373 b)
0.1	AU559-25	95,0	J		

ŠJM

Moravský pštros černý šupinatý

1,0	A53824	93,0	K/1		
1,0	A52424	96,0	K/1		
1,0	AL60725	92,0	K/1		
0.1	AL60825	94,0	K/1		(375 b)
1,0	AL62125	94,0	J		
0.1	AL60625	93,0	J		
0.1	906-25	94,0	K/1		(381 b)
1,0	681-23	96,0	K/1		
1,0	53-23	96,0	K/1		
1,0	65-23	95,0	K/1		

MJM
ŠJM
P301

1,0	C264-24	93,0	K/1	
1,0	N306-23	95,0	K/1	
1,0	AA1-24	94,0	K/1	
1,0	V226-25	95,0	K/1	(377 b)
1,0	AA17-24	94,0	J	

Moravský pštros červený (recesivní)

1,0	70-24	95,0	K/1	
1,0	71-24	95,0	K/1	
1,0	702-23	94,0	K/1	
1,0	843-21	95,0	K/1	(379 b)
1,0	662-25	94,0	K/2	345
0,1	825-25	93,0	K/2	345
1,0	665-25	0	K/2	345
0,1	849-25	95,0	K/2	345

Moravský pštros

0,1		95,0	J	345
1,0		93,0	J	345

Moravský pštros modrý černopruhy

1,0	G634-23	95,0	K/1	
1,0	H850-24	95,0	K/1	
0,1	G561-23	95,0	K/1	
0,1	H841-24	94,0	K/1	(379 b)
0,1	AU557-25	94,0	J	403
1,0	AU555-25	96,0	J	403
1,0	AU561-25	95,0	J	403

Rys modrý bělohrotý šupkatý

1,0	G7-24	94,0	K/1	
1,0	AU373-23	94,0	K/1	
1,0	AN105-25	92,0	K/1	575
1,0	AN106-25	94,0	J	575
0,1	AN112-25	96,0	K/1	575 (376 b)
0,1	AN115-25	94,0	J	575
1,0	F458-23	92,0	K/1	
1,0	F453-23	91,0	K/1	
1,0	K607-24	93,0	K/1	
1,0	K636-24	92,0	K/1	(368 b)

Klubová výstava rysů

1,0	AN665-25	94,0	K/1	345
1,0	AN697-25	93,0	K/1	
1,0	AN667-25	92,0	K/1	345
1,0	AN699-25	93,0	K/1	345 (372 b)
0,1	AN666-25	93,0	K/2	345
0,1	AN670-25	92,0	K/2	345
0,1	AN698-25	93,0	K/2	
0,1	AN668-25	92,0	K/2	345 (370 b)

1,0	H521/24	96,0	K/1		P306
1,0	W76/24	95,0	K/1		
1,0	K137/25	96,0	K/1		
1,0	K32/25	94,0	K/1	(381 b)	

1,0	K53/25	95,0	K/2	🏆	
1,0	K17/25	94,0	K/2		
1,0	K36/25	94,0	K/2		
1,0	K40/25	94,0	K/2		(377 b)

1,0	K58/25	94,0	K/3		
1,0	K68/25	95,0	K/3		
1,0	K125/25	94,0	K/3	805	
1,0	K38/25	94,0	K/3	805	(377 b)

0,1	K45/25	95,0	K/4		
0,1	K21/25	96,0	K/4		
0,1	K1/25	95,0	K/4		
0,1	AU106/23	97,0	K/4		(383 b)

P308

0,1	K141/25	97,0	K/5		P309
0,1	AU137/23	95,0	K/5		
0,1	K132/25	96,0	K/5	805	
0,1	K50/25	95,0	K/5	805	(383 b)

1,0	X766/25	92,0	K/1		
1,0	X744/25	92,0	K/1	575	
1,0	A332/21	94,0	K/1		
1,0	AT762/22	93,0	K/1		(371 b)

1,0	X745/25	94,0	J		
0,1	X743/25	94,0	K/2	690	
0,1	X767/25	94,0	K/2		
0,1	X761/25	93,0	K/2		
0,1	X742/25	93,0	K/2	690	(374 b)

1,0	K401-25	93,0	J		
1,0	K375-25	93,0	J		
0,1	K377-25	93,0	J		
0,1	K414-25	94,0	J		
0,1	K370-25	95,0	J		

1,0	S734/22	94,0	J		
1,0	S130/24	93,0	J		
1,0	M767/21	96,0	J	🏆	
1,0	S683/22	94,0	J		
1,0	V826/24	94,0	J		

1,0	R841-25	97,0	K/1		P307
1,0	R836-25	91,0	K/1		
0,1	R833-25	94,0	K/1		
0,1	R847/25	94,0	K/1		(376 b)

0,1	R832/25	91,0	J		
1,0	AV815-22	93,0	K/1		
1,0	AV808-22	93,0	K/1		
1,0	H606-24	94,0	K/1		
0,1	P231-25	95,0	K/1		(375 b)

0,1	P216-25	94,0	J		
0,1	H534-25	93,0	J		

1,0	K564/25	93,0	K/1	
1,0	D4088/13	93,0	K/1	
1,0	K544/25	93,0	K/1	
1,0	K561/25	93,0	K/1	(372 b)
1,0	K567/25	93,0	J	
0,1	K569/25	95,0	J	
0,1	K565/25	94,0	K/2	
0,1	K566/25	93,0	K/2	
0,1	K568/25	93,0	K/2	
0,1	B119/25	94,0	K/2	(374 b)

Rys modrý barevnohrotý šupkatý

1,0		92,0	K/1	
1,0		95,0	K/1	
1,0		96,0	K/1	🏆
1,0		94,0	K/1	(377 b)
1,0	H921	93,0	K/1	
1,0	H922	94,0	K/1	
0,1	LA927/25	93,0	K/1	(373 b)
1,0	H927	93,0	K/1	

Rys modrý barevnohrotý bělopruhý

1,0	K143/25	95,0	K/1	P312
1,0	K142/25	96,0	K/1	
1,0	AE924/23	95,0	K/1	
0,1	K146/25	95,0	K/1	(381 b)
0,1	X642/25	93,0	J	
1,0	V219-23	95,0	K/1	
1,0	B386-24	94,0	K/1	
1,0	A886-22	92,0	K/1	
0,1	S866-25	94,0	K/1	(375 b)
0,1	K922-25	92,0	K/2	
0,1	K928-25	94,0	K/2	
0,1	K918-25	95,0	K/2	🏆
0,1	K916-25	93,0	K/2	(374 b)

Rys černý bělohrotý šupkatý

1,0	H725/24	92,0	J	
0,1	AT888/22	93,0	J	
0,1	X750/25	93,0	J	
1,0	U744-23	94,0	K/1	
1,0	X760-25	90,0	K/1	
1,0	X255-21	výl.	K/1	
1,0	A265-21	92,0	K/1	
1,0	X759-25	96,0	J	P310
1,0	X702-25	94,0	J	

Rys červený (recesivní) barevnohrotý šupkatý

1,0	322-20	95,0	J	460
1,0	579-20	94,0	J	518
1,0	586-20	93,0	J	518

Rys žlutý (recesivní) barevnohrotý šupkatý

1,0	285/23	95,0	K/1	P311
1,0	464-22	95,0	K/1	
1,0	349-22	93,0	K/1	345
1,0	416-22	94,0	K/1	403 (377 b)
0,1	312-20	92,0	K/2	345
0,1	325/20	92,0	K/2	345
0,1	375-20	92,0	K/2	345
0,1	472/22	93,0	K/2	403 (369 b)
0,1	301/23	92,0	J	

Rys červený (recesivní) bělohrotý bělopruhý

1,0	AY246/23	95,0	J	🏆
-----	----------	------	---	---

pokračování expozice holubů

Prácheňský káník černý

1,0	B527-24	95,0	K/1	
1,0	B520-24	95,0	K/1	
1,0	AP197-23	95,0	K/1	
0,1	B509-24	96,0	K/1	🏆 (381 b)

Prácheňský káník červený

1,0	405	95,0	J	460
1,0	400	94,0	J	460
0,1	498	93,0	J	460
1,0	AK981/21	96,0	K/1	
1,0	M497/22	97,0	K/1	P18
1,0	AD93025	95,0	K/1	
0,1	AD92625	95,0	K/1	(383 b)

Prácheňský káník modrý černopruhý

1,0	AK301-25	95,0	K/1	
1,0	AK308-25	95,0	K/1	
1,0	AK362-25	94,0	K/1	
1,0	AK369-25	93,0	K/1	(377 b)

Prácheňský káník modrý bělopruhý

1,0	494	95,0	J	460
1,0	419	93,0	J	460
0,1	487	94,0	J	460

Benešovský holub bílý

1,0	G9-25	93,0	K/1	317
1,0	284-25	95,0	K/1	317
1,0	868-24	94,0	K/1	317
0,1	122-25	93,0	K/1	317 (375 b)
1,0	825/25	94,0	K/1	
1,0	888/25	94,0	K/1	
1,0	892/24	95,0	K/1	
0,1	881/25	95,0	K/1	(378 b)

1,0	E144-24	93,0	K/1		
1,0	AY947-22	94,0	K/1		
1,0	Z356-23	95,0	K/1		
0.1	E158-24	94,0	K/1	(376 b)	
0.1	Z348-23	94,0	J		
1,0	C304-25	96,0	K/1		ŠJM
1,0	C328-25	96,0	K/1		
1,0	C310-25	95,0	K/1		
0.1	N39-25	93,0	K/1	(380 b)	MJM
1,0	D431-24	95,0	K/2		
1,0	D419-24	96,0	K/2		
1,0	D529-23	95,0	K/2		
0.1	C339-25	94,0	K/2	(380 b)	
1,0	X60-23	94,0	K/3		
1,0	D525-23	94,0	K/3		
1,0	D560-23	96,0	K/3	🏆	
0.1	X48-23	96,0	K/3	(380 b)	
1,0	690-24	95,0	K/1		
1,0	46-23	93,0	K/1		
0.1	955-24	93,0	K/1		
0.1	898-25	92,0	K/1	(373 b)	
1,0	V363-24	94,0	K/1		
1,0	V351-24	92,0	K/1		
1,0	S512-25	92,0	K/1		
1,0	S518-25	93,0	K/1	(371 b)	

Benešovský holub černý

1,0	L545	93,0	K/1	
1,0	L112	96,0	K/1	🏆
1,0	E271	93,0	K/1	
0.1	E262	93,0	K/1	(375 b)

Benešovský holub modrý

1,0	865-20	92,0	K/1	
1,0	589-22	95,0	K/1	
0.1	582-22	92,0	K/1	
0.1	5-23	93,0	K/1	(372 b)
1,0	K628/20	95,0	K/1	
1,0	E603/24	94,0	K/1	
1,0	S158/22	96,0	K/1	🏆
1,0	E633/24	93,0	K/1	(378 b)

Benešovský holub červený (recesivní)

1,0	G291-25	94,0	K/1	317
1,0	H186-25	94,0	K/1	317
0.1	H187-25	93,0	K/1	317
1,0	AS327-24	93,0	K/1	317 (374 b)
1,0	X472-25	95,0	K/1	
1,0	X458-25	95,0	K/1	
0.1	X451-25	94,0	K/1	(378 b)
0.1	X465-25	94,0	K/1	

1,0	X459-25	95,0	J	
1,0	X466-25	96,0	J	ŠJM

Benešovský holub žlutý (recesivní)

1,0	K816-25	94,0	K/1	288
1,0	K805-25	95,0	K/1	288
1,0	K817-25	95,0	K/1	288
0.1	K802-25	93,0	K/1	288 (377 b)
1,0	V982/25	93,0	K/1	
1,0	C538/24	95,0	K/1	
1,0	L783/23	94,0	K/1	
1,0	P770/23	94,0	K/1	(376 b)

Slezský barevnohlávek černý

1,0	B930-25	93,0	K/1	230
1,0	B931-25	94,0	K/1	230
1,0	B940-25	93,0	K/1	230
0.1	B936-25	94,0	K/1	230 (374 b)
1,0		94,0	K/1	
1,0		94,0	K/1	
0.1		96,0	K/1	🏆
0.1		95,0	K/1	(379 b)
1,0		94,0	K/2	
1,0		95,0	K/2	
0.1		92,0	K/2	
0.1		95,0	K/2	(376 b)

Slezský barevnohlávek modrý

1,0	N313-25	96,0	K/1	
1,0	S596-24	92,0	K/1	
1,0	N332-25	94,0	K/1	
1,0	C61-25	97,0	K/1	(379 b) P314

Americký výstavní černý

0.1	C142-25	94,0	J	
-----	---------	------	---	--

Americký výstavní černá strak

0.1	C156-25	94,0	J	
1,0	C161-25	95,0	J	🏆

Americký výstavní bílý

0.1	C152-25	94,0	J	
-----	---------	------	---	--

Americký výstavní modrý pruhový

1,0	C163-25	93,0	J	
1,0	C104-25	93,0	K/009	
0.1	G894-25	NV	K/009	
1,0	U907-22	94,0	K/009	
0.1	AU306-24	93,0	K/009	
0.1	AN427-23	94,0	K/25	1150
1,0	AN440-23	93,0	K/25	1150
1,0	G892-25	94,0	K/25	
0.1	U911-22	93,0	K/25	(374 b)

Americký výstavní modrý kapratý

1,0 C166-25 95,0 J
1,0 AE9-22 94,0 J

Americký výstavní modrý strak kapratý

0.1 x J

Americký výstavní červený (dominantní)

0.1 P210-25 94,0 J
nedod.
1,0 C171-25 x J

Americký výstavní indigo

1,0 x J
0.1 C155-25 93,0 J

Americký výstavní stříbřitý

1,0 C176-25 95,0 J

Americký výstavní stříbřitý červenopruhý

0.1 AE452-23 94,0 J
0.1 AE467-23 94,0 J

Gigant černý

1,0 G421-25 94,0 J 460
0.1 G422-25 94,0 J

Gigant červený (dominantní) kapratý

1,0 E666-24 92,0 J

Gigant žlutý (dominantní)

0.1 451-25 91,0 J 575

Gigant indigo

0.1 G311-25 96,0 J
0.1 G408-25 95,0 J 460
1,0 G427-25 95,0 J 460

Gigant modrý bělouš

1,0 421-24 92,0 J
1,0 G764-24 96,0 J P305
1,0 G319-25 95,0 J
1,0 G425-25 95,0 J

Gigant modrý pruhový

1,0 442-24 96,0 K/1 🏆
1,0 2-25 94,0 K/1
0.1 10-25 95,0 K/1
0.1 548-23 96,0 K/1 (381 b)

1,0 454-25 93,0 J
1,0 455-25 91,0 J 575
1,0 G322-25 96,0 J
1,0 G325-25 93,0 J
1,0 488 97,0 J
1,0 688 94,0 J

ŠJM**Gigant modrý kapratý**

1,0 F769-25 93,0 J
1,0 690 94,0 J
0.1 696 94,0 J
0.1 683 95,0 J
1,0 G405-25 95,0 J
0.1 G433-25 93,0 J 460

Gigant tmavý kapratý

1,0 453-25 93,0 J 460

Poštovní holub

1,0 K765-24 93,0 K/1
1,0 AE894-22 92,0 K/1
1,0 AS933-24 94,0 K/1
0.1 K789-24 92,0 K/1 (371 b)
0.1 x J
0.1 x J
0.1 x J
0.1 x J
1,0 x J
1,0 901-25 93,0 J 230
1,0 905-25 93,0 J 230
1,0 923-25 93,0 J 230
0.1 922-25 95,0 J 🏆 230
0.1 945-25 94,0 J 230
1,0 921-25 94,0 J
0.1 903-25 94,0 J
0.1 118-24 92,0 J
0.1 314-23 93,0 J
1,0 516-22 94,0 J
1,0 120-24 93,0 J
1,0 109-24 93,0 J

Německý výstavní bílý

1,0 545 96,0 K/1 P321
1,0 7 95,0 K/1
1,0 14 94,0 K/1
0.1 71 95,0 K/1 (380 b)
1,0 18 93,0 J
1,0 3 94,0 J

Německý výstavní červeně plavý pruhový

1,0 AN408-25 96,0 K/1 🏆
0.1 AN407-25 94,0 K/1
1,0 AN410-25 95,0 K/1

žlutě

0.1 AN406-25 95,0 K/1 (380 b)

Německý výstavní modrý kapratý strak				
1,0	G487-24	94,0	K/1	
0.1	G680-25	93,0	K/1	
0.1	G686-25	93,0	K/1	
0.1	G690-25	93,0	K/1	(373 b)
Německý výstavní tmavý				
1,0	G687-25	94,0	J	
Německý výstavní červený dominantní				
1,0	AU23624	95,0	K/1	
1,0	AU24024	95,0	K/1	
1,0	G94725	94,0	K/1	
0.1	AU23524	93,0	K/1	(377 b)
Indián šedohnědý				
1,0		96,0	J	ŠJM
0.1		91,0	J	345
0.1		93,0	J	345
Indián hnědý				
nedodáno				
1,0	22-A637	x	J	
nedodáno				
0.1	23-PF551	x	J	
Indián černý				
1,0		94,0	J	
1,0		94,0	J	345
1,0		94,0	J	345
Indián červený (recesivní)				
1,0		95,0	J	
0.1		94,0	J	
žlutý				
1,0	25-R501	93,0	J	196
ČERNÝ				
1,0	25-AN695	neoc.	J	196
1,0	AA125CZ	95,0	J	575
0.1	AA121CZ	94,0	J	575
Indián žlutý (recesivní)				
1,0	A973CZ	96,0	J	575
0.1	G223CZ	95,0	J	575
Kariér bílý				
1,0	307-24	96,0	J	

Kariér modrý pruhová				
1,0	70-25	96,0	J	
Kariér žlutý (recesivní)				
1,0	821-19	95,0	J	
Kariér žlutě plavý				
1,0	63-21	96,0	J	🏆
Ostravská bagdeta bílá				
1,0	CZP413/25	96,0	K/1	
1,0	CZP417/25	95,0	K/1	
1,0	CZP402/25	93,0	K/1	
1,0	CZL500/24	95,0	K/1	(379 b)
1,0	AG381-25	94,0	K/1	
0.1	AG383-25	94,0	K/1	
0.1	AG391-25	95,0	K/1	
0.1	AG389-25	94,0	K/1	(377 b)
1,0	E250-25	92,0	J	
Ostravská bagdeta modrá				
1,0	AM965-25	95,0	J	
Ostravská bagdeta modrá pruhová				
1,0	M332-24	97,0	K/1	ŠJM
1,0	B415-25	94,0	K/1	
0.1	M329-24	94,0	K/1	
0.1	B405-25	95,0	K/1	(380 b) MJM
1,0	1912-25	0	J	
Ostravská bagdeta modrá kapratá				
1,0	H252/24	94,0	J	
Ostravská bagdeta modrá bělouš				
červená				
1,0	884-21	94,0	J	
červená				
1,0	898-24	94,0	J	
Ostravská bagdeta červeně plavá				
1,0	AM939-23	96,0	J	🏆
1,0	C50-23	96,0	J	
červená				
1,0	AP891/21	93,0	K/1	
bílá				
1,0	P82/25	93,0	K/1	
1,0	X127/24	95,0	K/1	
0.1	AM888/23	94,0	K/1	(375 b)

0.1	AM961-24	94,0	J	
0.1	AM962-24	96,0	J	
Ostravská bagdeta červeně plavá bělohrotá tmavá				
0.1	E246-25	92,0	J	
Ostravská bagdeta červená dominantní				
1,0	N229/25	94,0	J	
	červený strak			
1,0	N224/25	96,0	J	
	červená plavá			
1,0	N236/25	95,0	J	
	červená plavá			
0.1	AM954/23	96,0	J	
Česká bagdeta černá				
1,0	N773-24	95,0	J	
1,0	496	94,0	J	
1,0	554	93,0	J	
0.1	389	94,0	J	
0.1	Y5	94,0	J	
0.1	619	93,0	J	
Česká bagdeta černá čápek bělopruhý				
1,0	W579-25	94,0	K/1	
1,0	W572-25	94,0	K/1	
0.1	W422-25	93,0	K/1	
0.1	W430-25	93,0	K/1	(374 b)
0.1	W573-25	94,0	K/2	
1,0	N653-24	94,0	K/2	
1,0	N694-24	96,0	K/2	
1,0	N623-24	95,0	K/2	(379 b) MJM
1,0	590-21	95,0	K/1	
1,0	557-25	94,0	K/1	
0.1	579-24	93,0	K/1	
0.1	516-24	93,0	K/1	(375 b)
0.1	526-25	93,0	J	
1,0	411-23	92,0	J	
Česká bagdeta modrá čápek bělopruhý				
1,0	N428-24	94,0	J	
1,0	N756-24	93,0	J	
1,0	N655-24	95,0	J	
Česká bagdeta hnědá				
1,0	F541-24	96,0	J	ŠJM
Česká bagdeta hnědá čápek bělopruhý				
0.1	541-25	92,0	K/1	
0.1	546-25	94,0	K/1	
0.1	524-25	94,0	K/1	
0.1	414-23	95,0	K/1	(375 b)

1,0	539-25	95,0	J	
Česká bagdeta červená (recesivní)				
1,0	S194-23	95,0	J	
Moravská bagdeta bílá				
1,0	415-25	97,0	K/1	🏆
1,0	428-25	96,0	K/1	
0.1	402-25	95,0	K/1	
0.1	299-23	95,0	K/1	(383 b)
Moravská bagdeta černá				
1,0	404-25	95,0	J	
Moravská bagdeta černá stříkaná				
1,0	K241/20	94,0	K/1	
1,0	E252/24	93,0	K/1	
1,0	K6/25	92,0	K/1	
0.1	E258/24	93,0	K/1	(372 b)
1,0	E412/23	93,0	J	
0.1	S180/22	93,0	J	
Moravská bagdeta červená (recesivní)				
1,0	861-24	95,0	J	575
Mondén červený (recesivní) strak				
0.1	G820-24	93,0	J	
Mondén modrý pruhový				
0.1	G409-25	96,0	J	🏆
King černý				
1,0	888-24	94,0	J	1265
King červeně plavý bělouš				
1,0	262-24	94,0	J	
King andaluský				
	žlutý			
0.1	285/25	92,0	J	1150
Modenka černá schietti				
1,0	N750-24	95,0	K/1	
1,0	A927-25	94,0	K/1	
1,0	A988-25	93,0	K/1	403
0.1	A932-25	91,0	K/1	(373 b)
0.1	N745-24	93,0	J	403
1,0	A985-25	95,0	J	403
1,0	D926/22	95,0	K/1	
1,0	E305/21	91,0	K/1	
0.1	F887/21	0	K/1	
0.1	D106/23	93,0	K/1	

1,0	M883-25	94,0	K/1	
1,0	M890-25	92,0	K/1	
0,1	M885-25	95,0	K/1	
0,1	M884-25	94,0	K/1	(375 b)
Modenka černá schietti tygr				
1,0	Z686-25	93,0	J	
0,1	A907-25	92,0	J	403
Modenka černá schietti stříkaný				
1,0	N751-24	95,0	J	403
0,1	A989-25	95,0	J	
Modenka modrá schietti bronzovopruhá				
1,0	D561-25	93,0	K/1	
1,0	D580-25	95,0	K/1	🏆
0,1	D576-25	91,0	K/1	
0,1	D578-25	90,0	K/1	(369 b)
1,0	D567-25	95,0	K/1	
1,0	D562-25	93,0	K/1	
0,1	573-25	93,0	K/1	
0,1	574-25	90,0	K/1	(371 b)
Modenka červeně plavá schietti pruhová				
1,0	M471/25	94,0	J	
1,0	ER412/24	96,0	J	P24
Modenka schietti ledová pruhová				
1,0	M888-25	96,0	K/1	ŠJM
1,0	M886-25	96,0	K/1	
0,1	M887-25	94,0	K/1	
0,1	M882-25	95,0	K/1	(381 b) MJM
Moravský morák modrý bělouš				
1,0	R88-24	93,0	K/1	
1,0	R92-24	93,0	K/1	
1,0	R83-21	93,0	K/1	
0,1	AK891-21	94,0	K/1	(373 b)
1,0	AU495-25	91,0	K/1	
1,0	R973-22	94,0	K/1	
0,1	AB54-24	92,0	K/1	(371 b)
1,0	AB92-24	94,0	K/1	
1,0	Y536-24	96,0	K/1	
1,0	D69-25	94,0	K/1	
1,0	D236-25	96,0	K/1	🏆
0,1	D226-25	94,0	K/1	(380 b) MJM
1,0	C88-23	94,0	K/1	
1,0	C82-23	95,0	K/1	
1,0	AL168-21	94,0	K/1	
0,1	C83-23	94,0	K/1	(377 b)
Starvický stavák červený sedlatý				
1,0	333	93,0	K/1	
1,0	6096	94,0	K/1	
1,0	215	92,0	K/1	
0,1	349	92,0	K/1	(371 b)

Starvický stavák černý sedlatý

1,0	235	94,0	K/1	
1,0	331	91,0	K/1	
1,0	412	92,0	K/1	
0,1	381	92,0	K/1	(369 b)

Hesenský voláč modrý pruhový

0,1	25-W542	94,0	K/1	
0,1	24-AR527	95,0	K/1	(376 b)
1,0	21-AV11	94,0	K/1	
1,0	25-W546	93,0	K/1	

Hesenský voláč bílý

1,0	22-G297	94,0	K/1	
1,0	23-L462	94,0	K/1	
1,0	22-G300	96,0	K/1	
0,1	22-G249	94,0	K/1	(378 b)

Hesenský voláč černý

1,0	25-W545	97,0	K/1	🏆
1,0	20-BD640	96,0	K/1	
1,0	24-AV534	94,0	K/1	
0,1	25-W551	93,0	K/1	(380 b)

Moravský voláč sedlatý černý

1,0	G208-18	95,0	K/1	
1,0	AW731-20	94,0	K/1	
1,0	E7747-17	93,0	K/1	
1,0	AU354-24	91,0	K/1	(373 b)

Moravský voláč sedlatý modrý

1,0	P702-25	95,0	K/1	
1,0	P709-25	95,0	K/1	
0,1	BC232-20	95,0	K/1	
0,1	T501-23	94,0	K/1	(379 b)

Slezský voláč černý stříkaný

1,0	R800/23	92,0	K/1	
1,0	R784/23	91,0	K/1	
1,0	AB41/25	91,0	K/1	
0,1	AP268/24	92,0	K/1	(366 b)

Slezský voláč modrý bělouš

1,0	L705-25	91,0	K/1	
1,0	L706-25	94,0	K/1	
1,0	A3-24	96,0	K/1	🏆
0,1	A2-24	94,0	K/1	(375 b)

Slezský voláč červený (recesivní)

1,0	R788/23	92,0	J	
-----	---------	------	---	--

Slezský voláč červeně plavý

1,0	AP757/24	91,0	J	
-----	----------	------	---	--

Moravský bělohávek černý

1,0	AL846-21	výl.	K/1	
1,0	470-20	94,0	K/1	
1,0	A222-24	92,0	K/1	
1,0	A221-24	93,0	K/1	
1,0	AW842-22	92,0	J	

Moravský bělohávek modrý

1,0	E275/25	94,0	K/1	
1,0	AU258/24	95,0	K/1	
1,0	AU246/24	93,0	K/1	
0.1	AM148/21	94,0	K/1	(376 b)

Moravský bělohávek červený (recesivní)

1,0	S887-22	94,0	J	
1,0	AK805-23	95,0	J	P317

Norvičský voláč bílý

1,0	AE889	96,0	J	1150
0.1	B915	96,0	J	1035

Norvičský voláč modrý

1,0	AE882	výl.	K/1	1035
1,0	GX611	96,0	K/1	1035

HNĚDĚ PLAVÁ

0.1	AE847	94,0	K/1	1150
-----	-------	------	-----	------

HNĚDĚ PLAVÁ

0.1	GX615	94,0	K/1	1035
-----	-------	------	-----	------

Norvičský voláč červeně plavý

0.1	Z615-25	92,0	J	403
0.1	Z626-25	93,0	J	403

Český voláč sivý pruhový

1,0	L408-25	94,0	K/1	345
1,0	L411-25	95,0	K/1	345
1,0	T120-24	95,0	K/1	
1,0	L419-25	96,0	K/1	(380 b)
1,0	H528-25	94,0	K/1	
1,0	B389-24	93,0	K/1	
1,0	H537-25	92,0	K/1	
1,0	H529-25	94,0	K/1	(373 b)
1,0	L738/23	94,0	K/1	
1,0	726-23	94,0	K/1	
1,0	236-21	93,0	K/1	
1,0	76-23	92,0	K/1	(373 b)

Český stavák bílý

1,0	337/24	94,0	K/2	
1,0	AL124/24	91,0	K/2	
0.1	W274/25	95,0	K/2	
0.1	HH350/24	92,0	K/2	(372 b)

1,0	AP543/2022	94,0	K/1	
1,0	B130/2024	94,0	K/1	
1,0	AR193/2022	95,0	K/1	
1,0	B110/2024	96,0	K/1	(379 b)
1,0	D868-22	94,0	J	
1,0	W105-23	93,0	J	
1,0	W138-23	92,0	J	

P315**Český stavák červený plamínek**

1,0	CZ19A5324	92,0	K/3	
1,0	CZ20AY339	93,0	K/3	
1,0	E715/22	96,0	K/3	(375 b)
1,0	HR174/22	94,0	K/3	
1,0	AP552-22	95,0	J	
1,0	D811-22	94,0	J	
1,0	AB946-21	94,0	J	

Český stavák černý sedlatý

1,0	CZ20Y426	94,0	K/1	
1,0	CZ25V836	93,0	K/1	
1,0	CZ24D676	93,0	K/1	
1,0	CZ24AC274	92,0	K/1	(372 b)
1,0	AC374-24	94,0	J	
1,0	U444-25	95,0	J	
0.1	U447-25	94,0	J	
1,0	U191-25	93,0	J	
1,0	U199-25	94,0	J	
1,0	Z118-24	93,0	J	

Český stavák modrý sedlatý

1,0	S46-24	92,0	K/3	
1,0	B664-24	93,0	K/3	
1,0	AD893-25	92,0	K/3	
1,0	AL120-21	91,0	K/3	(368 b)
1,0	CZ24K377	93,0	K/1	
1,0	CZ21AA522	93,0	K/1	
1,0	CZ21G392	96,0	K/1	
1,0	CZ23CO198	92,0	K/1	(374 b)
1,0	CZ24AF803	92,0	J	
1,0	CZ22C701	95,0	J	
1,0	24/678	95,0	K/1	
1,0	22/629	96,0	K/1	P303
0.1	23/X185	94,0	K/1	
0.1	25/T110	95,0	K/1	(380 b)
1,0	AP486-23	92,0	J	
1,0	AE874-24	93,0	J	
1,0	AE847-24	94,0	J	

P316**P303****MJM****Český stavák stříbrný sedlatý**

1,0	CZ24AB613	93,0	K/1	
1,0	CZ22AL394	92,0	K/1	
1,0	CZ22M894	95,0	K/1	(373 b)
1,0	CZSK20D500	93,0	K/1	

1,0 R407-24 92,0 J
1,0 D849-22 92,0 J
1,0 AP457-22 92,0 J

Český stavák žlutý sedlatý

1,0 AM14222 95,0 K/1
1,0 S10122 94,0 K/1
1,0 E52824 96,0 K/1
1,0 D10-23 95,0 K/1 (380 b) ŠJM
1,0 E342-25 92,0 K/1 MJM
1,0 X597-21 95,0 K/1
1,0 E85-24 94,0 K/1
1,0 K305-24 92,0 K/1 (373 b)
1,0 E345 93,0 J
1,0 D740-22 94,0 J
1,0 D736-22 94,0 J
1,0 M406-22 95,0 J
1,0 AN714-23 93,0 K/1
1,0 P603-24 92,0 K/1
1,0 D27-25 93,0 K/1
1,0 AN713-23 92,0 K/1 (370 b)

Český stavák červený (recesivní) barevnoocasý plamínek

1,0 AP403/2023 95,0 K/1
1,0 W681/2023 95,0 K/1
1,0 AN262/2020 96,0 K/1
1,0 B188/2024 94,0 K/1 (380 b) ŠJM
MJM

Český stavák červený (recesivní) sedlatý

1,0 684-25 93,0 K/1
0,1 688-25 93,0 K/1
1,0 691-25 93,0 K/1
0,1 690-25 92,0 K/1 (371 b)
0,1 623-25 91,0 J
0,1 622-25 91,0 J
1,0 468-24 94,0 J

Český stavák žlutý (recesivní)

1,0 655/24 94,0 K/3
1,0 661/24 93,0 K/3
0,1 646/24 92,0 K/3
0,1 178/23 91,0 K/3 (370 b)

Český stavák modrý pruhový

1,0 CZ20Z527 94,0 K/2
1,0 CZ19DO5938 93,0 K/2
1,0 CZ23G295 93,0 K/2
1,0 CZ22U943 94,0 K/2 (374 b)

Český stavák žlutě plavý pruhový

1,0 X287-23 92,0 K/1
1,0 P349-22 92,0 K/1
1,0 D661-22 94,0 K/1
1,0 AE548-21 95,0 K/1 (373 b)

Brněnský voláč bílý

1,0 P407-24 95,0 K/1
0,1 E33-25 97,0 K/1
0,1 E39-25 94,0 K/1 518
0,1 P456-24 93,0 K/1 (379 b)

Klubová expozice brněnských voláčů

1,0 E9-25 95,0 K/1
1,0 E70-25 94,0 K/1
1,0 K50-23 93,0 K/1
0,1 E34-25 95,0 K/1 (377 b)
1,0 E65-25 92,0 K/2 432
0,1 E64-25 92,0 K/2 460
0,1 E79-25 92,0 K/2 460
0,1 E4-25 96,0 K/2 (372 b)
1,0 F993-25 94,0 J 575
1,0 CB626-25 95,0 K/1 575
1,0 F394-25 95,0 K/1 575
0,1 CB620-25 95,0 K/1 575
0,1 F968-25 97,0 K/1 575 (382 b) MJM ŠJM
0,1 F996 94,0 J 575

Brněnský voláč modrý pruhový

0,1 E27-25 92,0 J 518
1,0 368-23 95,0 K/1 460
1,0 567-24 92,0 K/1 460
0,1 513-24 93,0 K/1 518
0,1 181-23 92,0 K/1 460 (372 b)
1,0 805-25 92,0 K/1
1,0 806-25 92,0 K/1
1,0 803-25 90,0 K/1
1,0 890-25 91,0 K/1 (365 b)

Brněnský voláč modrý kapratý

1,0 491-23 93,0 K/2 518
1,0 598-23 93,0 K/2 518
0,1 611-23 93,0 K/2 518
0,1 149-25 93,0 K/2 460 (372 b)

Brněnský voláč žlutý (recesivní)

1,0 F987/25 94,0 K/1 575
1,0 E55/25 95,0 K/1 575
1,0 F393/25 94,0 J 575
0,1 F964/25 96,0 K/1 575
0,1 F1000/25 95,0 K/1 575 (380 b)
0,1 F986 výl. J 575

Brněnský voláč modrý bělouš

1,0	E44-25	94,0	K/1	
1,0	E28-25	95,0	K/1	
0,1	E22-25	97,0	K/1	🏆
0,1	E41-25	92,0	K/1	(378 b)
1,0	989-19	94,0	K/3	460
1,0	160-25	N (0)	K/3	460
0,1	107-25	94,0	K/3	403
0,1	137-25	N (0)	K/3	403

Brněnský voláč modrý bělopruhý

1,0	818/25	N (0)	J	
-----	--------	-------	---	--

Brněnský voláč isabelový

1,0	E17-25	94,0	K/1	
1,0	E2-25	95,0	K/1	
0,1	E5-25	96,0	K/1	
0,1	E50-25	94,0	K/1	690 (379 b)
1,0	409/24	94,0	J	690

pokračování expozice holubů**Damascén**

1,0		93,0	K/1	
1,0		95,0	K/1	🏆
0,1		92,0	K/1	
0,1		92,0	K/1	(372 b)

Hýl bronzový černokřídlý

1,0	612	94,0	K/1	230
1,0	666	94,0	K/1	230
0,1	629	94,0	K/1	230
0,1	628	93,0	K/1	230 (375 b)
1,0	661	95,0	J	230
1,0	640	96,0	J	230

P322

Norimberský skřivan stříbřitý kapratý

1,0	AC10/23	93,0	K/1	
1,0	K770/18	94,0	K/1	
0,1	AK277/25	95,0	K/1	🏆
0,1	AK280/25	93,0	K/1	(375 b)
1,0	AK488/21	93,0	J	
1,0	AK255/25	95,0	J	🏆
0,1	AK295/25	93,0	J	
0,1	AC3/23	94,0	J	

Dánský stehlík

0,1	H215-25	0	K/1	
1,0	H214-25	0	K/1	
1,0	H397-25	93,0	K/1	
0,1	H216-25	93,0	K/1	

Česká čejka hladkonohá modrá

1,0	717-24	93,0	K/1	
1,0	715-24	93,0	K/1	
1,0	739-24	92,0	K/1	
0,1	214-24	94,0	K/1	(372 b)
1,0	37-25	91,0	K/2	
1,0	391-25	93,0	K/2	
0,1	21-25	95,0	K/2	
0,1	22-25	94,0	K/2	(373 b)

Česká čejka hladkonohá modrá kapratá

1,0	954-23	96,0	K/1	🏆
1,0	151-23	95,0	K/1	
0,1	213-23	94,0	K/1	🏆
0,1	150-23	93,0	K/1	(378 b)
1,0	A361-24	94,0	K/1	
1,0	A389-24	95,0	K/1	
0,1	S761-25	93,0	K/1	
0,1	P156-23	93,0	K/1	(375 b)

Česká čejka hladkonohá modrá bělopruhá

1,0	385-22	94,0	K/1	
1,0	386-22	95,0	K/1	
0,1	395-22	95,0	K/1	
0,1	381-22	93,0	K/1	(377 b)

Česká čejka hladkonohá modrá šupkatá

0,1	410-22	93,0	K/1	
0,1	401-22	94,0	K/1	
0,1	269-25	93,0	K/1	
0,1	175-25	0	K/1	

Česká lyska běloocasá rousná černá bělopruhá

1,0		x	K/1	
1,0		x	K/1	
0,1		x	K/1	
0,1		x	K/1	

Český bublák bílý

1,0	D152-25	95,0	K/2	460
1,0	D145-25	90,0	K/2	460
0,1	D151-25	93,0	K/2	460
0,1	C924-24	94,0	K/2	(372 b)
1,0	A399/23	95,0	J	
1,0	B704/21	výl.	J	

Český bublák černý

1,0	D81/25	95,0	J	
1,0	A981/24	96,0	J	🏆

Český bublák žlutý (recesivní)

1,0	D481/25	94,0	J	
1,0	A16/22/16	91,0	J	

Altenburský bublák žlutě plavý

1,0	AC289/23	94,0	K/1	
1,0	AC283/23	95,0	K/1	
1,0	AG984/24	96,0	K/1	🏆
0.1	AK470/25	94,0	K/1	(379 b)

Arabský bublák bílý

0.1	W802-25 1	94,0	K/1	345
0.1	H506-25	91,0	K/1	345 (370 b)
1,0	W805-25	91,0	K/1	345
1,0	E409-24	94,0	K/1	345
1,0	AF996-23	92,0	K/1	
1,0	K909-25	NV	K/1	288
1,0	K910-25	95,0	K/1	🏆 288
0.1	K902-25	91,0	K/1	288
1,0		x	K/1	
1,0		x	K/1	
0.1		x	K/1	
0.1		x	K/1	

Bernburský bublák černý

1,0	566-21	97,0	K/1	ŠJM
1,0	743-22	95,0	K/1	
1,0	146-23	96,0	K/1	
0.1	244-25	94,0	K/1	(382 b)

Bernburský bublák žlutý (recesivní)

1,0	629-24	94,0	J	
1,0	167-23	93,0	J	

Orientalní racek blondineta černá šupinatá

0.1	N406-25	92,0	J	575
-----	---------	------	---	-----

Expozice orientálních racků a krátkozobých rejdičů

1,0	N403-25	93,0	K/4	575
1,0	A8155	0	K/4	
0.1	N404-25	0	K/4	575
0.1	N402-25	93,0	K/4	575
0.1	X191-25	94,0	J	
0.1	X214-25	92,0	J	

Orientalní racek blondineta šedohnědá šupinatá

0.1	X199-25	95,0	J	
-----	---------	------	---	--

Orientalní racek satineta modrá

1,0	X207-25	96,0	J	🏆 P302
1,0	P793-22	93,0	K/1	
0.1	W292-24	96,0	K/1	ŠJM
0.1	W287-24	94,0	K/1	
0.1	W289-24	94,0	K/1	(377 b)

1,0	F649-25	95,0	J	
0.1	3741-22	neoc.	J	

Orientalní racek satineta černá bělopruhá

1,0	E565-23	95,0	J	🏆
1,0	E566-23	94,0	J	

Orientalní racek satineta modrá šupinatá

1,0	X204-25	95,0	J	
1,0	G799-24	94,0	J	

Turbít

1,0	177-2022	94,0	K/1	575
1,0	911-2024	94,0	K/1	575
0.1	912-2024	95,0	K/1	🏆
0.1	981-2025	94,0	K/1	575 (377 b)

Pražský krátkozobý rejdič modrý pruhový

1,0	19-J896	94,0	K/1	
1,0	23-G495	93,0	K/1	
1,0	23-G494	95,0	K/1	
0.1	25-E711	93,0	K/1	(375 b)
1,0	25-E717	93,0	K/2	
0.1	25-E680	93,0	K/2	
0.1	25-E718	neoc.	K/2	
0.1	25-716	94,0	K/2	

Pražský krátkozobý rejdič černý

1,0	AK485-25	94,0	J	288
0.1	E615-25	výl.	J	288

Pražský krátkozobý rejdič žlutý

1,0	P887-24	96,0	J	🏆
1,0	P889-24	94,0	J	
1,0	F649-25	94,0	K/1	345
1,0	F646-25	výl.	K/1	345
0.1	AM587-24	95,0	K/1	345
0.1	F614-25	výl.	K/1	345

Pražský krátkozobý rejdič černý sedlatý

1,0	A373-24	94,0	K/1	345
1,0	P102-24	92,0	K/1	345
0.1	B654-21	N (0)	K/1	345
0.1	P156-24	93,0	K/1	345

Pražský krátkozobý rejdič šedohnědý sedlatý

1,0	A374-24	95,0	J	460
0.1	P109-24	93,0	J	460

Pražský krátkozobý rejdič plavý žlutopruhý

0.1	B368/19	N (0)	J	144
0.1	A886/24	93,0	J	144
1,0	22-M878	93,0	J	144
1,0	24-A881	92,0	J	144

Pražský krátkozobý rejdič červený				
1,0	B525-24	96,0	J	ŠJM
1,0	E602-25	94,0	J	288
0.1	E612-25	95,0	J	288

Budapešťský krátkozobý rejdič				
1,0	B41SK/22	výl.	J	1150
1,0	A766SK/22	N (0)	J	1150
1,0	E305SK/21	N (0)	J	1150
0.1	H901CZ/24	výl.	J	1150

Vídeňský krátkozobý rejdič černý				
0.1	C123CZ/25	93,0	J	1150

Staroněmecký racek červeně plavý štítník pruhový				
0.1	999-25	92,0	J	575
0.1	941-24	95,0	J	575
1,0	916-25	0	J	575

Staroněmecký racek žlutý (recesivní)				
1,0	706-24	94,0	K/1	
1,0	703-24	93,0	K/1	
1,0	734-24	93,0	K/1	
1,0	714-24	93,0	K/1	(373 b)

Staroněmecký racek žlutě plavý štítník pruhový				
1,0	911-24	94,0	K/1	
1,0	526-24	94,0	K/1	
0.1	720-24	92,0	K/1	
0.1	709-24	93,0	K/1	(373 b)

Staroněmecký racek modře plavý štítník pruhový				
0.1	74-23	93,0	J	575

Italský racek sivý				
1,0	M657-25	93,0	K/1	
1,0	L420-23	91,0	K/1	
1,0	A270-24	93,0	K/1	
0.1	M669-25	95,0	K/1	(372 b) P320
1,0	H429-25	94,0	K/1	
0.1	G581-25	92,0	K/1	
0.1	G583-25	94,0	K/1	(373 b)
1,0	H432-25	93,0	K/1	

Italský racek sivý pruhový				
0.1	M594-23	92,0	J	
0.1	A143-24	94,0	J	
1,0	D924-25	94,0	K/1	345
1,0	D945-25	94,0	K/1	483
0.1	D931-25	92,0	K/1	345
0.1	D938-25	93,0	K/1	345 (373 b)

Figurita modrá pruhová				
1,0		94,0	J	460
0.1		93,0	J	460

Figurita červeně plavá				
1,0		92,0	J	460
0.1		94,0	J	460

Figurita žlutě plavá				
1,0		95,0	J	460
0.1		93,0	J	460

Figurita				
1,0		96,0	J	460
0.1		92,0	J	460
1,0		94,0	J	460
0.1		93,0	J	460

Staroorientální racek satineta modrá šupkatá				
1,0	AK182-25	93,0	J	345
0.1	AK51-25	93,0	J	345

Staroorientální racek satineta černá šupkatá				
1,0	528-24	95,0	J	575
0.1	524-24	94,0	J	575

Staroorientální racek satineta černá				
1,0	522-24	0	J	575

Staroorientální racek satineta hnědá šupinatá				
0.1	525-24	92,0	J	575

Kolínský rejdič červený kalot				
1,0	R996-24	94,0	K/1	
0.1	H211-25	94,0	K/1	
0.1	AD684-25	94,0	K/1	(377 b)
1,0	AL39-22	95,0	K/1	

Kolínský rejdič modrý kalot				
1,0	R990-24	93,0	K/1	
1,0	L984-24	93,0	K/1	
0.1	AV902-22	93,0	K/1	
0.1	R988-24	93,0	K/1	(372 b)

Kolínský rejdič černý kalot				
0.1	L982-24	92,0	K/1	
0.1	R995-24	94,0	K/1	(376 b)
1,0	R989-24	94,0	K/1	
1,0	C878-23	96,0	K/1	

Rakovnický kotrlák bílý				
1,0	H156-25	96,0	K/1	
1,0	H38-25	97,0	K/1	403 P319
1,0	H22-25	95,0	K/1	
1,0	E49-24	96,0	K/1	(384 b) MJM

Rakovnický kotrlák červený

1,0	H130-25	95,0	K/1	
1,0	H119-25	94,0	K/1	
1,0	H26-25	94,0	K/1	403
0.1	H112-25	94,0	K/1	403 (377 b)

Rakovnický kotrlák červený sedlatý

1,0	P387-23	95,0	K/1	
1,0	E70-24	96,0	K/1	🏆
1,0	H150-25	94,0	K/1	
0.1	H136-25	94,0	K/1	(379 b)

Rakovnický kotrlák žlutý sedlatý

1,0	E29-24	94,0	K/1	
1,0	P407-23	96,0	K/1	
1,0	H27-25	96,0	K/1	🏆
0.1	E60-24	94,0	K/1	(380 b)

Výstavní tipler černý

1,0	901/25	94,0	K/1	
1,0	907/25	92,0	K/1	
0.1	886/25	94,0	K/1	
0.1	882/25	94,0	K/1	(374 b)

Výstavní tipler černý tygr

1,0	772/24	94,0	K/1	
1,0	315/24	93,0	K/1	
0.1	771/24	95,0	K/1	
0.1	806/23	94,0	K/1	(376 b)

Expozice okrasného ptactva

Č.kl.	Kroužek	Ocenění	Čestná cena Kč	Vystavovatel
-------	---------	---------	-------------------	--------------

Kanár

1,0	x	J	
1,0	x	J	

Chůvička Japonská

1,0	6819-25	87,0	J	230
1,0	6817-25	88,0	J	230
0.1	6816-25	87,0	J	230

Rýžovník šedý (Lonchura oryzivora)

1,0	85,0	J	
0.1	86,0	J	
1,0	86,0	J	
0.1	N (0)	J	

Andulka vlnkovaná (Melopsittacus undulatus)

1,0	x	J	
0.1	x	J	

1,0	N (0)	J	
1,0	N (0)	J	
0.1	N (0)	J	
0.1	N (0)	J	
1,0	N (0)	J	
0.1	80,0	J	

Agapornis Fischerův (Agapornis fischeri)

1,0	C	87,0	K4,0	
1,0	C	88,0	K4,0	
1,0	C	N (0)	K4,0	
1,0	C	87,0	K4,0	
1,0		87,0	J	
1,0	7660-21	N (0)	J	
0.1	7663-21	N (0)	J	

Agapornis růžohrdlý (Agapornis roseicollis)

1,0	88,0	J	
-----	------	---	--

Neoféma Bourkova (Neopsephotus bourkii)

1,0	14453-24	89,0	J	
0.1	4153-25	87,0	J	
1,0	14409-24	90,0	J	P402
1,0	15186-23	90,0	J	P25 P403
1,0	1386-25	x	J	
0.1	8645-24	x	J	
0.1	1387-25	x	J	

Neoféma modrohlavá (Neophema splendida)

1,0	39992-24	88,0	J	
0.1	1285-24	87,0	J	1150
1,0		N (0)	J	
0.1		87,0	J	

Neoféma tyrkysová (Neophema pulchella)

1,0	86,0	J	
0.1	88,0	J	

Křepelka čínská

1,0	12976-24	85,0	J	58
1,0	11766-24	88,0	J	58
0.1	11762-24	88,0	J	173
0.1	12973-24	89,0	J	173
0.1	12975-24	88,0	J	173
0.1	17446-25	85,0	J	173
0.1	7451-25	88,0	J	173
1,0	5013-24	87,0	J	58
1,0	5011-24	87,0	J	58
1,0	5020-24	88,0	J	58

Kakariki žlutočelý (Cyanoramphus auriceps)

rudočelý			
1,0	88,0	J	

rudočelý

Kakariki rudočelý (Cyanoramphus novaezelandiae)

0.1 801 86,5 J 575

Papoušek zpěvavý (Psephotus haematotus)

1,0 1414-25 88,0 J
 1,0 1410-25 88,0 J 575
 0.1 1408-25 88,0 J 575

0.1 11980-21 89,0 J
 0.1 10764-24 89,0 J
 0.1 2036-25 89,0 J 460
 1,0 10765-24 89,0 J
 0.1 10761-24 89,0 J
 0.1 2058-25 88,0 J 460
 1,0 12955-20 88,0 J

1,0 14346-22 89,0 J
 1,0 10773-24 89,0 J 460
 1,0 18585-20 89,0 J
 1,0 2061-25 88,0 J 460
 1,0 23567-24 88,0 J

1,0 14930-21 90,0 K4,0
 1,0 10762-24 90,0 K4,0
 1,0 23568-24 90,0 K4,0 460
 1,0 10763-24 89,0 K4,0

P404

Korela chocholátá (Nymphicus hollandicus)

1,0 x J
 1,0 x J
 0.1 x J
 0.1 x J

1,0 N (0) J
 0.1 N (0) J

1,0 88,0 J

0.1 88,0 J

1,0 11236-24 90,0 J

0.1 1682-24 89,0 J

0.1 1687-24 90,0 J 

0.1 56234-24 90,0 J

1,0 1665-24 89,0 J

0.1 13632-23 90,0 J 

P401

Pyrura zelenolící (Pyrrhura molinae)

1,0 ELI083-25 88,0 J

1,0 ELI132-25 89,0 J

0.1 ELI096-25 89,0 J

0.1 ELI018-25 89,0 J

Aratinga sluneční (Aratinga solstitialis)

1,0 N (0) K1,1

0.1 N (0) K1,1

Rosela pestrá (Platycercus eximius)

1,0 24617-21 N (0) K1,1 3450

0.1 23775-23 N (0) K1,1 5750

1,0 89,0 K1,1

0.1 89,0 K1,1

Korela chocholátá

1,0 11237-24 N (0) J

1,0 15446-24 87,0 K1,1

0.1 1328-24 85,0 K1,1

1,0 1325-24 N (0) J 805

0.1 18956-24 x K1,1

1,0 0228-24 90,0 K1,1

0.1 13970-24 89,0 K1,1 (179,5 b) 

1,0 88,0 J

0.1 88,0 J

Rosela žlutohlavá (Platycercus adscitus)

1,0 90,0 K1,1

0.1 90,0 K1,1 (180 b) P406

1,0 x J

0.1 x J

Rosela Pennantova (Platycercus elegans)

1,0 90,0 K1,1

0.1 90,0 K1,1 (180 b) 

1,0 10881-22 89,0 J

1,0 20948-21 90,0 K1,1

0.1 5554-21 88,0 K1,1

Rosela žlutobřichá (Platycercus caledonicus)

1,0 90,0 K1,1

0.1 90,0 K1,1 (180 b) **Papoušek nádherný (Polytelis swainsonii)****NEDODÁNO**

1,0 5382-24 N (0) K1,1

0.1 2041-25 N (0) K1,1 2300

1,0 90,0 K1,1

0.1 87,0 K1,1

Papoušek kouřový (Polytelis anthopeplus)

1,0 90,0 K1,1

0.1 90,0 K1,1 (180 b) 

1,0 90,0 K1,1

0.1 90,0 K1,1 (180 b) 

1,0 N (0) K1,1

0.1 N (0) K1,1

Barnard límcový (Barnardius zonarius)

1,0 N (0) J

1,0 N (0) J 1495

1,0 89,0 K1,1
0.1 89,0 K1,1

Barnard klonkurský

0.1 N (0) J 1495
0.1 N (0) J

Papoušek královský (Alisterus scapularis)

1,0 90,0 K1,1
0.1 90,0 K1,1 (180 b) P405

Alexandr malý (Psittacula krameri)

1,0 023-19 87,0 J 1725
1,0 1449-25 N (0) J 1840
0.1 1448-25 N (0) J 1840
1,0 083-24 N (0) J 2070
0.1 085-24 N (0) J 2070

Alexandr velký (Psittacula eupatria)

1,0 86,0 J

Amazónek černouchý (Pionus menstruus)

1,0 neoc. K1,1
0.1 ND K1,1