

Expozice drůbeže

Kat.-Nr.:	Bewertung:	Aussteller:
		EUR:

Narragansett Pute

1,0	4495-25	92,0	J	
1,0	A5123	93,0	J	79
0.1	230523	95,0	J	79
1,0	8024	94,0	J	
0.1	2283	92,0	J	79
1,0		x	J	

Puten

1,0	3724	96,0	J	🏆 53
0.1	2064	95,0	J	53

Expozice vodní drůbeže

Höckergänse

0.1	3243-25	91,0	J	131
1,0	3249-25	92,0	J	131

Tschechische Gänse

1,0	2217-25	90,0	K	53
0.1	2214-25	93,0	K	53
0.1	2219-25	94,0	K	53
0.1	2207-25	94,0	K	53 (371 b)
1,0	555-24	93,0	K	79
1,0	2350-25	90,0	K	53
0.1	326-24	94,0	K	79
0.1	2346-25	93,0	K	53 (370 b)
1,0	840-25	91,0	J	
0.1	837-25	93,0	J	79
0.1	847-25	92,0	J	79
0.1	824-25	94,0	J	63
0.1	825-25	94,0	J	63
0.1	828-25	94,0	J	63
1,0	6422-25	V (0)	J	48
1,0	6437-25	V (0)	J	48
0.1	6426-25	V (0)	J	48
1,0	2202-25	93,0	K	82
1,0	258-25	93,0	K	82
1,0	243-25	90,0	K	79
0.1	232-25	95,0	K	🏆 79 (371 b)
1,0	259-25	93,0	K	84
1,0	2205-25	93,0	K	79
0.1	247-25	94,0	K	82 (373 b)
1,0	260-25	93,0	K	
1,0	28/25	91,0	J	
0.1	27-25	94,0	J	

1,0	3361-25	95,0	J	74	P106
1,0	230025	91,0	J	79	
0.1	229025	V (0)	J	79	

Fränkische Landgans

1,0	10671-25	94,0	J	79
0.1	10504-25	93,0	J	79
1,0	5876-25	90,0	K	53
1,0	5874-25	91,0	K	53
0.1	4530-25	91,0	K	53
0.1	4528-25	N (0)	K	53

Warzenenten

1,0	7516-25	95,0	K	48
0.1	6689-25	94,0	K	37
0.1	6698-25	95,0	K	37
0.1	6696-25	96,0	K	🏆 37 (380 b)
1,0	6450-25	92,0	J	42

MJM

Aylesburyenten

1,0	20731	96,0	J	126	P100
0.1	20442	95,0	J	126	

1,0		x	K
1,0		x	K
0.1		x	K
0.1		x	K

Deutsche Pekingentem

1,0	13693	94,0	J	53
0.1	13669	V (0)	J	53

Rouenenten

1,0	4491-25	90,0	K	37
1,0	4499-25	91,0	K	37
0.1	17427-25	90,0	K	37
0.1	17503-25	90,0	K	37 (361 b)
1,0	17381	94,0	K	
1,0	17387	95,0	K	
0.1	17318	94,0	K	
0.1	17390	95,0	K	(378 b)
1,0	17508-25	93,0	K	42
1,0	4418-25	90,0	K	42
0.1	4498-25	96,0	K	42
0.1	17425-25	94,0	K	(373 b)
1,0	4510-25	91,0	K	42
1,0	4505-25	94,0	K	42
0.1	4493-25	94,0	K	42
0.1	4494-25	94,0	K	(373 b)

P107

Sachsenenten

1,0	2703-25	94,0	K	29
1,0	2725-25	92,0	K	29
1,0	2726-25	92,0	K	29
0.1	2707-25	91,0	K	29 (369 b)

0.1	2734-25	93,0	J	29
0.1	2735-25	92,0	J	29
1,0	234-25	92,0	J	68
1,0	11551	91,0	K	27
0.1	11519	92,0	K	27
0.1	11554	94,0	K	27
0.1	11508	90,0	K	27 (367 b)
1,0	11576	94,0	J	27
0.1	11780	90,0	J	27
1,0	11133-25	V (0)	J	42
0.1	11124-25	95,0	J	37

Streicherenten

1,0	3807-24	90,0	K	
1,0	20403-25	90,0	K	
0.1	20405-25	92,0	K	
0.1	5565-25	91,0	K	(363 b)

Laufenten

1,0	2849-25	96,0	J	16
1,0	10144-25	95,0	J	16
0.1	2795-25	90,0	J	21
1,0	16578-25	90,0	K	37
0.1	16553-25	91,0	K	37
0.1	16574-25	90,0	K	37
0.1	16579-25	90,0	K	37 (361 b)

NEDODÁNO

1,0 3456-25 x J

NEDODÁNO

1,0 3476-25 x J

Cayugaenten

1,0	5513-25	96,0	K	16	
1,0	5508-25	95,0	K	37	
1,0	5502-25	94,0	K	37	
0.1	5510-25	95,0	K	(380 b)	MJM
1,0	4190-25	93,0	K	37	
1,0	4222-25	94,0	K	37	
0.1	4189-25	92,0	K	42	
0.1	4229-25	92,0	K	42 (371 b)	
1,0	1173-25	94,0	J	37	
1,0	1169-25	94,0	J	37	

Orpingtonenten

1,0	1167-25	95,0	K	42	
0.1	1163-25	95,0	K		
0.1	1171-25	94,0	K		
0.1	1170-25	91,0	K	42 (375 b)	

Landenten

1,0	14139	96,0	K	37	
1,0	14140	94,0	K	37	
0.1	14165	94,0	K	37	
0.1	14172	90,0	K	27 (374 b)	

1,0	24107-25	90,0	K	53	
0.1	24103-25	93,0	K		
0.1	24104-25	94,0	K		
0.1	24105-25	94,0	K	(371 b)	
1,0	24110-25	90,0	J	48	
0.1	24108-25	92,0	J	48	

Smaragdenten

1,0	3266-25	95,0	K	32	
1,0	3265-25	93,0	K	32	
0.1	3267-25	92,0	K		
0.1	3204-25	96,0	K	(376 b)	ŠJM P117

Speciální klubová výstava zakrslých a smaragdových kachen

1,0	15633	V (0)	J	16	
0.1	15812	90,0	J	16	
1,0	6311/25	96,0	K	32	ŠJM P113 P118
1,0	6312/25	95,0	K	32	
1,0	6310/25	94,0	K	32	
0.1	6313/25	96,0	K	42 (381 b)	MJM
1,0	6316/25	V (0)	J	32	
1,0	1687	V (0)	J	32	
1,0	11626	V (0)	J	32	
0.1	1689	94,0	J	32	
1,0	12035-25	94,0	K		
1,0	16795-25	92,0	K		
0.1	16560-25	V (0)	K		
0.1	16794-25	93,0	K		
1,0	8383-25	92,0	K		
1,0	8392-25	93,0	K	32	
0.1	8381-25	95,0	K	32	
0.1	8382-25	94,0	K	32 (374 b)	
0.1	8388-25	95,0	J	27	
1,0	7787-25	x	J		
1,0	7788-25	x	J		
0.1	7789-25	x	J		
1,0	19033	94,0	K	32	
1,0	19055	93,0	K	32	
1,0	19038	92,0	K	32	
0.1	19050	94,0	K	(373 b)	

1,0	19908	94,0	J	
Zwergenten				
1,0	1339	N (0)	K	32
1,0	1587	90,0	K	32
0.1	1609	91,0	K	48
0.1	5042	93,0	K	48
1,0	1590	V (0)	K	32
1,0	1554	92,0	K	32
0.1	2303	94,0	K	48
0.1	2398	95,0	K	48
1,0	1507	90,0	K	32
1,0	958	93,0	K	32
0.1	1910	97,0	K	
ŠJM P114				
0.1	1336	93,0	K	48 (373 b)
1,0	1581	V (0)	K	32
1,0	1611	V (0)	K	32
0.1	1605	92,0	K	48
0.1	2400	93,0	K	48
1,0	1506	90,0	K	32
1,0	1633	92,0	K	32
0.1	2300	93,0	K	48
0.1	5054	94,0	K	48 (369 b)
1,0	1604	V (0)	K	32
0.1	1608	94,0	K	48
0.1	1589	96,0	K	48
0.1	1504	94,0	K	48
1,0	1553	94,0	K	32
1,0	1556	90,0	K	32
1,0	1505	90,0	K	32
1,0	2281	95,0	K	32 (369 b)
1,0	7779-25	90,0	K	27
1,0	7777-25	V (0)	K	27
0.1	7764-25	N (0)	K	27
0.1	7731-25	91,0	K	27
1,0	1232-25	92,0	K	27
1,0	1246-25	91,0	K	27
0.1	640-25	90,0	K	
0.1	1221-25	93,0	K	(366 b)
1,0	2237-25	95,0	K	29
1,0	2264-25	94,0	K	
0.1	2236-25	94,0	K	42
0.1	2268-25	94,0	K	42 (377 b)
0.1	285-25	92,0	J	19
0.1	286-25	92,0	J	19
1,0	9902	91,0	K	
1,0	9920	92,0	K	
0.1	9962	94,0	K	
0.1	9968	94,0	K	(371 b)

1,0	2235-25	95,0	K	32	
1,0	2233-25	96,0	K	32	P112
0.1	2266-25	95,0	K		
0.1	SB783-25	94,0	K	(380 b)	MJM
1,0	8208	N (0)	K		
0.1	8215	93,0	K		
0.1	8219	92,0	K		
0.1	8212	93,0	K		
1,0	8211	90,0	K		
0.1	8213	93,0	K		
0.1	2611-23	95,0	K		
0.1	8206	93,0	K	(371 b)	
1,0	9030-21	N (0)	K		
0.1	8209	93,0	K		
0.1	8218	93,0	K		
0.1	2014-24	93,0	K		
1,0	3499/24	94,0	J		
1,0	1443/25	90,0	J		
0.1	2888/24	N (0)	J		
0.1	1442/25	V (0)	J		
1,0	7767-25	92,0	K	27	
1,0	7768-25	92,0	K	27	
0.1	7772-25	92,0	K	27	
0.1	7775-25	93,0	K	27 (369 b)	
1,0	2261-25	95,0	K	32	
1,0	2244-25	94,0	K	32	
0.1	2280-25	94,0	K	42	
0.1	2249-25	94,0	K	42 (377 b)	
1,0	2281-25	94,0	K	32	
1,0	2248-25	94,0	K	32	
1,0	2278-25	94,0	K	32	
0.1	2267-25	95,0	K	42 (377 b)	
1,0	1602	V (0)	J		
1,0	470-25	94,0	J		
0.1	488-25	V (0)	J		
1,0	9315	96,0	K		
1,0	1619	94,0	K		
0.1	1552	92,0	K		
0.1	1551	94,0	K	(376 b)	
1,0	7994	N (0)	K		
0.1	1555	95,0	K		
0.1	1889	94,0	K		
0.1	1914	97,0	K		ŠJM P119
1,0	1597	V (0)	K		
1,0	5060	93,0	K		
0.1	1884	94,0	K		
0.1	1620	94,0	K		
1,0	1600	90,0	K		
1,0	1915	95,0	K		
0.1	1582	94,0	K		
0.1	1885	94,0	K	(373 b)	

1,0	3022	93,0	K	21	
1,0	3025	93,0	K	21	
1,0	3027	91,0	K	21	
0,1	3026	93,0	K	(370 b)	
1,0	9484/22	97,0	J		ŠJM P111
1,0	9446/22	95,0	J		
1,0	3175/20	94,0	J		
0,1	9451/22	93,0	J		
0,1	9449/22	93,0	J		
0,1	2019/24	93,0	J		
1,0	270-25	93,0	K	40	
1,0	7718-25	94,0	K	40	P116
0,1	195-25	94,0	K	40	
0,1	7714-25	94,0	K	40 (375 b)	
1,0	4122-25	x	J		
1,0	2117-25	92,0	K	32	
1,0	9620-25	92,0	K	32	
0,1	2116-25	V (0)	K		P115
0,1	9619-25	95,0	K		
1,0	1954	95,0	K	🏆	
1,0	1892	94,0	K		
0,1	1918	94,0	K		
0,1	1886	93,0	K	(376 b)	
1,0	1594	93,0	K	40	
1,0	1891	94,0	K		
0,1	1887	93,0	K		
0,1	1587	90,0	K	53 (370 b)	

Perlhühner

1,0	8366	94,0	K	32	
1,0	8307	91,0	K	32	
0,1	6863	91,0	K	37	
0,1	8305	94,0	K	37 (370 b)	
0,1	8306	93,0	J	37	
1,0	8303	93,0	J	32	

Expozice drůbeže - perličky

0,1	8922-25	92,0	J		
0,1	8921-25	92,0	J		
1,0	4829-25	93,0	K	32	
0,1	4781-25	92,0	K	37	
0,1	4827-25	91,0	K	37	
0,1	16387-25	94,0	K	37 (370 b)	
1,0	8309	90,0	J	32	
0,1	8362	92,0	J	37	
1,0	8364	x	J		
1,0	734/24	96,0	K		
0,1	13749/25	95,0	K		
0,1	21087/24	92,0	K		
0,1	21431/25	96,0	K	🏆 (379 b)	P110

Brahma

0,1	6484	92,0	J	42	
0,1	63	V (0)	J	42	
0,1	62	93,0	J	42	
0,1	3702-24	92,0	J		
1,0	2254-25	94,0	J		
1,0	2205-25	91,0	J		
1,0	4811-24	95,0	J		
1,0	2243-25	93,0	J		
0,1	4830-24	94,0	J		
0,1	64	94,0	J	42	

Orpington

0,1	CZ25-4158	92,0	J		
0,1	CZ25-4160	92,0	J		
1,0	CZ25-4118	94,0	J		
0,1	CZ25-412	94,0	J		
0,1	CZ25-4145	95,0	J		
0,1	CZ25-4141	92,0	J		
0,1	18582	95,0	J		
0,1	CZ25-4148	92,0	J		
0,1	CZ25-4137	93,0	J		
0,1	18508	91,0	J		

Amrocks

1,0	7936-25	92,0	K	53	
0,1	16526-25	92,0	K		
0,1	16506-25	94,0	K		
0,1	16505-25	92,0	K	(370 b)	
0,1	541	94,0	J		
0,1	543	93,0	J		
0,1	539	90,0	K		
0,1	562	92,0	K		
0,1	542	92,0	K	(364 b)	
1,0	66/25	90,0	K		

Australorps

1,0	6134-25	92,0	J	32	
1,0	6147-25	92,0	J	32	
1,0	6143-0	N (0)	J	32	
1,0	6159	90,0	J	32	
1,0	6150	V (0)	J	32	
0,1	988-25	95,0	J	🏆	
0,1	989-25	94,0	J		
1,0	6463-25	93,0	J		
0,1	6441-25	95,0	J		
1,0		x	J		
	modré				
1,0	7501-25	93,0	J	37	
0,1	6693-25	92,0	J		

1,0	25-4697	95,0	J	
0.1	25-19350	94,0	J	
0.1	25-19348	95,0	J	
1,0	3251-25	90,0	K	
1,0	3256-25	90,0	K	32
0.1	8039-25	92,0	K	
0.1	8037-25	92,0	K	(364 b)
1,0	12610	94,0	K	
0.1	11093-25	92,0	K	
0.1	11089-25	95,0	K	
1,0	12611-25	95,0	K	(376 b)
0.1	11088-25	V (0)	K	
1,0	12613-25	96,0	K	ŠJM
0.1	11092-25	95,0	K	
0.1	11091-25	96,0	K	ŠJM
0.1	15125	95,0	J	
0.1	15139	V (0)	J	
1,0	6146	92,0	J	32
1,0	6133	90,0	J	32
1,0	6442-25	94,0	J	32
1,0	7525-25	93,0	J	37
1,0	7502-25	91,0	J	37

Cochin

1,0	4806-25	92,0	K	27
0.1	2303-25	93,0	K	
0.1	2307-25	95,0	K	
0.1	2309-25	93,0	K	(373 b) P105
1,0	1841225	94,0	J	27
1,0	131-25	92,0	J	21
0.1	151-25	91,0	J	27
0.1	128-25	90,0	J	27

Bielefelder

1,0	974	91,0	K	40
0.1	18110	92,0	K	40
1,0	979	90,0	K	37
0.1	18190	92,0	K	40 (365 b)
1,0	966	90,0	K	37
0.1	18183	93,0	K	40
1,0	968	90,0	K	37
0.1	18181	93,0	K	40 (366 b)
0.1	16521	93,0	J	42
0.1	16522	91,0	J	42

NEDODÁNO
0.1 x J

NEDODÁNO
0.1 x J

1,0	9907	91,0	K	27
0.1	1123	94,0	K	27
0.1	1127	92,0	K	27
0.1	1126	92,0	K	27 (369 b)

Deutsche Lachshühner

1,0	5872	92,0	J	
0.1	4519	V (0)	J	
0.1	4518	92,0	J	

New Hampshire

1,0	54-25	91,0	J	32
1,0	55-25	92,0	J	32
1,0	6163-25	V (0)	J	32
1,0	6813-25	95,0	J	
0.1	37-25	96,0	J	P124
1,0	9963/25	93,0	J	27
0.1	1267/25	V (0)	J	
0.1	1252/25	93,0	J	
1,0	6024-25	V (0)	J	32
0.1	18519-25	V (0)	J	27
0.1	18561-25	V (0)	J	27
1,0	4525	92,0	K	27
1,0	D343125	95,0	K	
0.1	1325	92,0	K	
0.1	1840825	95,0	K	(374 b)

Marans

1,0	25-4688	92,0	J	
0.1	25-19330	92,0	J	
1,0	25-4686	N (0)	J	
0.1	25-19349	V (0)	J	
1,0	12557	95,0	J	
0.1	3807	V (0)	J	

Oravaer Hühner

1,0	50-25	N (0)	K	
1,0	13706-24	V (0)	K	
0.1	2797-25	N (0)	K	
0.1	2796-25	N (0)	K	

Plymouth Rocks

1,0	nedod	x	K	
0.1	nedod	x	K	
0.1	nedod	x	K	
0.1	nedod	x	K	

Rhodeländer

1,0	4409-25	92,0	J	21
0.1	4416-25	92,0	J	
0.1	4418-25	N (0)	J	

Welsumer		
----------	--	--

1,0 x J

Wyandoteten		
-------------	--	--

1,0 2843 91,0 J
0.1 2807 94,0 J
0.1 2806 94,0 J

Expozice hrabavé drůbeže

Indische Krämpfer		
-------------------	--	--

1,0 A639 90,0 J
0.1 A658 92,0 J
0.1 D357 93,0 J
0.1 D356 V (0) J
0.1 A543 V (0) J

Shamo Krämpfer		
----------------	--	--

1,0 x J
0.1 x J
1,0 x J
0.1 x J

1,0 x K
1,0 x K
0.1 3000 x K
0.1 x K

Tuzo		
------	--	--

1,0 x K
1,0 x K
1,0 x K
0.1 x K

Orloff		
--------	--	--

1,0 1346-25 90,0 K
1,0 8937-25 91,0 K
0.1 22779-25 94,0 K
0.1 8923 94,0 K (369 b)

|--|--|--|

1,0 12777 V (0) J
0.1 21599 0 J
0.1 13651 94,0 J

1,0 8125 91,0 J

1,0 6680-25 0 J 27
1,0 nedod. x J
1,0 nedod. x J
1,0 nedod. x J

Spanier		
---------	--	--

1,0 13689 92,0 J 27
0.1 14780 93,0 J
0.1 21139 93,0 J

Italiener		
-----------	--	--

1,0 10846 V (0) J
0.1 13584 93,0 J
0.1 13671 V (0) J

1,0 1155-25 92,0 J
0.1 1237-25 95,0 J

1,0 11633 V (0) K
0.1 14373 94,0 K
0.1 14377 95,0 K 🏆
0.1 14368 92,0 K

1,0 3809 V (0) 2+2 27
1,0 3806 95,0 2+2
0.1 22504 94,0 2+2
0.1 22477 92,0 2+2

1,0 2060-25 93,0 K
1,0 2058-25 94,0 K
0.1 15438-25 93,0 K
0.1 15436-25 94,0 K (374 b)

1,0 2057-25 93,0 K 21
1,0 2056-25 94,0 K 21
0.1 15439-25 93,0 K
0.1 15428-25 V (0) K

0.1 91,0 J
0.1 93,0 J

Brakel		
--------	--	--

1,0 10916-25 92,0 K 21
1,0 10918-25 94,0 K 21
0.1 9661-25 90,0 K 21
0.1 9662-25 95,0 K 🏆 21 (371 b)

0.1 9663-25 N (0) J 21

Tschechisches Huhn		
--------------------	--	--

1,0 2501-25 92,0 J 27
1,0 2502-25 92,0 J 32

1,0 147-25 93,0 K
1,0 141-25 94,0 K
0.1 183-25 94,0 K
0.1 187-25 95,0 K (376 b) P19

1,0 160-25 94,0 J 21
0.1 185-25 92,0 J

Holländer Haubenhühner		
------------------------	--	--

1,0 8 93,0 K 37
0.1 10 91,0 K 34
1,0 9 91,0 K 34
0.1 12 90,0 K 34 (365 b)

1,0 6 92,0 J 34
0.1 1012 92,0 J 34

Araucanas

1,0	5023	93,0	J	27
1,0	5024	91,0	J	24
1,0	13682	92,0	J	27
1,0	20418	93,0	J	27
0.1	13983	92,0	J	

Seidenhühner

0.1	19656	92,0	J	
0.1	19660	93,0	J	
0.1	11870	92,0	J	
0.1	11874	96,0	J	🏆
0.1		x	K	
0.1		x	K	
0.1		x	K	
0.1		x	K	
1,0		x	J	
1,0		x	J	
1,0	25-10842	91,0	K	
0.1	25-10857	94,0	K	
0.1	23-12925	93,0	K	
0.1	22-8929	95,0	K	(373 b)
1,0	13595-25	x	J	
1,0	13596-25	93,0	J	19
1,0	13597-25	92,0	J	19

Nachthalshühner

1,0	3964	91,0	K	
0.1	11530	92,0	K	34
0.1	11528	91,0	K	34
0.1	11526	92,0	K	34 (366 b)
1,0	3811	91,0	J	23

Zwerg-Brahma

1,0	7929-25	95,0	K	16
1,0	17932-25	95,0	K	
0.1	11065-25	92,0	K	
0.1	11069-25	95,0	K	(377 b)
1,0	2473-25	94,0	J	42
0.1	16157-25	91,0	J	53
0.1	16158-25	93,0	J	53
1,0	17595-25	92,0	K	
0.1	17916-25	95,0	K	
0.1	17932-25	94,0	K	
0.1	17597-25	94,0	K	(375 b)
1,0	499	95,0	J	
0.1	E748	93,0	J	
0.1	334	96,0	J	🏆

Zwerg-Cochin

1,0		95,0	J	🏆 42
1,0		95,0	J	42

1,0	x	K
0.1	x	K
0.1	x	K
0.1	x	K
1,0	x	K
1,0	x	K
0.1	x	K
0.1	x	K

Zwerg-Orpington

1,0	CZ25-123	V (0)	K	
0.1	CZ25-643	96,0	K	🏆 P109
0.1	CZ25-646	95,0	K	
0.1	CZ25-647	94,0	K	

Zwerg-Amrocks

1,0	20483-25	93,0	J	19
0.1	3239-25	94,0	J	
1,0	25 3967	95,0	J	19
1,0	25 3917	95,0	J	🏆 19
0.1	25 14274	90,0	J	
1,0	25 3912	90,0	J	19

Zwerg-Australorps

1,0	12690	N (0)	J	27
1,0	12668	90,0	J	27
1,0	1230925	94,0	K	21
1,0	1230625	95,0	K	21
0.1	7461-25	93,0	K	21
0.1	746325	93,0	K	21 (375 b)
1,0	12428-25	93,0	K	21
0.1	6707-25	94,0	K	
0.1	6703-25	N (0)	K	
0.1	6705	95,0	K	🏆
1,0	12427	N (0)	K	21
1,0	12438	92,0	K	21
0.1	6701	93,0	K	27
0.1	6709	94,0	K	27

Zwerg-Cochin

1,0	10568	V (0)	K	
1,0	10571	93,0	K	
0.1	2792	N (0)	K	
0.1	2794	92,0	K	
0.1	3012	N (0)	J	
0.1	3014	96,0	J	🏆
0.1	3054	93,0	J	
1,0	10561-25	92,0	J	
1,0	5172-24	92,0	J	
0.1	14820-25	91,0	J	
0.1	11838-24	93,0	J	

Zwerg-Bielefelder Kennhühner

1,0	5519-25	V (0)	K	11
1,0	5516-25	V (0)	K	11
0.1	6842-25	V (0)	K	
0.1	6848-25	92,0	K	

Deutsche Zwerg-Lachshühner

1,0	12-25	91,0	K	32
1,0	12453-25	94,0	K	32
0.1	689	92,0	K	
0.1	686-25	95,0	K	(372 b)
1,0	12458-25	95,0	K	32
1,0	1-25	94,0	K	32
1,0	2-25	91,0	K	32
1,0	559-25	94,0	K	32 (374 b)
1,0	4525	93,0	J	21
0.1	1325	92,0	J	
1,0	14-25	95,0	K	
0.1	20-25	V (0)	K	
0.1	725	x	K	
0.1	5-25	93,0	K	
1,0	8015	92,0	J	
0.1	7826	90,0	J	
0.1	7827	92,0	J	
1,0	7-25	94,0	K	
1,0	4-25	96,0	K	🏆
0.1	4-25	V (0)	K	
0.1	688-25	93,0	K	

Zwerg-Marans

0.1	12486-25	90,0	J	27
0.1	12586-25	N (0)	J	42
0.1	9694-25	N (0)	J	42

Zwerg-Plymouth Rocks

1,0	16935-25	93,0	K	
0.1	16944-25	90,0	K	
0.1	16946-25	92,0	K	
0.1	16950-25	93,0	K	(368 b)
1,0	11524/25	93,0	K	
1,0	11520/25	V (0)	K	
0.1	19154/25	93,0	K	
0.1	19163/25	95,0	K	🏆
1,0	1287	92,0	K	
0.1	473	95,0	K	
0.1	4665	95,0	K	🏆
0.1	471	92,0	K	(374 b)
1,0	602	93,0	J	
0.1	4642	95,0	J	

Zwerg-Oravaer Hühner rodobarvé

1,0	F972	92,0	J	
-----	------	------	---	--

Zwerg-Rhodeländer

1,0	3408-25	92,0	K	
1,0	3401-25	94,0	K	
0.1	5089-25	95,0	K	🏆
0.1	5099-25	94,0	K	(375 b)

1,0	3412-25	93,0	K	
0.1	3423-25	94,0	K	
0.1	3417-25	95,0	K	🏆
0.1	5062-25	93,0	K	(375 b)

Zwerg-Sumavanka

0.1	6463-25	91,0	J	
0.1	6466-25	92,0	J	
0.1	6470-25	93,0	J	
1,0	8141-25	92,0	J	

Zwerg-Welsmer

1,0	1877-25	94,0	J	27
1,0	12082-25	92,0	J	
0.1	3345-25	V (0)	J	
1,0	3121-25	92,0	J	21
1,0	3139-25	95,0	J	
				P102 P103
1,0	3129-25	92,0	J	21
1,0	3137-25	92,0	J	21
1,0	3127-25	94,0	J	21
1,0	5721-25	90,0	K	
0.1	7694-25	94,0	K	
0.1	2049-24	N (0)	K	
0.1	2270-24	90,0	K	
1,0	3134	91,0	K	
0.1	3097	94,0	K	🏆
0.1	3065	93,0	K	
0.1	3096	96,0	J	ŠJM P104
0.1	3098	94,0	K	(372 b)
1,0	12152-25	91,0	K	21
0.1	7125-25	92,0	K	
1,0	12088-25	94,0	K	
0.1	7111-25	91,0	K	(368 b)
1,0	12154-25	92,0	K	
1,0	12145-25	93,0	K	21
0.1	7110-25	93,0	K	
0.1	7005-25	91,0	K	(369 b)
0.1	2567/25	91,0	J	
0.1	2564/25	91,0	J	
1,0	13592/25	90,0	J	
0.1	16664/25	90,0	J	
0.1	2565/25	90,0	J	
1,0	3194-25	90,0	J	21
1,0	3199-25	92,0	J	21
1,0	4530-24	V (0)	J	
0.1	3433-25	90,0	J	
0.1	3437-25	x	J	

1,0	C589-25	V (0)	J	
0.1	C761-25	V (0)	J	
0.1	3248-25	x	J	
Zwerg-Wyandoteten				
0.1	4812-25	92,0	J	21
0.1	4813-25	94,0	J	27
0.1	4817-25	93,0	J	27
1,0	8426-25	95,0	K	
1,0	12614-25	94,0	K	21
0.1	12612-25	93,0	K	27
0.1	12613-25	90,0	K	27 (372 b)
1,0	95-25	91,0	J	32
0.1	7192-25	V (0)	J	37
0.1	6521-25	V (0)	J	37
1,0	12005-25	95,0	K	
1,0	12049-25	V (0)	K	27
0.1	7052-25	95,0	K	
0.1	7053-25	95,0	K	🏆
1,0	12194-25	90,0	K	
1,0	12197-25	90,0	K	20
0.1	7128-25	94,0	K	
0.1	7133-25	93,0	K	(367 b)
1,0	12010-25	V (0)	J	20
1,0	12196-25	90,0	J	20
1,0	3342-25	90,0	J	27
1,0	3347-25	90,0	J	27
1,0	D101-25	91,0	K	27
1,0	D72-25	94,0	K	32
0.1	D719-25	94,0	K	32
0.1	D725-25	95,0	K	🏆 32 (374 b)
1,0	D102-25	92,0	K	32
1,0	D108-25	91,0	K	27
0.1	D689-25	94,0	K	32
0.1	D720-25	92,0	K	16 (369 b)
1,0	1751-25	94,0	J	21
1,0	1748-25	94,0	J	21
1,0	9697-25	92,0	K	21
1,0	9686-25	93,0	K	21
1,0	9726-25	93,0	K	21
1,0	9733-25	V (0)	K	21
1,0	B803	92,0	K	32
1,0	B805	92,0	K	32
0.1	C245	93,0	K	32
0.1	C256	92,0	K	32 (369 b)
1,0	308	91,0	K	
0.1	87	V (0)	K	
0.1	71	93,0	K	
0.1	464	V (0)	K	
1,0	334	92,0	K	32
1,0	333	93,0	K	32
0.1	72	94,0	K	40
0.1	468	93,0	K	40 (372 b)

1,0	327	94,0	K	
1,0	318	92,0	K	32
0.1	84	95,0	K	🏆 40
0.1	82	92,0	K	40 (373 b)
1,0	6503-25	90,0	K	24
1,0	6505-25	93,0	K	24
1,0	6525-25	90,0	K	24
1,0	12660-25	92,0	K	24 (365 b)
1,0	16616-25	92,0	J	16
1,0		x	J	
1,0	16797-25	93,0	J	
0.1	2584-25	93,0	J	
0.1	2585-25	93,0	J	
1,0	12139-25	93,0	K	21
0.1	7181-25	95,0	K	🏆
0.1	7182-25	94,0	K	
0.1	7104-25	93,0	K	(375 b)
1,0	1756	92,0	J	19
1,0	1736	94,0	J	19
1,0	16513/25	93,0	K	21
1,0	16514/25	93,0	K	21
0.1	2233/25	94,0	K	
0.1	2235/25	95,0	K	🏆 (375 b)
1,0	A407	92,0	K	
0.1	10950	95,0	K	
0.1	10943	92,0	K	
0.1	14833	V (0)	K	
1,0	12024-25	91,0	J	27
0.1	1773-25	90,0	J	32
1,0	12026-25	V (0)	K	27
0.1	7034-25	94,0	K	
0.1	7033-25	95,0	K	
0.1	7028-25	96,0	K	🏆
1,0	12097-25	94,0	K	17
1,0	12056-25	V (0)	K	21
0.1	7177-25	93,0	K	
0.1	12072-25	93,0	K	
1,0	6546-25	91,0	K	27
1,0	12609-25	92,0	K	27
1,0	12610-25	92,0	K	27
1,0	12658-25	92,0	K	27 (367 b)
1,0	338	96,0	J	🏆 27
0.1	337	93,0	J	
1,0	CZ-16 25-EE23903	92,0	K	
1,0	CZ-16 25-EE23904	93,0	K	
0.1	CZ-13 25-EE3466	92,0	K	
0.1	CZ-16 25-EE3465	90,0	K	(367 b)
1,0	11851-25	93,0	J	

P123

1,0	9395	92,0	K	21	
1,0	9397	95,0	K		
0.1	965	94,0	K	37	
0.1	6419	96,0	K	45 (377 b)	ŠJM P122
1,0	9392	92,0	K	24	
0.1	11926	93,0	K	32	
0.1	7519	95,0	K	37	
0.1	6441	96,0	K	45 (376 b)	
1,0	11853-25	V (0)	K	37	
1,0	11859-25	92,0	K	27	
0.1	19646-25	92,0	K		
0.1	19654-25	92,0	K		
1,0	C275	91,0	K	32	
1,0	B804	N (0)	K	32	
0.1	B811	91,0	K	32	
0.1	B838	90,0	K	32	
0.1	7179-25	95,0	K		
0.1	7097-25	95,0	K		
0.1	7044-25	94,0	K	(379 b)	P101
1,0	12054-25	95,0	K	27	
1,0	12016-25	93,0	K	24	
1,0	12148-25	95,0	K	24	
0.1	7063-25	92,0	K		
0.1	7045-25	94,0	K	(374 b)	
1,0	12147-25	96,0	J	20	ŠJM P121
1,0	12060-25	95,0	J		
1,0	12352	92,0	J	16	
0.1	20425-24	92,0	J		
0.1	20426-24	91,0	J		

Zwerg-Moderne Englische Krämpfer

1,0	3084-25	97,0	K		P108
0.1	5382-25	N (0)	K		
0.1	5388-25	93,0	K		
1,0	3082-25	94,0	K		

Zwerg-Altenglische Krämpfer rodobarvé oranžovohřbeté

1,0	2191-25	V (0)	K	37	
1,0	2185-25	95,0	K	37	
0.1	3360-24	93,0	K		
0.1	5442-25	91,0	K		

Zwerg-Altenglische Krämpfer

1,0	2197	92,0	J	37	
1,0	2187-25	V (0)	J	37	
0.1	5445-25	94,0	J		
1,0	2193-25	95,0	J	37	
0.1	3359-24	95,0	J		

Zwerg-Italiener

1,0	14740-25	94,0	K	21	
1,0	14729-25	V (0)	K	21	
1,0	14727-25	90,0	K	21	
0.1	8004-25	94,0	K	27	

1,0	2381-25	95,0	J		
0.1	8175-25	90,0	J		
1,0	14719-25	94,0	J	21	
1,0	14737-25	93,0	J		
1,0	14749-25	93,0	J	21	
1,0	14748-25	92,0	J		
1,0	23993	93,0	K	27	
1,0	23998	V (0)	K	27	
1,0	3381	94,0	K	29	
1,0	3382	93,0	K	27	
1,0	23989	93,0	J	27	
1,0	CZ25-4225	93,0	K		
0.1	CZ25-8369	95,0	K		
0.1	CZ25-22029	93,0	K		
0.1	CZ25-22074	93,0	K	(374 b)	

Zwerg-Tschechisches Huhn

0.1	590-25	92,0	K		
0.1	587-25	94,0	K		
0.1	22515-25	94,0	K		
0.1	22512-25	94,0	K	(374 b)	
1,0	1841	V (0)	K	16	
0.1	9196	95,0	K		
1,0	1849	92,0	K		
0.1	9190	92,0	K		
1,0	1920	93,0	K	16	
0.1	9195	94,0	K		
1,0	1846	92,0	K	16	
0.1	9189	91,0	K	(370 b)	
1,0	269/13/25	92,0	K	16	
1,0	7587/1325	90,0	K	16	
0.1	266/1325	92,0	K	21	
0.1	7553/13/25	95,0	K	21 (369 b)	
1,0	7585/13/25	91,0	K	16	
1,0	17867/15/25	91,0	K	16	
0.1	7592/13/25	95,0	K	21	
0.1	7582/1325	94,0	K	21 (371 b)	
1,0	22532-25	92,0	J		
0.1	22538-25	95,0	J		
0.1	22534-25	95,0	J		
1,0	1844	92,0	K	16	
0.1	9198	95,0	K	16	
1,0	1847	V (0)	K	16	
0.1	9187	95,0	K	16	
1,0	19017	91,0	K	21	
0.1	19727	92,0	K	21	
1,0	19016	90,0	K	21	
0.1	9205	92,0	K	21 (365 b)	
1,0	19018	V (0)	K	21	
0.1	4134	92,0	K	21	
0.1	9201	V (0)	K	21	
0.1	4131	94,0	K	21	

Zwerg-Holländer Haubenhühner

1,0	C25-11791	91,0	K	27	
1,0	C25-11794	90,0	K	27	
0.1	C25-6682	94,0	K		
0.1	C25-6683	93,0	K		(368 b)
1,0	C25-11795	91,0	J	27	
1,0	C25-11800	90,0	J	27	
1,0	C25-11778	93,0	K	27	
1,0	C25-11772	93,0	K	27	
0.1	C25-8241	93,0	K		
0.1	C25-8243	95,0	K		(374 b)
1,0	23267-25	92,0	K		
0.1	4445-25	94,0	K		
0.1	4447-25	93,0	K		
0.1	4448-25	94,0	K		(373 b)
1,0	23263-25	93,0	J		
0.1	23426-25	92,0	J	48	
1,0	23261-25	91,0	K		
0.1	4448-25	95,0	K		
0.1	4442-25	94,0	K		
0.1	23272-25	94,0	K		(374 b)
1,0	23261-25	93,0	K		
0.1	4451-25	94,0	K		
0.1	4445-25	93,0	K	48	
0.1	4445-25	93,0	K	48	(373 b)
1,0	18310	x	J		
0.1	8108	x	J		

Zwerg-Paduaner

1,0	19592-25	91,0	K		
1,0	19589-25	90,0	K		
0.1	19590-25	95,0	K		
0.1	19598-25	95,0	K		(371 b)

Zwerg-Araucanas

1,0	7540-23	91,0	K	32	
1,0	7532-23	91,0	K	32	
0.1	1304	N (0)	K	53	
0.1	1543	94,0	K	53	
0.1	6601-25	92,0	J		
0.1	6611-25	95,0	J		
1,0	11946-25	90,0	J		
1,0	6645	92,0	K	32	
1,0	6616	N (0)	K	32	
0.1	1582	91,0	K	53	
0.1	1545	94,0	K	53	
1,0	6647	92,0	K	40	
1,0	6613	92,0	K	32	
0.1	1559	93,0	K	53	
0.1	1542	95,0	K	53	(372 b)

1,0	840-24	93,0	J	42	
0.1	606-24	92,0	J	53	
0.1	601-24	V (0)	J	53	
1,0	11943-25	V (0)	J		
0.1	6602-25	93,0	J		
0.1	6613-25	V (0)	J		

Zwerg-Yokohama

1,0	11995-24	96,0	K	27	
1,0	11982-24	95,0	K	27	
1,0	11988-24	94,0	K	27	
0.1	F164-23	93,0	K		(378 b)
1,0	3519-24	91,0	J	37	
0.1	4874-24	90,0	J	53	

Antwerpener Bartzwerg

1,0	7756-25	92,0	K	16	
1,0	3510-25	92,0	K	16	
0.1	7638-25	94,0	K	16	
0.1	4324-25	92,0	K	16	(370 b)
0.1	5789-25	93,0	J	32	
0.1	6512-25	93,0	J	32	
0.1	6509-25	93,0	J	32	

Bantam

1,0	638-25	92,0	J	16	
0.1	1225-25	92,0	J		
1,0	2960-25	93,0	J	16	
1,0	1704-25	94,0	K	16	
1,0	1703-25	92,0	K	14	
0.1	1545-25	94,0	K		
0.1	1521-25	94,0	K		(374 b)
0.1	1223-25	94,0	J		

Holländische Zwerghühner

1,0	E841-25	95,0	K	27	
1,0	E817-25	91,0	K	21	
0.1	F847-25	92,0	K	27	
0.1	F871-25	95,0	K	27	(373 b)

Chabo

1,0	14072	92,0	K		
0.1	2404	93,0	K		
0.1	2401	94,0	K		
0.1	2405	95,0	K		(374 b)
1,0	3209-25	94,0	K	21	
0.1	3210-25	93,0	K	21	
1,0	3207-25	93,0	K	21	
0.1	3215-25	93,0	K		(373 b)
1,0	3205-25	90,0	K	21	
1,0	3211-25	V (0)	K	21	
0.1	3212-25	93,0	K		
0.1	3208-25	92,0	K	21	

1,0	2406	92,0	J
0.1	2407	93,0	J

Chabo černé s tmavým hřebenem a obličejem

1,0	14073	N (0)	J
0.1	2402	92,0	J
0.1	A0363	92,0	J

Klubová expozice rousné zakrslé drůbeže

Federfüßige Zwerghühner

1,0	16820-25	92,0	J	37	
1,0	16805-25	91,0	J	37	
1,0	16804-25	91,0	J	37	
1,0	16829-25	90,0	J	37	
1,0	13076/25	96,0	K	37	ŠJM
1,0	13077/25	95,0	K	37	
0.1	16342/25	95,0	K		
0.1	16371/25	93,0	K		(379 b)
0.1	16343/25	96,0	J		
0.1	16341/25	91,0	J		ŠJM P120
1,0	E819-25	91,0	K	45	
0.1	E807-25	91,0	K	37	
0.1	F150-25	92,0	K	37	
0.1	C869-25	N (0)	K	37	
1,0	25-16369 CZ-16	92,0	K		
0.1	25-10112 CZ-15	92,0	K		
0.1	25-10104 CZ-15	93,0	K		
0.1	25-10103 CZ-15	90,0	K		(367 b)
1,0	25-16370 CZ-16	95,0	K	37	
0.1	25-10109 CZ-15	92,0	K	37	
0.1	25-10114 CZ-15	94,0	K	37	
0.1	25-10108 CZ-15	93,0	K	37	(374 b)
1,0	25-16367 CZ-16	95,0	K	42	🏆
0.1	25-10107 CZ-15	95,0	K	42	
0.1	25-10115 CZ-15	94,0	K	42	
0.1	25-10102 CZ-15	93,0	K		(377 b)
1,0	19273-24	94,0	K		
0.1	59-25	92,0	K		
0.1	17325-24	90,0	K		
0.1	17328-24	92,0	K		(368 b)
1,0	25796	94,0	K	11	
0.1	9303	94,0	K		
0.1	9304	95,0	K		
0.1	9305	92,0	K		(375 b)
0.1	9301	94,0	J	48	
0.1	9308	93,0	J	48	
0.1	9310	93,0	J	48	

1,0	13362	95,0	J	🏆	32
0.1	16162	91,0	J		32
0.1	16163	95,0	J		32
0.1	16181	94,0	J		32
0.1	16161	92,0	J		32
0.1	16180	V (0)	J		32
1,0	13151/25	91,0	K		27
1,0	13153/25	91,0	K		27
0.1	16201/25	91,0	K		
0.1	649/24	90,0	K		(363 b)
1,0	13148/25	92,0	J		27
1,0	13149/25	93,0	J		27
1,0	13171/25	V (0)	K		37
1,0	13172/25	V (0)	K		37
1,0	13176/25	95,0	K		37
0.1	16228/25	92,0	K		

Sebright

1,0	187	94,0	K	
1,0	86	95,0	K	🏆
0.1	4796	93,0	K	
0.1	4783	94,0	K	(376 b)
1,0	364	93,0	K	
1,0	377	94,0	K	
0.1	512	94,0	K	
0.1	4762	94,0	K	(375 b)
1,0	221-25	94,0	K	19
1,0	223-25	93,0	K	19
1,0	226-25	V (0)	K	19
0.1	252-25	94,0	K	

Expozice křepelk

Wachtel

1,0	162	95,0	K	16
1,0	142	93,0	K	16
1,0	143	94,0	K	16
0.1	146	96,0	K	(378 b)

P21 P28

Expozice králíků

Kat.-Nr.:	Bewertung:	Aussteller:
	EUR:	

Alaska

1,0	C3-5 64-3	93,0	4S	37
1,0	C3-5 64-4	N (0)	4S	37
1,0	C3-5 64-5	94,5	4S	37
0.1	C3-5 64-8	95,0	4S	37
1,0	C 255	95,0	4S	45
1,0	C 3513	95,0	4S	45
0.1	C 259	95,5	4S	45
0.1	C 3514	96,0	4S	45 (381.5 b)

MJM

1,0 C3-5 64-16 **94,5** J 27
 1,0 C3-5 64-17 **94,5** J 27

Klubová expozice anglických strakáčů

Englische Schecken schwarz

1,0	C2-5 S-21	95,5	2+2	37	
1,0	C2-5 S-25	95,0	2+2	37	
1,0	C4-5 S-27	95,0	2+2	37	
0.1	C4-5 S-28	95,0	2+2	37	(380.5 b)
0.1	C2-5 S-24	93,0	J	37	
0.1	C2-5 S-26	92,5	J	37	
0.1	C	x	J		
1,0	C3-5 S-TS	95,0	CHS		
1,0	C3-5 S-58	94,0	CHS	79	
1,0	C5-5 S-61	94,0	CHS	79	
0.1	C5-5 S-TS	94,0	CHS		(377 b)
1,0	C4-5 S-32	94,5	CHS	53	
0.1	C4-5 S-39	92,5	CHS		
0.1	C4-5 S-33	95,0	CHS		
0.1	C4-5 S-38	95,0	CHS		(377 b)
1,0	C3-5 S-15	94,0	CHS	53	
0.1	C4-5 S-36	95,5	CHS		P231
0.1	C4-5 S-37	94,5	CHS		
0.1	C4-5 S-45	94,0	CHS		(378 b)
1,0	C3-5 S-14	95,5	CHS	53	
1,0	C1-5 S-2	95,5	CHS		
0.1	C2-5 S-11	95,0	CHS		
1,0	C4-5 S-30	96,0	CHS		(382 b) MJM P230
1,0	C1-5 16-1	93,5	J	16	
1,0	C3-5 16-4	92,5	J	16	
0.1	C3-5 16-5	93,5	J	16	
1,0	S2-5 58-2	95,0	CHS	48	
1,0	S2-5 58-3	95,0	CHS	48	
0.1	S2-5 58-4	95,0	CHS	48	
0.1	S3-5 58-9	93,5	CHS	48	(378.5 b)

Englische Schecken blau

1,0	C2-5 S-2	95,5	2+2	37	P232
1,0	C2-5 S-3	94,0	2+2	37	
0.1	C4-5 S-9	95,0	2+2	37	P233
0.1	C4-5 S-10	94,5	2+2	37	(379 b)
1,0	C2-5 S-4	V (0)	J	37	
0.1	C4-5 S-11	94,5	J	37	
1,0	C	x	J		

Angora weiss RA

1,0	C6-5 75-11	95,5	2+2	79	
1,0	C6-5 75-12	94,0	2+2	79	
0.1	C3-5 75-10	95,5	2+2		🏆
1,0	C3-5 75-7	V (0)	2+2	79	

1,0 C3-5 S2 **V (0)** J

Deutsche Riesen weiss RA

1,0	C4-5 11-3	x	4S		
1,0	C4-5 11-4	96,0	4S		🏆 105
0.1	C4-5 11-5	94,0	4S		
0.1	C4-5 11-6	94,5	4S		

Deutsche Riesen grau

1,0	C	x	2+2		
1,0	C	x	2+2		
0.1	C	x	2+2		
0.1	C	x	2+2		
1,0	C	x	4S		
0.1	C	x	4S		
0.1	C	x	4S		
0.1	C	x	4S		
1,0	S3-5 S6210	95,0	J	79	

Deutsche Riesen eisengrau

1,0	S3-5 S6702	95,5	J	105	
-----	------------	-------------	---	-----	--

Deutsche Riesen blau

1,0	C3-5 64-2	N (0)	2+2		
1,0	C3-5 64-3	93,5	2+2	142	
1,0	C5-5 64-4	93,0	2+2	95	
0.1	C5-5 64-7	V (0)	2+2	95	

Weisgrannen schwarz

1,0	C4-5 S-14	95,0	4S	37	
1,0	C4-5 S-15	96,0	4S	37	
1,0	C4-5 S-16	96,0	4S	37	
0.1	C4-5 S-17	95,0	4S	37	(382 b) MJM
1,0	C4-5 59-22	95,0	CHS		
1,0	C3-5 59-13	95,0	CHS		
1,0	C3-5 59-6	95,5	CHS	37	
0.1	C3-5 59-17	94,5	CHS		(380 b) 🏆
1,0	C3-5 59-7	95,5	2+2	37	
0.1	C3-5 59-8	94,0	2+2	37	
1,0	C4-5 59-19	95,5	2+2	37	
0.1	C4-5 59-20	93,5	2+2	37	(378.5 b)

Burgunder

1,0	C1-5 76-1	94,5	4S	42	
1,0	C1-5 76-2	95,0	4S	42	
0.1	C1-5 76-3	94,0	4S	42	
0.1	C1-5 76-4	94,0	4S	42	(377.5 b)
1,0	C5-5 74-25	95,0	J	37	
0.1	C5-5 74-26	95,5	J		🏆 37
1,0	C5-5 64-113	95,0	4S	42	
0.1	C5-5 64-116	94,0	4S	42	
0.1	C5-5 64-117	94,5	4S	42	
0.1	C5-5 64-118	x	4S		

0.1	C4-5 S502	95,5	J	27	
0.1	C1-5 74-13	95,5	J	27	
0.1	C3-5 74-21	V (0)	J	27	
1,0	C4-5 S-421	95,5	2+2		
0.1	C4-5 S-422	94,5	2+2		
0.1	C4-5 S-424	94,5	2+2		
0.1	C4-5 S-425	94,5	2+2	53	(379 b)
1,0	C1-5 S-15	95,5	4S		
1,0	C1-5 S-18	95,0	4S	53	
1,0	C4-5 S-419	95,0	4S		
0.1	C4-5 S-423	93,5	4S	53	(379 b)
1,0	C4-5 64-86	95,5	4S	42	
1,0	C4-5 64-87	96,0	4S	42	
0.1	C4-5 64-88	0	4S	42	
0.1	C4-5 64-91	0	4S	42	
1,0	C6-5 75-105	95,0	J	37	
1,0	C4-5 64-121	91,0	J	32	
1,0	C3-5 S-503	94,5	4S		
0.1	C3-5 S-504	94,5	4S		
0.1	C3-5 S-505	95,0	4S	37	
0.1	C3-5 S-506	95,0	4S	37	(379 b)
1,0	C1-5 64-32	96,0	4S	48	
1,0	C1-5 64-34	96,0	4S		
0.1	C1-5 64-36	95,0	4S	48	
0.1	C1-5 64-37	96,0	4S	48	(383 b) MJM P237
1,0	C5-5 S-679	94,5	2+2	42	
0.1	C5-5 S-681	95,0	2+2	42	
1,0	C5-5 S-689	94,0	2+2	42	
1,0	C5-5 S-690	94,0	2+2	42	(377.5 b)
1,0	C6-5 S-751	94,5	2+2	42	
0.1	C6-5 S-752	95,0	2+2	42	
1,0	C6-5 S-758	95,0	2+2	42	
0.1	C6-5 S-761	96,0	2+2	42	(380.5 b) 🏆
1,0	C6-5 75-106	95,0	J	32	
0.1	C4-5 64-120	nekl.	J	32	
0.1	C4-5 64-122	nekl.	J	32	

Tschechische Albino

1,0	C1-5 S-34	94,5	2+2	27	
1,0	C1-5 S-32	95,5	2+2	27	
0.1	C1-5 S-23	95,0	2+2	27	
1,0	C1-5 S-21	94,5	2+2	27	(379.5 b) 🏆
1,0	C5-5 S-311	V (0)	2+2	32	
0.1	C5-5 S-315	94,5	2+2	32	
1,0	C5-5 S-316	95,0	2+2	32	
0.1	C5-5 S-317	93,0	2+2	32	
1,0	C2-5 S-246	95,5	CHS	34	
1,0	C3-5 S-251	96,0	CHS		
0.1	C3-5 S-249	95,5	CHS		
0.1	C3-5 S-253	95,0	CHS	(382 b)	MJM

0.1	C3-5 S425	95,5	4S	37	
0.1	C3-5 S428	94,0	4S	37	
0.1	C3-5 S430	95,0	4S	37	
0.1	C3-5 S431	94,0	4S	37	(378.5 b)

Tschechische Schwarzgranen

0.1	C3-5 S-6	95,5	CHS	27	
1,0	C3-5 S-9	95,5	CHS	27	
0.1	C3-5 S-10	95,5	CHS	27	
0.1	C4-5 S-14	96,0	CHS	27	(382.5 b) MJM
0.1	C4-5 69-14	95,0	2+2		
0.1	C5-5 69-10	94,5	2+2	27	
0.1	C5-5 69-18	93,5	2+2	24	
1,0	C1-5 69-1	94,5	2+2		(377.5 b)
0.1	C5-5 S-98	93,5	4S	21	
1,0	C5-5 S-99	94,5	4S	21	
0.1	C5-5 S-100	94,5	4S	27	
0.1	C5-5 S-101	94,0	4S	27	(376.5 b)
0.1	C3-5 57-3	95,5	J		
1,0	C4-5 71-8	95,0	4S	21	
0.1	C4-5 71-9	95,5	4S	21	
0.1	C4-5 71-10	95,5	4S	21	
0.1	C4-5 71-11	95,0	4S	21	(381 b)
1,0	C1-4 11-13	95,0	CHS	37	
0.1	C4-5 11-16	95,5	CHS		
0.1	C4-5 11-14	96,0	CHS 🏆	53	
0.1	C9-4 51-95	94,0	CHS	27	(380.5 b)

Tschechische rot

1,0	C5-5 68-24	95,5	2+2	21	
0.1	C5-5 68-25	95,5	2+2	21	
0.1	C5-5 68-26	97,0	2+2	21	
0.1	C5-5 68-27	96,0	2+2	21	(384 b) MJM P17 P240 ŠJM
1,0	C1-5 67-1	93,5	2+2	27	
0.1	C1-5 67-3	95,0	2+2	27	
1,0	C3-5 67-10	95,0	2+2	27	
0.1	C3-5 67-14	93,5	2+2	27	(377 b)
1,0	4521 N-84	95,5	4S	37	
0.1	157 N-84	95,0	4S	37	
0.1	3514 N-84	95,0	4S	37	
0.1	4517 N-84	V (0)	4S	37	
1,0	C1-5 67-6	94,5	CHS		
0.1	C2-5 67-17	95,5	CHS		
0.1	C2-5 67-18	95,0	CHS		
0.1	C3-5 67-23	95,0	CHS		(380 b)
1,0	C2-5 69-10	95,5	2+2	32	
0.1	C2-5 69-14	94,0	2+2	32	
1,0	C3-5 69-16	95,5	2+2	32	
0.1	C3-5 69-17	96,0	2+2	32	(381 b)
1,0	C4-5 69-21	95,5	4S	32	
0.1	C4-5 69-22	94,5	4S	32	
0.1	C4-5 69-23	95,5	4S	32	
0.1	C4-5 69-24	96,0	4S	32	(381.5 b) 🏆

0.1	C3-5 69-18	94,5	J	32
0.1	C4-5 69-20	95,5	J	32
0.1	C4-5 69-19	95,0	J	32
0.1	C4-5 69-25	94,5	4S	32
0.1	C4-5 69-26	95,5	4S	32
0.1	C4-5 69-27	95,0	4S	32
0.1	C4-5 69-28	96,0	4S	32 (381 b)

Tschechische Loser

0.1	C2-5 S2201	93,5	J	21
1,0	C2-5 S404	V (0)	J	21
1,0	C2-5 S405	92,0	J	21
1,0	C3-5 S211	90,5	2+2	21
0.1	C3-5 S215	94,0	2+2	21
1,0	C2-5 S205	91,0	2+2	21
0.1	C2-5 S208	V (0)	2+2	21
1,0	C2-5 S122	92,5	2+2	
1,0	C2-5 S121	94,0	2+2	
0.1	C2-5 S401	94,0	2+2	21
0.1	C2-5 S403	V (0)	2+2	21
1,0	1-5 62-1	95,0	4S	24
1,0	1-5 62-2	V (0)	4S	24
1,0	1-5 62-3	96,0	4S	24
1,0	1-5 62-6	93,5	4S	24
0.1	C4-5 73-14	92,0	CHS	21
0.1	C2-5 73-9	94,0	CHS	24
0.1	C2-5 73-8	V (0)	CHS	24
1,0	C12-4 S-320	94,0	CHS	

Tschechische schecken schwarz

0.1	C6-5 S2681	94,0	J	37
1,0	C7-5 S2385	93,5	J	34
1,0	C7-5 S2386	93,5	J	34
1,0	C1-5 S-2303	95,5	CHS	
1,0	C3-5 S-3412	95,0	CHS	
0.1	C1-5 S-2305	96,0	CHS	
0.1	C3-5 S-3414	96,0	CHS	(382.5 b) P222 MJM P221
0.1	C7-5 S-239	94,0	J	27
0.1	C6-5 S-233	94,5	J	29

Klubová expozice českých strakáčů

1,0	C6-5 84-13	94,5	4S	
1,0	C6-5 84-14	94,5	4S	42
0.1	C6-5 84-15	95,0	4S	
0.1	C6-5 84-16	94,0	4S	42 (378 b)
1,0	C1-4 S-2219	96,5	CHS	
1,0	C4-5 S-2238	94,0	CHS	42
1,0	C1-5 S-2205	95,5	CHS	
0.1	C4-5 S-4306	94,5	CHS	32 (380.5 b)

1,0	C3-5 S-2232	94,5	CHS	1
1,0	C3-5 S-2236	94,5	CHS	32
0.1	C4-5 S-2239	95,0	CHS	
0.1	C4-4 S-4321	95,0	CHS	(379 b)
1,0	C2-5 66-10	91,0	J	32
1,0	C2-5 67-9	94,0	CHS	53
0.1	C1-5 67-2	95,5	CHS	53
0.1	C2-5 67-7	92,5	CHS	42
0.1	C2-5 67-8	93,5	CHS	37 (375.5 b)
1,0	C6-5 S-22102	93,0	2+2	37
1,0	C6-5 S-22103	93,5	2+2	37
1,0	C6-5 S-211	94,0	2+2	37
0.1	C6-5 S-213	92,0	2+2	(372.5 b)
1,0	C2-5 S-79	95,0	J	
1,0	C5-5 S2505	94,0	J	
0.1	C5-5 S2510	95,0	J	
0.1	C5-5 S2511	95,5	J	
0.1	C4-5 S2227	95,0	J	
1,0	S3-5 S-63	95,5	4S	
1,0	S4-5 S-92	V (0)	4S	32
0.1	S4-5 S-93	95,0	4S	53
1,0	S5-5 S-99	94,0	4S	53
0.1	S2-5 S-58	93,0	J	42
1,0	C5-5 S-223	x	4S	
1,0	C5-5 S-220	x	4S	
1,0	C5-5 S-219	x	4S	
0.1	C5-5 S-221	x	4S	
1,0	S5-5 56-60	V (0)	2+2	53
1,0	S5-5 56-59	N (0)	2+2	53
0.1	S6-5 56-70	93,5	2+2	
0.1	S6-5 56-71	94,0	2+2	

Tschechische schecken blau

0.1	C5-5 S-909	94,0	J	
0.1	C5-5 S-910	94,5	J	
0.1	S4-5 S-11	94,0	J	
0.1	S1-5 S-6	92,0	J	
1,0	C3-4 S-48	95,5	J	
0.1	C3-5 S-916	95,5	J	
1,0	C8-4 S-915	94,5	J	
1,0	S2-2 S-22	93,0	J	
0.1	C3-5 83-12	91,5	J	32
1,0	C6-5 83-23	93,5	J	32
0.1	C6-5 83-24	V (0)	J	32
1,0	S4-5 56-46	V (0)	2+2	53
1,0	S4-5 56-50	94,5	2+2	53
0.1	S4-5 56-51	V (0)	2+2	
0.1	S6-5 56-69	95,0	2+2	

Tschechische schecken havanna

1,0	C6-5 67-4	92,5	J	32
0.1	C6-5 67-5	94,0	J	32

Tschechische schecken gelb

1,0	C4-5 S-29	93,0	J	
1,0	C7-3 S-53	94,0	J	
1,0	C5-5 S-25	95,0	J	

Tschechische schecken schwarz-gelb

1,0	C2-5 2-K	95,5	CHS		
1,0	C4-5 S-21	95,0	CHS		
0.1	C4-5 S-22	94,5	CHS		
0.1	C4-5 S-23	94,0	CHS	37 (379 b)	P224
0.1	C6-5 67-1	94,5	J	27	

Tschechische schecken blau-gelb

0.1	C2-3 S-7	94,5	J		
1,0	C4-4 S-5	94,0	J		

Kleinchinchilla

0.1	C5-5 81-23	V (0)	CHS	32	
1,0	C1-5 81-3	N (0)	CHS	32	
0.1	C5-5 81-22	95,0	CHS	32	
1,0	C1-5 81-1	94,5	CHS	32	
1,0	C5-5 81-19	95,0	CHS	32	
1,0	C5-5 81-20	94,0	CHS	32	
0.1	C6-5 81-30	95,0	CHS	32	
0.1	C1-5 81-12	93,5	CHS	32 (377.5 b)	
0.1	C7-5 S-92	94,5	CHS	27	
0.1	C7-5 S-93	93,5	CHS	27	
0.1	C7-5 S-91	94,5	CHS	27	
0.1	C7-5 S-94	94,0	CHS	27 (376.5 b)	
1,0	C4-5 S-40	94,5	CHS	32	
1,0	C4-5 S-38	95,5	CHS	32	
1,0	C2-5 S-28	V (0)	CHS	34	
1,0	C2-5 S-27	95,0	CHS	34	
0.1	C5-5 76-29	V (0)	4S	32	
0.1	C5-5 76-31	93,0	4S	32	
0.1	C5-5 76-32	94,0	4S	32	
0.1	C5-5 76-35	94,0	4S	32	
1,0	C6-5 P-32	96,0	CHS		P206
0.1	C6-5 P-33	95,0	CHS		
1,0	C1-5 P-5	96,0	CHS		
0.1	C1-5 P-11	94,5	CHS	(381.5 b)	P205
1,0	C6-5 73-1	93,5	J	24	
1,0	C2-5 75-10	94,5	J	27	
1,0	C2-5 75-11	95,5	J	27	
1,0	C5-5 75-20	94,5	J	27	

0.1	C2-5 S-48	94,0	2+2		
0.1	C2-5 S-49	94,0	2+2		
1,0	C2-5 S50	95,0	2+2		
0.1	C2-5 S52	94,5	2+2	(377.5 b)	
1,0	C4-5 62-1	V (0)	4S	32	
1,0	C4-5 62-2	V (0)	4S	32	
0.1	C4-5 62-3	V (0)	4S	32	
0.1	C4-5 62-4	94,5	4S	32	
1,0	S5-5 321	91,5	J	27	
0.1	S5-5 322	V (0)	J		

Groschinchilla

1,0	C1-5 S-46	95,5	CHS	42	
1,0	C3-5 S-3043	94,5	CHS	42	
0.1	C3-5 S-3029	93,0	CHS	42	
0.1	C6-5 S-4733	95,0	CHS	42 (378 b)	
1,0	S1-5 14-6	96,0	CHS	37	
0.1	S1-5 14-7	95,0	CHS	37	
0.1	S1-5 14-8	95,0	CHS	37	
0.1	S1-5 14-9	96,0	CHS	37 (382 b)	MJM
1,0	C4-5 S-660	94,5	4S	42	
0.1	C4-5 S-663	95,5	4S	48	
0.1	C4-5 S-669	95,0	4S	42	
0.1	C4-5 S-672	93,0	4S	37 (378 b)	
0.1	C3-5 S-585	94,0	J	42	
0.1	C3-5 S-3548	96,0	J		
0.1	C4-5 S-3570	95,5	J		
0.1	C4-5 S-675	94,5	J		

Deilenaar

1,0	C3-5 S-125	V (0)	2+2		
0.1	C4-5 S-131	96,5	2+2		
0.1	C4-5 S-129	94,5	2+2		
0.1	C4-5 S-130	96,0	2+2		
0.1	C2-5 S-27	95,5	2+2		
0.1	C2-5 S-28	94,5	2+2		
1,0	C4-5 S-106	95,0	2+2	16	
1,0	C4-5 S-111	94,0	2+2	16 (379 b)	P207
1,0	C6-5 67-37	92,5	4S	32	
0.1	C6-5 67-40	94,5	4S	32	
1,0	C6-5 67-38	95,0	4S	32	
0.1	C6-5 67-39	95,0	4S	32 (377 b)	
1,0	C6-5 67-31	93,0	2+2	27	
0.1	C6-5 67-34	93,5	2+2	27	
0.1	C6-5 67-35	95,0	2+2	27	
1,0	C6-5 67-33	95,5	2+2	27 (377 b)	
1,0	C2-5 S-85	94,5	2+2		
1,0	C2-5 S-86	93,5	2+2	24	
1,0	C2-5 S-88	95,0	2+2	24	
0.1	C2-5 S-89	93,5	2+2	(376.5 b)	
1,0	C3-5 S-93	V (0)	2+2	24	
1,0	C3-5 S-94	93,5	2+2	24	
0.1	C2-5 S-90	95,5	2+2		
0.1	C2-5 S-91	94,0	2+2		

1,0	C1-5 S-14	94,5	2+2	24	
0.1	C3-5 S-78	94,5	2+2	27	
0.1	C1-5 S-17	93,0	2+2	27	
0.1	C3-5 S-79	94,0	2+2	27	(376 b)
0.1	C3-5 S-84	93,5	2+2		
1,0	C3-5 S-82	95,5	2+2		
1,0	C3-5 S-81	96,0	2+2		
1,0	C3-5 S-80	94,0	2+2		(379 b) 🏆
1,0	C1-5 S-2	95,0	CHS		
1,0	C5-5 S-175	94,0	CHS	27	
0.1	C3-5 S-83	95,0	CHS	32	
0.1	C3-5 S-64	94,5	CHS		(378.5 b)
0.1	C5-5 S-180	94,0	J	32	
0.1	C1-5 S-20	94,5	J	32	
0.1	C-3-5 80-29	95,0	CHS		
0.1	C5-5 80-23	93,5	CHS		
1,0	C2-5 80-19	95,5	CHS		
1,0	C2-5 80-20	95,0	CHS		(379 b)
1,0	C3-5 80-25	94,5	4S	21	
0.1	C3-5 80-26	93,5	4S		
0.1	C3-5 80-27	94,5	4S		
0.1	C3-5 80-28	93,5	4S	21	(376 b)
0.1	C5-5 S-139	93,5	2+2	32	
1,0	C5-5 S-143	93,5	2+2	32	
0.1	C5-5 S-133	95,5	2+2	32	
0.1	C5-5 S-140	92,0	2+2	32	(374.5 b)
1,0	C1-5 S-132	94,0	4S	32	
0.1	C1-5 S-134	V (0)	4S	32	
0.1	C1-5 S-135	97,0	4S		
ŠJM P208					
0.1	C1-5 S-136	95,5	4S	32	

Thüringer

1,0	C55 6416	95,5	4S	37	
1,0	C55 6417	94,5	4S	37	
0.1	C55 6420	95,0	4S		
0.1	C55 6419	94,5	4S		(379.5 b)
nedod.					
0.1	C55 6420	N (0)	J		
1,0	C4-5 S-64	95,0	CHS	37	
1,0	C4-5 S-63	95,5	CHS	37	
0.1	C4-5 S-65	95,5	CHS	37	
0.1	C3-5 S-26	96,0	CHS		(382 b)
0.1	C3-5 S-24	93,5	J	37	
1,0	C4-5 S-61	92,5	J	37	
0.1	C1-5 74-3	95,5	J		
1,0	C4-5 59-26	95,5	4S	37	
1,0	C4-5 59-29	95,0	4S	37	
1,0	C4-5 59-30	96,0	4S	37	
0.1	C4-5 59-32	95,0	4S		(381.5 b) 🏆

1,0	C4-5 59-27	96,0	CHS	37	
0.1	C4-5 59-33	96,0	CHS	37	
1,0	C4-5 59-38	94,5	CHS	37	
0.1	C3-5 59-25	96,0	CHS	37	(382.5 b) 🏆
1,0	154 N84	95,5	4S	48	
1,0	1520 N84	96,0	4S	48	
0.1	2540 N84	96,0	4S	48	
0.1	2543 N84	95,5	4S	48	(383 b) MJM P23
1,0	C3-5 62-45	94,5	4S	32	
1,0	C3-5 62-46	94,5	4S	32	
0.1	C3-5 62-47	93,5	4S		
0.1	C3-5 62-48	94,0	4S		(376.5 b)
1,0	S3-5 62-1	94,5	J	42	
0.1	S3-5 62-5	94,0	J	42	

Deutsche Widder grau

1,0	C2-5 83-15	93,0	2+2	42	
0.1	C2-5 83-13	95,0	2+2	42	
1,0	C4-5 83-24	96,0	2+2	42	
1,0	C4-5 83-25	96,0	2+2	42	(380 b) 🏆
1,0	C2-5 83-8	nekl.	2+2	42	
1,0	C3-5 83-21	92,5	2+2	42	
0.1	C3-5 83-22	95,5	2+2	42	
0.1	C3-5 83-23	95,5	2+2	42	
1,0	C3-5 83-17	94,5	2+2	42	
0.1	C3-5 83-18	95,0	2+2	42	
0.1	C3-5 83-19	94,5	2+2	42	
0.1	C3-5 83-20	V (0)	2+2	42	
1,0	C2-5 83-1	nekl.	2+2	40	
1,0	C2-5 83-3	93,0	2+2	40	
0.1	C4-5 83-29	96,0	2+2	42	🏆
1,0	C2-5 83-16	93,5	2+2	40	
1,0	C3-5 74-1	95,0	J	48	
1,0	C3-5 74-2	94,5	J	48	
1,0	C6-5 74-9	x	J		
0.1	C6-5 74-10	94,5	J	48	

Deutsche Widder schwarz

1,0	C1-5 75-3	95,0	J		
1,0	C1-5 75-4	95,0	J		
0.1	C2-5 83-1	94,0	J	42	

Deutsche Widder blau

1,0	S2-5 S71-09	95,5	CHS	74	
1,0	S0-5 P-10	nekl.	CHS		
0.1	S2-5 S71-19	95,0	CHS	68	
1,0	S4-5 S71-22	95,0	CHS	68	
1,0	C3-5 83-9	95,0	2+2	42	
0.1	C3-5 83-12	94,5	2+2	79	
0.1	C3-5 83-14	95,5	2+2	63	
0.1	nedod.	x	2+2		

Deutsche Widder feh1,0 S2-5 S23-01 **95,5** J 68**Deutsche Widder gelb**

1,0 C4-5 62-3 **94,5** 4S 42
 1,0 C4-5 62-4 **90,0** 4S 42
 1,0 C4-5 62-5 **V (0)** 4S 42
 0,1 C4-5 62-6 **V (0)** 4S 42
 1,0 C6-5 61-21 **94,0** 4S 37
 1,0 C6-5 61-22 **95,0** 4S 37
 0,1 C6-5 61-27 **93,0** 4S 37
 0,1 C6-5 61-28 **94,0** 4S 37 **(376 b)**

blau

1,0 S3-5 S71-14 **96,0** J  68
 1,0 S3-5 S71-13 **95,5** J 74

feh0,1 *nedod* x J**gelb**

0,1 C6-5 61-24 **93,0** J 37
 0,1 C6-5 61-25 **N (0)** J 37
 0,1 C6-5 61-26 **93,0** J 37

Champagne Silber

1,0 C2-5 64-20 **95,0** CHS 42
 0,1 C3-5 64-32 **95,5** CHS 42
 0,1 C3-5 64-33 **95,0** CHS
 0,1 C3-5 64-35 **95,5** CHS 42 **(381 b)** 
 1,0 C1-5 64-2 **94,5** 2+2 37
 0,1 C1-5 64-4 **95,5** 2+2 42
 0,1 C1-5 64-9 **94,0** 2+2 37
 0,1 C1-5 64-11 **95,5** 2+2 42 **(379.5 b)**
 1,0 C4-5 75-1 **94,0** 2+2 37
 1,0 C4-5 75-2 **94,0** 2+2 37
 0,1 C4-5 75-7 **92,5** 2+2 37
 0,1 C4-5 75-9 **92,0** 2+2 37 **(372.5 b)**
 1,0 C4-5 75-3 **94,5** J 37

Havanna

1,0 S1-5 14-13 **94,5** CHS 27
 1,0 S1-5 14-12 **95,5** CHS  27
 0,1 S3-5 14-18 **95,5** CHS 27
 0,1 S3-5 14-19 **96,0** CHS 27 **(381.5 b)**

Hermelin Rotaug

1,0 C2-5 74-1 **96,0** CHS
 0,1 C4-5 74-7 **95,0** CHS
 1,0 C1-4 47-1 **95,5** CHS
 1,0 C3-3 74-6 **95,5** CHS **(382 b)** 

0,1 C3-4 S-8 **96,0** CHS
 1,0 C3-4 S-5 **95,5** CHS 42
 1,0 C3-4 S-7 **95,5** CHS 42
 1,0 C1-2 S-1 **95,5** CHS **(382.5 b)** 

1,0 C3-4 S-6 **96,0** J 421,0 C6-5 81-14 **95,5** 2+21,0 C6-5 81-15 **95,5** 2+20,1 C6-5 81-12 **96,0** 2+20,1 C6-5 81-13 **96,5** 2+2 **(383.5 b)****MJM**1,0 C6-5 81-9 **95,5** CHS 370,1 C6-5 81-10 **94,5** CHS 481,0 C6-3 81-1 **96,0** CHS 530,1 C8-4 81-1 **96,0** CHS **(382 b)****Hermelin Blauauge**1,0 C5-5 S-13 **93,0** CHS 61,0 C6-5 S-28 **94,0** CHS 60,1 C6-5 S-29 **93,5** CHS0,1 C6-5 S-30 **93,5** CHS 34 **(374 b)**0,1 C3-5 S-27 **95,5** 4S1,0 C3-5 S-24 **95,5** 4S1,0 C3-5 S-23 **96,0** 4S 371,0 C3-5 S-25 **94,5** 4S **(381.5 b)** 1,0 C4-5 67-4 **92,5** J 321,0 C4-5 67-6 **91,5** J 320,1 C4-5 67-5 **95,0** J 791,0 C6-3 64-20 **95,5** J0,1 C2-3 S-19 **V (0)** J1,0 C2-5 81-1 **95,0** J 421,0 C6-1 81-3 **95,0** J 271,0 C2-5 S-3 **96,5** CHS **P22**0,1 C4-5 67-16 **91,5** CHS0,1 C4-5 67-17 **92,0** CHS0,1 C4-5 67-18 **95,0** CHS **(375 b)**

0,1 C x 2+2

0,1 C x 2+2

0,1 C x 2+2

0,1 C x 2+2

nedod.

1,0 C5-5 64-3 x J

0,1 C5-5 64-5 **95,0** J

nedod.

1,0 C7-5 83-15 x J

1,0 C1-5 84-4 **95,0** J1,0 C1-5 84-5 **96,0** J1,0 C3-5 83-9 **92,0** J 270,1 C3-5 83-12 **92,5** J 321,0 C3-5 83-10 **94,0** J 53

Hollander grau1,0 C2-5 75-2 **94,5** J 32**Hollander schwarz**1,0 C1-5 81-1 **95,0** 2+2 321,0 C1-5 81-2 **94,5** 2+2 321,0 C1-5 81-5 **94,0** 2+2 320,1 C1-5 81-6 **V (0)** 2+21,0 C2-5 S-1 **94,0** J 211,0 C3-5 S-3 **95,5** J 270,1 C5-5 S-35 **94,0** J 271,0 C2-5 75-3 **96,0** J  321,0 C2-5 75-5 **93,0** J 321,0 C1-5 75-1 **93,0** J 32**Hollander blau**1,0 C2-5 S15 **93,0** J 270,1 C4-5 S-55 **93,5** J 27**Hollander havanna**1,0 2214 922 **94,0** J1,0 S3-5 25-6 **94,0** J**Holitscherkaninchen blau**1,0 C2-5 64-25 **95,5** CHS 531,0 C2-5 64-62 **95,0** CHS 531,0 C5-5 64-76 **95,0** CHS 790,1 C5-5 64-65 **95,0** CHS (380.5 b)1,0 C-25 64-14 **95,5** 2+2 421,0 C-25 64-16 **96,0** 2+20,1 C-25 64-17 **96,0** 2+20,1 C-25 64-18 **96,0** 2+2  (383.5 b) 1,0 C-45 64-20 **96,0** CHS 421,0 C-45 64-21 **96,0** CHS 421,0 C-15 64-23 **95,5** CHS 420,1 C-45 64-22 **V (0)** CHS 421,0 S1-5 77-8 **95,5** 2+2 530,1 S1-5 77-12 **96,0** 2+2 791,0 S1-5 77-10 **96,5** 2+21,0 S3-5 77-48 **96,0** 2+2 53 (384 b)**MJM**0,1 S2-5 77-30 **V (0)** CHS1,0 S2-5 77-32 **V (0)** CHS0,1 S4-5 77-36 **95,5** CHS0,1 S4-5 77-37 **97,0** CHS**ŠJM P204**1,0 C4-5 59-2 **94,5** J 370,1 C3-5 62-13 **V (0)** 4S 320,1 C3-5 62-12 **94,0** 4S 320,1 C4-5 62-10 **95,5** 4S 320,1 C3-5 62-11 **V (0)** 4S 321,0 C4-5 64-38 **95,0** CHS 530,1 C1-5 64-2 **95,5** CHS1,0 C4-5 64-39 **V (0)** CHS 681,0 C1-5 64-10 **96,5** CHS **Weißer Hotot**0,1 C5-5 62-14 **93,5** J 211,0 C6-5 16-1 **94,5** 4S 420,1 C6-5 16-2 **95,0** 4S 420,1 C6-5 16-3 **95,0** 4S 420,1 C6-5 16-4 **94,5** 4S 42 (379 b) 1,0 C3-5 S-18 **95,0** 2+2 421,0 C3-5 S-19 **92,5** 2+2 421,0 C3-5 S-33 **93,0** 2+2 420,1 C3-5 S-34 **94,5** 2+2 42 (375 b)**Japaner**1,0 C3-5 S-34 **nekl.** 4S1,0 C3-5 S-35 **94,0** 4S 321,0 C3-5 S-36 **95,0** 4S  320,1 C3-5 S-37 **93,5** 4S1,0 C1-5 S-31 **V (0)** 2+2 320,1 C1-5 S-33 **92,5** 2+21,0 C3-5 S-39 **92,0** 2+2 321,0 C3-5 S-40 **92,5** 2+2 320,1 C4-5 S-38 **93,0** J 32**Kalifornier schwarz**1,0 C5-5 S-533 **96,0** 4S 37 **P238**1,0 C5-5 S-534 **96,0** 4S0,1 C5-5 S-535 **95,0** 4S 370,1 C5-5 S-539 **95,5** 4S (382.5 b) **MJM**1,0 C3-5 S-307 **95,0** J1,0 C7-5 S-547 **95,0** 4S1,0 C7-5 S-548 **94,0** 4S0,1 C7-5 S-549 **94,5** 4S 270,1 C7-5 S-552 **94,5** 4S 27 (378 b)1,0 C6-5 S-726 **94,5** 4S 320,1 C6-5 S-729 **93,5** 4S 320,1 C6-5 S-730 **93,0** 4S 320,1 C6-5 S-731 **93,0** 4S 32 (374 b)1,0 C1-5 S-77 **93,0** 2+2 420,1 C1-5 S-81 **94,5** 2+21,0 C3-5 S-469 **93,5** 2+2 400,1 C3-5 S-471 **94,5** 2+2 40 (375.5 b)1,0 C1-5 75-17 **93,5** J 370,1 C2-5 75-20 **93,5** J 370,1 C5-4 S-593 **93,5** J 370,1 C1-5 61-21 **94,0** J 320,1 C1-5 61-22 **93,0** J 320,1 C1-5 61-23 **93,5** J 32

1,0	C7-5 72-53	95,0	4S	
1,0	C7-5 72-54	90,0	4S	
0.1	C7-5 72-57	92,0	4S	
0.1	C7-5 72-59	92,0	4S	(369 b)
1,0	C1-5 83-2	94,5	4S	27
1,0	C2-5 83-20	95,5	4S	27
1,0	C2-5 83-21	92,5	4S	27
0.1	C2-5 83-18	94,5	4S	27 (377 b)

Kalifornier blau				
1,0	C6-5 S-17	94,5	4S	37
0.1	C6-5 S-20	94,5	4S	37
1,0	C6-5 S-22	93,5	4S	37
0.1	C6-5 S-24	91,0	4S	37 (373.5 b)

Castor - Rex				
0.1	C3-5 S809	95,0	4S	42
0.1	C3-5 S810	95,0	4S	42
0.1	C3-5 S811	95,0	4S	42
0.1	C3-5 S812	95,0	4S	42 (380 b)
1,0	C3-5 S-912	94,0	4S	
1,0	C3-5 S-914	93,5	4S	
0.1	C3-5 S-915	95,0	4S	
0.1	C3-5 S-917	93,0	4S	(375.5 b)
1,0	C4-5 S-2308	93,5	4S	
0.1	C4-5 S-23010	94,5	4S	
0.1	C4-5 S-23011	95,5	4S	
0.1	C4-5 S-23012	94,5	4S	(378 b)

Grosse Marder braun				
1,0	C3-5 64-6	94,0	J	32
1,0	C3-5 64-7	92,0	J	27
0.1	C3-5 64-9	95,5	J	32
1,0	5-5 71-6	95,0	4S	42
1,0	5-5 71-7	95,0	4S	42
0.1	5-5 71-8	96,0	4S	42
0.1	5-5 71-9	96,0	4S	42 (382 b)
0.1	5-5 71-12	94,5	J	42
0.1	5-5 71-13	95,0	J	42

Grosse Marder blau				
1,0	C4-5 76-4	93,0	2+2	32
0.1	C4-5 76-6	94,5	2+2	32
0.1	C4-5 76-9	95,0	2+2	32
0.1	C4-5 76-10	94,0	2+2	32 (376.5 b)
1,0	C6-5 76-15	93,0	4S	32
1,0	C6-5 76-16	93,0	4S	32
1,0	C6-5 76-17	92,0	4S	32
0.1	C6-5 76-19	93,0	4S	32 (371 b)
1,0	C6-5 76-18	94,0	J	32
0.1	C6-5 76-20	92,0	J	32

1,0	C	x	2+2	
1,0	C	x	2+2	
0.1	C	x	2+2	
0.1	C	x	2+2	
1,0	C	x	J	
1,0	C	x	J	
1,0	C6-5 S-46	95,5	2+2	37
1,0	C6-5 S-47	95,5	2+2	37
0.1	C6-5 S-44	94,5	2+2	
0.1	C6-5 S-45	93,0	2+2	(378.5 b)
1,0	C1-5 61-1	94,0	J	32
1,0	C1-5 69-7	94,5	4S	29
0.1	C1-5 69-13	94,5	4S	27
0.1	C1-5 69-33	93,5	4S	29
1,0	C2-5 69-39	94,5	4S	27 (377 b)

Deutsche Kleinwiddler grau				
1,0	C2-5 71-3	95,5	J	
1,0	3566 S459	94,0	J	
1,0	C4-5 80-22	97,0	CHS	42
1,0	C4-5 80-23	95,5	CHS	42
1,0	C3-5 80-2	96,0	CHS	48
0.1	C4-5 80-25	96,0	CHS	(384.5 b)

Deutsche Kleinwiddler eisengrau				
1,0	C 79-5	x	4S	
0.1	C 79-7	x	4S	
0.1	C 79-8	x	4S	
0.1	C 79-9	x	4S	
1,0	C3-5 80-1	95,5	J	42

Marburger - Feh				
1,0	C2-5 79-2	96,0	2+2	27
1,0	C2-5 79-4	95,5	2+2	27
0.1	C4-5 79-12	94,0	2+2	27
0.1	C4-5 79-13	94,0	2+2	27 (379.5 b)
0.1	C1-5 68-1	95,5	J	17
1,0	C2-5 75-3	94,0	J	27
1,0	C2-5 75-4	94,0	J	27
0.1	C2-5 75-5	94,5	J	27

Mecklenburger Schecke schwarz				
1,0	C2-5 S-8	95,0	CHS	42
1,0	C1-5 S-5	95,5	CHS	42
1,0	C1-5 S-4	x	CHS	
1,0	C2-5 S-9	x	CHS	
1,0	C3-5 73-8	V (0)	2+2	42
0.1	C2-5 73-4	94,5	2+2	
0.1	C3-5 73-9	92,0	2+2	42
0.1	C	x	2+2	

0.1	C2-5 64-8	95,5	2+2	
0.1	C2-5 64-5	94,0	2+2	
1,0	C2-5 64-2	93,5	2+2	
0.1	C2-5 64-3	94,0	2+2	37 (377 b)

Mecklenburger Schecke blau

0.1	C2-5 64-21	94,5	J	
0.1	C2-5 64-24	94,5	J	
1,0	C1-5 64-2	95,5	CHS	37
1,0	C2-5 64-7	92,0	CHS	37
1,0	C3-4 64-3	V (0)	CHS	
1,0	C1-4 64-1	96,5	CHS	🏆

Mecklenburger Schecke thüringerfarbig

1,0	C4-5 64-11	92,5	2+2	37
1,0	C3-5 64-5	91,5	2+2	
1,0	C2-5 64-1	93,0	2+2	37
0.1	C2-5 64-4	94,5	2+2	(371.5 b)

Mährische weiss braunaugen

1,0	C1-5 S-1	95,0	CHS	32
1,0	C1-5 S-12	96,0	CHS	32
1,0	C1-5 S-14	95,0	CHS	32
0.1	C1-5 S-29	94,5	CHS	32 (380.5 b)
1,0	C1-5 S-17	94,5	CHS	37
1,0	C1-5 S-19	95,5	CHS	
1,0	C4-5 S-61	96,0	CHS	37
0.1	C4-5 S-63	95,5	CHS	32 (381.5 b)
1,0	C4-5 S-57	93,0	J	32
0.1	C4-5 S-59	92,0	J	32
0.1	C4-5 S-60	96,0	J	

P218

Klubová výstava moravských bílých hnědookých

1,0	C3-5 S42	95,5	4S	42
0.1	C3-5 S43	95,5	4S	42
0.1	C3-5 S44	95,5	4S	42
0.1	C3-5 S45	95,5	4S	42 (382 b)
1,0	C3-5 S38	95,0	2+2	42
0.1	C3-5 S41	95,0	2+2	42
1,0	C3-5 S46	95,0	2+2	42
0.1	C3-5 S49	95,5	2+2	42 (380.5 b)
0.1	C3-5 S-92	96,0	CHS	37
0.1	C3-5 S-90	96,0	CHS	37
1,0	C1-5 S-142	96,0	CHS	37
1,0	C1-5 S-86	96,0	CHS	37 (384 b)

MJM P26 P217 P219

Mährische blaue

0.1	C3-5 S-179	93,0	CHS	
0.1	C4-5 S-397	95,5	CHS	
1,0	C4-5 S-398	N (0)	CHS	63
1,0	C1-4 S-8	93,0	CHS	

0.1	C6-5 S-499	V (0)	J	53
-----	------------	-------	---	----

Deutsche Riesenschecken schwarz

1,0	C2-5 S197	93,5	J	131
1,0	C1-5 S193	V (0)	4S	131
1,0	C1-5 S194	94,0	4S	131
0.1	C1-5 S195	95,5	4S	
0.1	C1-5 S196	N (0)	4S	
1,0	S3-5 S-141	92,5	2+2	74
0.1	S3-5 S-139	94,5	2+2	
1,0	S4-5 S-143	93,0	2+2	74
0.1	S4-5 S-150	95,0	2+2	(375 b)
0.1	S3-5 S-133	94,5	J	
1,0	C11-4 75-17	94,0	J	105
1,0	S3-5 P36	94,0	J	79
1,0	S3-5 P37	93,0	J	79

Deutsche Riesenschecken havanna

1,0	C1-5 S37	93,5	J	131
1,0	C1-5 S36	94,5	4S	131
0.1	C1-5 S38	95,0	4S	
0.1	C1-5 S40	95,0	4S	
0.1	C1-5 S39	95,5	4S	🏆 (380 b)
1,0	C4-5 81-3	91,5	J	53
1,0	S3-5 S21	91,5	J	74
1,0	S4-5 S26	91,5	J	79
1,0	S4-5 S27	90,5	J	79
1,0	S3-5 P38	91,5	J	84

Weisse Neuseeländer

1,0	C5-5 82-17	95,0	4S	42
1,0	C5-5 82-18	95,0	4S	42
1,0	C5-5 82-19	95,0	4S	48
0.1	C5-5 82-21	96,0	4S	(381 b)
1,0	C1-5 75-3	96,5	CHS	🏆
1,0	C1-5 75-2	96,0	CHS	
0.1	C1-5 75-5	V (0)	CHS	42
0.1	C2-5 75-9	94,5	CHS	
1,0	C1-5 75-1	94,0	J	42
1,0	S4-5 S-310	95,0	2+2	53
0.1	S4-5 S-313	95,0	2+2	53
1,0	S1-5 S-246	96,0	2+2	53
1,0	S1-5 S-261	96,0	2+2	53 (382 b)

MJM

Rote Neuseeländer

1,0	C4-5 S-0390	95,0	4S	37
1,0	C4-5 S-0391	96,0	4S	37
1,0	C4-5 S-0392	93,0	4S	37
0.1	C4-5 S-0393	95,0	4S	(379 b)

P212

1,0	C4-5 S-962	94,5	J	37
0.1	C4-5 S-964	95,5	J	37
1,0	C4-5 S-96	92,0	4S	32
0.1	C4-5 S-100	91,5	4S	32
0.1	C4-5 S-101	93,0	4S	32
0.1	C4-5 S-102	výl.	4S	32
0.1	C2-5 S-803	93,0	J	42
1,0	C3-5 S-91	93,5	J	32
0.1	C3-5 S-93	93,0	J	
1,0	C3-5 S-172	91,5	J	32
1,0	C4-5 S-539	94,5	4S	37
1,0	C4-5 S-540	95,0	4S	37
0.1	C4-5 S-542	95,5	4S	37
0.1	C1-5 S-203	96,0	4S	(381 b)  P213
1,0	C	x	2+2	
1,0	C	x	2+2	
1,0	C	x	2+2	
0.1	C	x	2+2	
1,0	C2-5 S-938	93,0	CHS	
0.1	C2-5 S-941	95,0	CHS	
0.1	C2-5 S-943	95,5	CHS	
0.1	C2-5 S-936	95,5	CHS	(379 b)
0.1	C3-5 S-0333	93,5	4S	34
0.1	C3-5 S-0334	95,5	4S	
0.1	C3-5 S-0335	94,5	4S	34
0.1	C3-5 S-0336	94,0	4S	34 (377.5 b)
0.1	C4-5 S-0344	94,5	J	
1,0	1-5 62-1	95,5	J	
1,0	1-5 62-2	96,0	J	

Perlfelh

1,0	C4-5 64-6	96,5	2+2 	29
1,0	C4-5 64-7	96,0	2+2	29
0.1	C1-5 64-1	94,0	2+2	29
0.1	C1-5 64-3	93,0	2+2	29 (379.5 b)

Rex weiss RA

Rex kuní modrý				
0.1	C4-5 61-12	93,0	J	32
1,0	C4-5 61-6	92,5	J	

Rex schwarz

1,0	C1-5 71-1	92,0	J	42
0.1	C1-5 71-2	V (0)	J	42
1,0	C2-5 71-4	94,0	2+2	42
0.1	C2-5 71-6	95,0	2+2	42
1,0	C3-5 71-7	0	2+2	42
0.1	C3-5 71-10	95,0	2+2	42
1,0	C6-5 81-14	0	4S	
1,0	C6-5 81-15	93,0	4S	
0.1	C6-5 81-16	0	4S	
0.1	C6-5 81-17	93,5	4S	

1,0	C6-5 81-11	V (0)	J	
1,0	C6-5 81-12	V (0)	J	
1,0	C	x	J	

Rex marder blau

1,0	C3-5 S-301	95,0	J	37
-----	------------	------	---	----

schwarz

1,0	C2-5 S-35	93,5	J	32
1,0	C2-5 S-36	93,5	J	32
1,0	C4-5 S-38	93,5	J	32
1,0	C4-5 S-39	94,0	J	32
1,0	C1-5 S-32	N (0)	J	32
1,0	C2-5 S-37	95,5	J	32

schwarz-gelb

0.1	C4-5 62-2	93,0	J	32
1,0	C4-5 62-1	93,5	J	32
0.1	C1-5 11-4	94,0	J	
0.1	C4-5 11-6	95,0	J	

Rhönkaninchen

1,0	C2-5 S-907	95,0	CHS	27
1,0	C4-5 S-927	95,0	CHS	27
1,0	C4-5 S-929	95,5	CHS	27
0.1	C4-5 S-931	95,0	CHS	27 (380.5 b)
1,0	C4-5 73-4	95,0	J	
1,0	C4-5 73-6	95,5	J	P239

Russen schwarz

1,0	C2-4 85-1	95,5	4S	42
1,0	C2-4 85-2	95,0	4S	42
1,0	C2-4 85-3	96,0	4S	
1,0	C2-4 85-4	95,5	4S	42 (382 b) MJM
1,0	C2-4 85-5	95,5	J	42

Sallander

1,0	C2-5 S-6	95,5	CHS	
0.1	C3-5 S-16	96,0	CHS	
0.1	C3-5 S-15	96,0	CHS	P210
0.1	C3-5 S-13	96,0	CHS	(383.5 b) MJM P209

Klubová výstava činchil malých, dailenárů a salladerů

1,0	C6-5 S-34	94,5	4S	40
0.1	C6-5 S-36	95,0	4S	42
0.1	C6-5 S-37	95,0	4S	
0.1	C6-5 S-38	94,0	4S	42 (378.5 b)
0.1	C6-5 S-30	93,5	J	42
1,0	C6-5 S-33	93,0	J	42
0.1	C6-5 S-39	95,0	J	

1,0	CN84 154	94,0	4S	48
0.1	CN84 155	94,5	4S	48
0.1	CN84 156	94,5	4S	48
0.1	CN84 157	94,5	4S	48 (377.5 b)
0.1	C3-5 71-2	93,0	4S	32
0.1	C3-5 71-3	92,5	4S	32
0.1	C3-5 71-4	92,0	4S	32
0.1	C3-5 71-5	93,0	4S	32 (370.5 b)
1,0	C6-5 80-1	93,5	J	32
1,0	C6-5 80-2	N (0)	J	32
1,0	242 S232	94,0	CHS	
1,0	C1-5 P-2	94,0	CHS	42
0.1	1514 T628	95,0	CHS	
1,0	C1-5 P-1	94,0	CHS	48 (377 b)
1,0	C1-5 P-6	96,0	CHS	
1,0	C1-5 P-9	95,5	CHS	48
0.1	C1-5 P-4	94,0	CHS	
0.1	C4-5 P-26	94,5	CHS	(380 b) 🏆
1,0	C6-5 P-31	93,5	2+2	48
0.1	C6-5 P-32	93,5	2+2	42
1,0	C6-5 P-34	95,0	2+2	37
1,0	C6-5 P-35	94,5	2+2	37 (376.5 b)
0.1	554 E1	94,5	J	
1,0	C3-5 62-5	92,0	2+2	37
1,0	C3-5 62-6	92,0	2+2	37
0.1	C3-5 62-11	94,5	2+2	37
0.1	C3-5 62-12	94,5	2+2	(373 b)
1,0	C3-5 62-1	94,5	J	32

Grosse Siamesen gelb

1,0	C1-5 S-2	94,0	J	29
-----	----------	------	---	----

Slovakischer blaubrauer Rex

1,0	C2-5 73-23	93,0	4S	42
0.1	C2-5 73-25	91,0	4S	32
0.1	C1-5 73-12	V (0)	4S	
1,0	C2-5 73-22	94,0	4S	42
1,0	C2-5 S-21	0	4S	42
0.1	C2-5 S-24	94,5	4S	42
0.1	C2-5 S-25	95,0	4S	42
0.1	C2-5 S-26	0	4S	42
1,0	C3-5 S-37	92,0	J	42
0.1	C3-5 S-38	93,5	J	42

Kleinsilber grau

1,0	C4-5 73-1	x	J	
1,0	C4-5 73-2	x	J	
0.1	C4-5 S-78	95,0	2+2	27
1,0	C4-5 S-87	95,0	2+2	27
0.1	C4-5 S-88	94,0	2+2	27
1,0	C4-5 S-75	94,5	2+2	27 (378.5 b) 🏆

0.1	C6-5 83-3	93,0	J	24
1,0	C7-5 62-1	94,5	4S	
1,0	C7-5 62-2	94,5	4S	
0.1	C7-5 62-3	94,5	4S	
0.1	C7-5 62-4	94,5	4S	(378 b)
0.1	C7-5 62-5	94,5	2+2	
0.1	C7-5 62-6	94,5	2+2	
1,0	C7-5 62-7	94,0	2+2	
1,0	C7-5 62-8	93,5	2+2	(376.5 b)
1,0	C7-5 62-9	94,5	4S	
1,0	C7-5 62-10	94,5	4S	
0.1	C7-5 62-11	95,0	4S	
0.1	C7-5 62-12	94,0	4S	(378 b)

Kleinsilber schwarz

1,0	C3-5 64-8	95,0	CHS	
1,0	C4-5 64-13	96,5	CHS	P228
1,0	C2-5 64-4	94,5	CHS	
0.1	C2-5 64-11	94,0	CHS	(380 b) 🏆
1,0	C1-5 S-61	95,0	2+2	27
0.1	C1-5 S-64	94,0	2+2	27
1,0	C2-5 S-67	95,0	2+2	27
1,0	C2-5 S-68	95,5	2+2	21 (379.5 b)
1,0	C3-5 S-75	95,5	4S	21
1,0	C1-5 S-62	95,0	4S	21
1,0	C1-5 S-63	96,0	4S	21
1,0	C3-5 S-76	95,5	4S	21 (382 b) 🏆
1,0	C1-5 S-47	96,0	2+2	
0.1	C1-5 S-48	V (0)	2+2	
1,0	C2-5 S-55	95,0	2+2	
1,0	C2-5 S-56	94,5	2+2	
1,0	C5-5 S134	95,0	4S	16
0.1	C5-5 S136	94,0	4S	16
1,0	C5-5 S138	94,5	4S	16
0.1	C5-5 S139	95,0	4S	16 (378.5 b)
0.1	C4-5 67-13	94,0	2+2	
0.1	C4-5 67-14	95,0	2+2	32
1,0	C3-5 67-7	93,5	2+2	27
1,0	C3-5 67-8	94,0	2+2	27 (376.5 b)
1,0	C3-5 67-1	94,0	J	27
1,0	C3-5 67-3	93,5	J	27
1,0	C5-5 67-15	94,0	J	27
0.1	C5-5 67-16	95,5	2+2	32
0.1	C5-5 67-17	96,0	2+2	
1,0	C4-5 67-11	95,0	2+2	27
1,0	C4-5 67-12	95,5	2+2	27 (382 b) MJM
1,0	C4-5 83-1	94,0	J	24
1,0	C4-5 83-2	94,0	J	24
1,0	C5-5 S-113	95,0	4S	32
0.1	C5-5 S-118	95,0	4S	32
1,0	C4-5 S-95	V (0)	4S	32
1,0	C1-5 S-1	95,5	4S	32

Kleinsilber blau

0.1	C3-5 83-8	94,5	J	24	
1,0	C-55 S-67	94,5	CHS		
0.1	C-55 S-68	96,0	CHS		
0.1	C-55 S-73	95,5	CHS		
0.1	C-55 S-64	95,0	CHS	(381 b)	
1,0	C-25 S-18	94,5	2+2	53	
0.1	C-25 S-22	95,0	2+2	53	
0.1	C-55 S-65	95,0	2+2		
0.1	C-55 S-66	93,5	2+2	(378 b)	
1,0	C4-5 71-1	95,0	2+2		
0.1	C4-5 71-3	94,0	2+2		
0.1	C4-5 71-7	94,5	2+2		
0.1	C4-5 71-10	94,5	2+2	(378 b)	
1,0	C4-5 75-14	95,5	J	32	
1,0	C4-5 75-23	94,0	J	32	
0.1	C4-5 75-17	94,0	J		

Kleinsilber havanna

1,0	C3-5 S-40	94,5	CHS	27	
1,0	C4-5 S-100	96,0	CHS	32	
0.1	C3-5 S-51	95,5	CHS		
0.1	C3-5 S-46	95,5	CHS	(381.5 b)	
1,0	C1-5 P-15	95,0	4S	27	
1,0	C3-5 P-20	94,5	4S	27	
0.1	C1-5 P-12	95,0	4S	27	
0.1	C1-5 P-17	94,5	4S	27 (379 b)	
1,0	C1-5 P-13	95,0	4S	27	
1,0	C1-5 P-14	95,0	4S	27	
0.1	C3-5 P-23	94,0	4S		
0.1	C3-5 P-24	V (0)	4S		
1,0	C3-5 83-5	94,5	2+2	24	
0.1	C3-5 83-6	94,0	2+2	24	
0.1	C3-5 83-2	94,5	2+2	24	
0.1	C3-5 83-3	93,0	2+2	24 (376 b)	
0.1	C3-5 83-4	92,0	J	24	

Kleinsilber gelb

1,0	C4-5 S-279	95,5	CHS	27	
1,0	C5-5 S-308	95,0	CHS	27	
0.1	C5-5 S-313	95,5	CHS	27	
0.1	C5-5 S-314	95,0	CHS	27 (381 b)	
1,0	C3-5 S-269	96,0	CHS	27	
0.1	C5-5 S-309	95,5	CHS	37	
0.1	C5-5 S-311	93,5	CHS	27	
0.1	C4-5 S-307	94,0	CHS	(379 b)	
1,0	C4-5 S-280	96,0	CHS	42	
0.1	C4-5 S-284	95,5	CHS		
0.1	C4-5 S-306	95,0	CHS		
0.1	C5-5 S-315	96,0	CHS	(382.5 b)	MJM P227

1,0	C3-5 S-97	94,0	2+2	27	
1,0	C1-5 S-34	95,0	2+2	27	
1,0	C1-5 S-06040	95,5	2+2	27	
0.1	C1-5 S-06032	94,0	2+2	(378.5 b)	
1,0	C4-5 S-218	96,0	2+2 	32	
0.1	C4-5 S-219	95,5	2+2		
0.1	C6-5 S-324	95,0	2+2		
0.1	C6-5 S-323	94,0	2+2	(380.5 b)	
0.1	C1-5 S-6	95,5	J	32	
0.1	C4-5 S-233	94,0	J	32	
1,0	C1-5 S-59	95,0	CHS	27	
1,0	C1-5 S-71	94,5	CHS	27	
1,0	C1-5 S-64	95,5	CHS	27	
1,0	C3-5 S-318	95,5	CHS	27 (380.5 b)	
0.1	C1-5 83-2	94,5	J	24	

Kleinsilber hell

1,0	C1-5 S-1	95,0	4S	21	
1,0	C1-5 S-2	94,5	4S	21	
1,0	C1-5 S-3	94,5	4S	21	
0.1	C1-5 S-5	93,5	4S	21 (377.5 b)	
1,0	C3-5 64-1	94,0	2+2	32	
1,0	C3-5 64-2	95,0	2+2	32	
0.1	C3-5 64-3	94,0	2+2		
0.1	C3-5 64-7	95,0	2+2	32 (378 b)	
0.1	C5-5 73-1	x	J		
0.1	C5-5 73-3	x	J		
1,0	C3-5 S-40	95,5	2+2	27	
0.1	C3-5 S-56	95,5	2+2	27	
0.1	C4-5 S-72	94,0	2+2	27	
0.1	C4-5 S-90	95,0	2+2	27 (380 b)	
1,0	C2-5 83-9	V (0)	J	24	
1,0	C2-5 83-10	92,0	J	24	
1,0	C3-5 67-8	95,0	2+2	27	
0.1	C3-5 67-9	95,0	2+2	27	
1,0	C5-5 67-22	94,5	2+2	27	
0.1	C5-5 67-24	94,5	2+2	27 (379 b)	
1,0	C1-5 S-98	95,5	CHS		
0.1	C4-5 S-118	95,0	CHS		
0.1	C4-5 S-120	95,5	CHS		
1,0	C1-5 S-107	95,0	CHS	(381 b)	
1,0	C3-5 S-115	95,0	CHS		
0.1	C4-5 S-119	95,0	CHS		
1,0	C3-5 S-117	95,0	CHS		
0.1	C3-5 S-114	94,5	CHS	(379.5 b)	

Rheinische Schecken

1,0	C2-5 69-6	94,5	CHS	32	
0.1	C2-5 69-7	94,0	CHS		
1,0	C3-5 69-9	93,0	CHS	32	
0.1	C3-5 69-15	92,5	CHS	(374 b)	

0.1	C2-5 69-2	94,5	J	32
0.1	C5-5 69-19	93,5	J	
1,0	C4-5 68-11	94,0	J	
0.1	C2-5 68-2	93,5	J	42

pokračování expozice králíků

Lohkaninchen schwarz

1,0	C4-5 S-72	95,0	J	🏆	32
0.1	C4-5 S-74	V (0)	J		
1,0	C5-5 70-23	94,5	J		27
1,0	C5-5 70-24	95,0	J		27
0.1	C7-5 70-25	95,0	J		
1,0	C1-5 67-12	V (0)	J		
0.1	C1-5 67-15	V (0)	J		
1,0	C1-5 67-28	V (0)	J		27
0.1	C1-5 67-26	V (0)	J		27
1,0	C1-5 67-24	V (0)	J		27
0.1	C1-5 67-19	V (0)	J		27

pokračování expozice králíků

1,0	C5-5 67-30	95,5	4S	45	
0.1	C5-5 67-32	96,0	4S	45	
0.1	C5-5 67-27	96,0	4S	45	
0.1	C5-5 67-28	95,5	4S	45 (383 b)	MJM

Helle Grossilber

1,0	C4-5 S862	96,0	CHS	37	
1,0	C4-5 S955	95,5	CHS	37	
0.1	C4-5 S958	94,5	CHS	37	
0.1	C4-5 S950	96,0	CHS	37 (382 b)	🏆 P215
1,0	C1-5 S115	96,0	CHS		P214
1,0	C2-5 S263	96,0	CHS		
0.1	C4-5 S1583	96,0	CHS		
0.1	C1-5 S1805	95,0	CHS	(383 b)	MJM
0.1	C4-5 S-894	95,0	CHS	42	
1,0	C4-5 S-896	95,0	CHS		
1,0	C4-5 S-897	94,5	CHS		
0.1	C4-5 S898	96,0	CHS	(380.5 b)	
0.1	C2-5 S-0414	94,0	4S	37	
1,0	C2-5 S-0410	93,0	4S		
0.1	C2-5 S-0412	94,5	4S	37	
0.1	C2-5 S-0415	94,5	4S	37 (376 b)	
1,0	C2-5 S-0403	95,0	4S	42	
0.1	C2-5 S-0405	96,0	4S	42	
0.1	C2-5 S-0404	95,5	4S	37	
1,0	C1-5 S-60	94,0	4S	37 (380.5 b)	
1,0	C1-5 S-20	94,0	CHS	37	
0.1	C1-5 S-21	94,5	CHS	37	
0.1	C1-5 S-22	95,0	CHS	32	
1,0	C1-5 S-24	95,0	CHS	34 (378.5 b)	

0.1	C4-5 S-240	95,5	J	32
0.1	C1-5 S-26	V (0)	J	32
1,0	C3-5 64-95	93,0	4S	42
1,0	C3-5 64-96	93,0	4S	42
1,0	C3-5 64-93	95,5	4S	42
1,0	C3-5 64-97	94,0	4S	42 (375.5 b)
1,0	C3-5 64-88	95,5	2+2	42
0.1	C3-5 64-91	94,0	2+2	42
0.1	C3-5 64-107	93,5	2+2	42
0.1	C3-5 64-108	N (0)	2+2	42
1,0	C3-5 64-101	92,0	J	42
1,0	C2-5 69-15	94,0	J	27
1,0	C2-5 69-16	92,5	J	27
1,0	C4-5 69-19	92,0	J	27
1,0	C4-5 64-130	94,0	CHS	37
0.1	C4-5 64-138	95,5	CHS	37
0.1	C4-5 64-139	N (0)	CHS	37
0.1	C4-5 64-141	N (0)	CHS	37
1,0	C4-5 64-128	93,5	4S	37
1,0	C4-5 64-129	93,5	4S	37
0.1	C4-5 64-132	95,0	4S	37
0.1	C4-5 64-133	94,0	4S	37 (376 b)
0.1	nedod.	x	J	
1,0	C2-5 64-61	95,0	J	37
1,0	C2-5 64-57	94,5	J	37
1,0	C3-5 64-65	91,5	J	37
1,0	C4-5 64-72	91,5	J	37
0.1	C5-5 62-37	94,5	4S	37
0.1	C5-5 62-36	94,5	4S	37
0.1	C5-5 62-35	94,0	4S	37
1,0	C5-5 62-34	94,0	4S	37 (377 b)
1,0	C4-5 S-926	94,5	4S	
0.1	C4-5 S-928	92,5	4S	27
0.1	C4-5 S-929	95,0	4S	37
0.1	C4-5 S-931	93,0	4S	32 (375 b)
0.1	C5-5 S-888	94,0	J	42
0.1	C5-5 S-889	94,5	J	42
1,0	C2-5 S-369	94,5	J	53
0.1	C1-5 S-75	96,0	J	53
0.1	C4-5 64-141	N (0)	J	37
1,0	C3-5 64-123	95,0	2+2	
1,0	C2-5 64-82	95,0	2+2	37
0.1	C3-5 64-126	95,0	2+2	
0.1	C2-5 64-83	96,0	2+2	42 (381 b)
0.1	C4-5 64-139	N (0)	J	37
0.1	C4-5 64-136	95,5	4S	37
0.1	C4-5 64-137	95,0	4S	37
0.1	C4-5 64-138	95,0	4S	37
0.1	C4-5 64-140	96,0	4S	37 (381.5 b)

1,0	C1-5 64-77	95,5	CHS	
0.1	C2-5 64-84	95,5	CHS	37
0.1	C3-5 64-125	95,5	CHS	37
0.1	C3-5 64-124	96,0	CHS	42 (382.5 b) 🏆
1,0	C2-5 S-343	95,5	4S	32
1,0	C5-5 S-900	93,0	4S	32
0.1	C5-5 S-903	93,5	4S	
0.1	C2-5 S-347	95,0	4S	32 (377 b)
0.1	C1-5 nedod.	x	J	
1,0	C1-5 nedod.	x	J	
1,0	C1-5 nedod.	x	J	
0.1	C1-5 81-4	94,5	2+2	
0.1	C1-5 81-10	95,5	2+2	
1,0	C1-5 81-12	94,5	2+2	37
0.1	C1-5 81-16	94,5	2+2	(379 b)
1,0	C1-5 67-28	94,5	4S	42
1,0	C2-5 67-48	94,5	4S	42
0.1	C2-5 67-55	94,0	4S	
0.1	C3-5 67-59	95,5	4S	(378.5 b)
1,0	2-5 62-22	92,0	J	42
0.1	2-5 62-21	91,0	J	42

Weisse Wiener

0.1	C3-5 80-23	95,0	2+2	
1,0	C4-5 80-42	95,0	2+2	53
0.1	C4-5 80-43	94,5	2+2	53
0.1	C4-5 80-44	94,5	2+2	53 (379 b)
1,0	C3-5 S-12	94,0	4S	
1,0	C3-5 S-14	93,5	4S	
1,0	C2-4 S-24	94,5	4S	
0.1	C3-5 S-19	94,0	4S	(376 b)
1,0	S2-5 56-1	95,0	2+2	53
0.1	S2-5 56-3	95,5	2+2	
0.1	S2-5 56-4	93,5	2+2	
0.1	S2-5 56-6	94,5	2+2	53 (378.5 b)

Schwarze Wiener

1,0	C5-5 72-33	94,5	4S	32
1,0	C5-5 72-34	94,5	4S	32
1,0	C5-5 72-35	94,5	4S	32
0.1	C5-5 72-36	94,5	4S	32 (378 b)
1,0	C1-5 72-29	V (0)	J	
1,0	C1-5 72-30	96,0	J	37
0.1	C5-5 S-35	95,0	4S	
0.1	C5-5 S-34	94,5	4S	
0.1	C5-5 S-33	95,0	4S	
1,0	C5-5 S-32	94,5	4S	(379 b) 🏆

Blaugraue Wiener

1,0	C4-5 S-9	95,5	2+2	42
1,0	C4-5 S-11	96,0	2+2	53
1,0	C4-5 S-17	96,0	2+2	53
0.1	C4-5 S-19	96,0	2+2	(383.5 b) MJM P229

0.1	C4-5 S-20	N (0)	J	37
0.1	C4-5 S-21	96,0	J	
0.1	C6-5 S-48	96,0	J	48
0.1	C6-5 S-49	94,0	J	37
0.1	C6-5 S-50	94,5	J	37
0.1	C1-5 66-5	93,5	4S	
0.1	C1-5 66-6	95,5	4S	37
1,0	C1-5 66-2	V (0)	4S	32
1,0	C1-5 66-3	95,5	4S	37

Blaue Wiener

1,0	C55 6482	92,5	4S	37
1,0	C55 6483	92,5	4S	37
1,0	C55 6480	95,5	4S	37
1,0	C55 6481	V (0)	4S	37
	nedod.			
0.1	C55 6483	x	J	
1,0	C55 6498	94,0	2+2	37
0.1	C55 6499	92,5	2+2	37
0.1	C55 6487	92,5	2+2	37
0.1	C55 6486	93,0	2+2	37 (372 b)
1,0	C4-5 S113	93,5	2+2	
1,0	C4-5 S114	94,0	2+2	53
0.1	C3-5 S109	94,0	2+2	53
0.1	C3-5 S110	95,0	2+2	(376.5 b)
0.1	C5-5 S265	92,5	J	53
1,0	C2-5 S14-6	95,0	J	
1,0	C6-5 80-20	94,5	J	42
1,0	C5-5 80-15	95,0	J	48
1,0	C4-5 80-10	95,0	J	53
1,0	C4-5 80-7	95,5	J	53
1,0	C4-5 P55	96,0	CHS	63
1,0	C4-5 P57	95,5	CHS	63
1,0	C3-5 P31	96,0	CHS	63
0.1	C3-5 P38	94,0	CHS	(381.5 b) 🏆
0.1	C4-5 P59	93,5	J	
1,0	C4-5 64-36	93,5	4S	37
0.1	C4-5 64-37	94,0	4S	37
0.1	C4-5 64-38	92,5	4S	37
0.1	C4-5 64-39	92,5	4S	37 (372.5 b)
0.1	C3-5 64-33	92,5	J	37
0.1	C3-5 64-34	93,5	J	37
0.1	C4-5 64-45	93,5	J	37
0.1	C4-5 64-47	92,5	J	37
1,0	C4-5 S-85	95,5	CHS	42
1,0	C4-5 S-86	95,0	CHS	42
0.1	C4-5 S-78	V (0)	CHS	32
0.1	C4-5 S-93	95,5	CHS	37
1,0	C4-5 S-87	93,5	J	32
0.1	C4-5 S-79	96,0	J	48 🏆
0.1	C4-5 S-81	94,0	J	32
0.1	C7-5 S-221	94,5	J	32

1,0 C6-5 S-223 **94,0** 4S 32
 1,0 C6-5 S-224 **94,0** 4S 32
 1,0 C6-5 S-226 **95,5** 4S 32
 0.1 C6-5 S-227 **96,0** 4S 53 (379.5 b)

 0.1 C4-5 67-14 **92,5** 4S 53
 0.1 C4-5 67-13 **91,5** 4S 53
 1,0 C4-5 67-11 **V (0)** 4S 53
 1,0 C4-5 67-10 **V (0)** 4S 53

 0.1 SJ1-5 14-3 **93,0** J 39
 0.1 SJ1-5 14-7 **92,5** J 39

 1,0 C3-5 83-10 **94,5** 4S 48
 0.1 C3-5 83-12 **93,5** 4S 48
 0.1 C3-5 83-13 **V (0)** 4S 48
 0.1 C3-5 83-15 **94,0** 4S 48

 0.1 C3-5 83-14 **92,5** J 48
 0.1 C1-5 83-5 **V (0)** J 48

nedod.

0.1 C3-5 x J

 1,0 C3-5 64-72 **95,0** CHS 42
 0.1 C3-5 64-73 **94,5** CHS 42
 0.1 C2-5 64-65 **94,5** CHS 42
 1,0 C4-5 64-76 **96,0** CHS 53 (380 b) 🏆

 1,0 C6-5 64-90 **92,5** 4S 37
 1,0 C6-5 64-91 **93,5** 4S 37
 1,0 C6-5 64-92 **94,0** 4S 37
 0.1 C6-5 64-93 **93,0** 4S 37 (373 b)

Graue Wiener

1,0 C2-5 P-35 **95,5** CHS
 0.1 C2-5 P-40 **96,0** CHS
 0.1 C1-5 P-15 **95,0** CHS
 1,0 C1-5 P-12 **96,0** CHS (382.5 b) 🏆

 1,0 C2-5 P-43 **96,5** CHS
 0.1 C2-5 P-46 **96,0** CHS
 0.1 C2-5 P-47 **95,0** CHS
 0.1 C1-5 P-24 **95,5** CHS (383 b)

 0.1 C3-5 83-1 **95,0** J
 0.1 C3-5 83-2 **93,0** J 68
 1,0 C5-5 83-3 **94,0** J 37
 1,0 C5-5 83-4 **94,0** J 37
 0.1 C5-5 83-5 **94,5** J 37

 1,0 C2-5 S-52 **95,5** 2+2 53
 0.1 C2-5 S-55 **95,0** 2+2 53
 1,0 C2-5 S-59 **95,0** 2+2 53
 1,0 C2-5 S-56 **95,5** 2+2 53 (381 b)

 1,0 C4-5 S-131 x J

 1,0 C4-5 S-125 **95,0** CHS 53
 1,0 C1-5 S-11 **95,5** CHS 53
 0.1 C4-5 S-128 **95,0** CHS 53
 0.1 C4-5 S-129 **95,5** CHS 53 (381 b)

MJM

1,0 C2-5 S-47 **96,0** CHS 53
 1,0 C2-5 S-48 **95,5** CHS 53
 1,0 C2-5 S-57 **96,0** CHS 53
 0.1 C1-5 S-8 **94,5** CHS 53 (382 b) 🏆

 1,0 C3-5 76-4 **96,0** CHS 53
 1,0 C3-5 76-3 **93,5** CHS 53
 0.1 C3-5 76-5 **95,0** CHS
 0.1 C3-5 76-2 **96,0** CHS (380.5 b)

 0.1 C3-5 76-7 **95,0** J 63

 1,0 C5-5 75-66 **95,0** 4S 34
 1,0 C5-5 75-67 **94,5** 4S 34
 1,0 C5-5 75-68 **94,0** 4S 34
 1,0 C5-5 75-69 **94,5** 4S 34 (378 b)

 0.1 C5-5 75-70 **94,5** 4S 34
 0.1 C5-5 75-71 **94,0** 4S 34
 1,0 C5-5 75-73 **94,0** 4S 34
 1,0 C5-5 75-74 **94,0** 4S 34 (376.5 b)

 1,0 S1-5 14-11 **94,0** J 39
 1,0 S1-5 14-13 **94,5** J 39

 1,0 C3-5 S-152 **95,5** 2+2
 1,0 C3-5 S-154 **95,5** 2+2 42
 1,0 C4-5 S-165 **96,0** 2+2 48
 1,0 C4-5 S-164 **95,0** 2+2 48 (382 b) 🏆

 1,0 C5-5 S-201 **93,0** J 42
 1,0 C4-5 S-163 **94,5** J 48
 1,0 C5-5 S-204 **95,0** J 42
 1,0 C5-5 S-200 **95,0** J 42

 1,0 C3-5 S-184 **96,0** 4S
 1,0 C3-5 S-185 **95,0** 4S
 0.1 C3-5 S-188 **94,5** 4S
 0.1 C3-5 S-190 **95,5** 4S (381 b)

pokračování expozice králíků

Hasenkaninchen weiss RA

0.1 C2-4 59-5 **96,0** J
 0.1 C10-4 59-9 **96,0** J

Hasenkaninchen grau

1,0 4-5 62-6 **96,0** J 🏆
 1,0 5-5 62-10 **96,0** J
 1,0 5-5 62-11 **96,0** J

Hasenkaninchen

0.1 C1-5 64-1 **96,0** J

nedod.

1,0 C2-5 64-2 x J
 0.1 C2-5 64-3 **95,5** J

Farbenzwerge grau

1,0 C1-5 74-1 **94,0** CHS
 1,0 C3-5 74-8 **94,5** CHS
 0.1 C3-5 74-12 **96,5** CHS 🏆
 1,0 C1-5 74-3 **95,0** CHS (380 b)

1,0	C3-5 68-1	94,5	2+2	37	
1,0	C3-5 68-2	V (0)	2+2	37	
0.1	C6-5 68-10	93,5	2+2	37	
0.1	C5-5 68-11	94,0	2+2	37	
1,0	C4-5 S-31	94,5	J		
1,0	C4-5 69-1	95,0	4S	24	
0.1	C4-5 69-2	95,0	4S	24	
0.1	C4-5 69-3	95,0	4S	24	
0.1	C4-5 69-4	V (0)	4S	24	
1,0	C3-5 70-3	96,0	4S		
1,0	C3-5 70-4	95,0	4S	37	
1,0	C3-5 70-5	94,5	4S	32	
0.1	C3-5 70-6	95,5	4S	(381 b)	🏆
1,0	C4-5 64-6	94,5	CHS	53	
1,0	C4-5 64-9	V (0)	CHS	53	
0.1	C4-5 64-10	95,0	CHS		
1,0	C4-5 64-12	95,0	CHS		
0.1	C4-5 65-1	95,5	J	37	

Farbenzwerge

0.1	C6-5 64-16	93,5	J	27	
0.1	C5-5 64-17	93,0	J	27	
0.1	C6-4 83-2	94,5	J	37	

Farbenzwerge schwarz

1,0	C S-1	96,0	4S		
1,0	C S-2	96,0	4S	42	
1,0	C3-5 S-3	96,0	4S	42	
0.1	C S-6	95,0	4S	(383 b)	MJM
1,0	C3-5 S-4	95,5	4S	42	
1,0	C3-5 S-5	N (0)	4S	42	
1,0	C3-5 S-7	94,0	4S		
0.1	C3-5 S-8	N (0)	4S		

Farbenzwerge blau

1,0	C3-4	V (0)	J	53	
-----	------	--------------	---	----	--

Farbenzwerge havanna

0.1	C4-5 S19	93,0	CHS		
0.1	C4-5 S23	93,5	CHS		
0.1	C2-5 S6	95,5	CHS	🏆	
1,0	C2-5 S7	94,0	CHS	(376 b)	
1,0	C3-5 68-1	94,0	CHS	37	
1,0	C6-5 68-4	94,0	CHS	37	
0.1	C6-5 68-5	93,5	CHS	37	
0.1	C6-5 68-6	92,5	CHS	37 (374 b)	
1,0	C3-5 S-25	93,5	CHS	37	
1,0	C3-5 S-26	V (0)	CHS	37	
0.1	C3-5 S-27	V (0)	CHS	32	
1,0	C5-5 S-35	94,5	CHS	37	

1,0	C6-5 64-2	92,0	J	27	
1,0	C6-5 64-3	93,0	J	27	

Farbenzwerge feh

1,0	C3-5 68-1	94,5	J	37	
0.1	C7-5 S-34	V (0)	2+2		
1,0	C7-5 S-33	V (0)	2+2	53	
1,0	C7-5 S-31	95,0	2+2		
0.1	C7-5 S-32	95,5	2+2		
0.1	C4-5 S-16	94,5	J	53	
0.1	C4-5 S-17	95,5	J	🏆 53	
1,0	C5-2 17-6	nekl.	J	42	
1,0	C5-5 64-4	92,5	J	42	
0.1	C12-4 75-35	93,5	J	42	
0.1	C12-4 75-34	V (0)	J	42	
0.1	C6-4 596	93,0	J	37	

Farbenzwerge rot

0.1	C6-5 S-37	94,0	2+2	37	
0.1	C6-5 S-38	91,5	2+2	37	
1,0	C6-5 S-40	V (0)	2+2	32	
0.1	C6-5 S-42	92,5	2+2	37	
1,0	C6-5 S-35	93,0	J	32	
0.1	C6-5 S-36	92,5	J	37	
1,0	C6-5 S-31	93,0	CHS	53	
1,0	C6-5 S-33	92,5	CHS	37	
0.1	C6-5 S-34	92,0	CHS	32	
1,0	C3-4 27-1	V (0)	CHS		
1,0	C4-5 83-22	93,0	J		
0.1	C3-5 64-10	92,5	J		
1,0	C3-5 83-10	92,0	J	27	
0.1	C3-5 83-5	93,0	J	27	
0.1	C3-5 83-6	93,0	J	27	
0.1	C3-5 83-17	94,0	J	27	
0.1	C3-5 83-18	92,0	J	27	

Farbenzwerge chinchilla

1,0	C5-5 59-1	94,0	4S	42	
1,0	C5-5 59-2	93,0	4S	42	
1,0	C5-5 59-3	95,0	4S	42	
1,0	C5-5 59-4	93,5	4S	42 (375.5 b)	
0.1	C6-5 59-13	92,0	J	42	
0.1	C6-5 59-14	90,5	J	42	
1,0	C3-4 59-5	94,5	J	42	
1,0	C5-4 59-12	95,5	J	42	
1,0	C5-4 59-14	V (0)	J		
1,0	C5-4 59-15	94,5	J	42	
1,0	C5-5 59-5	93,0	4S	37	
1,0	C5-5 59-6	95,5	4S	🏆 37	
1,0	C5-5 59-7	V (0)	4S	37	
1,0	C5-5 59-8	V (0)	4S	37	

1,0	C6-5 59-9	91,0	2+2	42
0.1	C6-5 59-10	95,0	2+2	42
1,0	C6-5 59-11	94,0	2+2	42
1,0	C6-5 59-12	93,0	2+2	42 (373 b)

Farbenzwerge

0.1	C5-5 S-1	93,0	J
0.1	C5-5 S-2	92,5	J

Farbenzwerge weissgrannen schwarz

1,0	C7-5 S-54	96,0	J	🏆	
1,0	C5-5 S-24	95,5	J		32
0.1	C4-4 S-24	95,0	J		
0.1	C5-5 S-26	95,5	J		
1,0	C3-5 S-40	95,0	4S		
1,0	C3-5 S-41	95,5	4S		
1,0	C3-5 S-43	95,0	4S		
1,0	C3-5 S-44	96,5	4S		(382 b)

Farbenzwerge weissgrannen blau

0.1	C4-5 S-37	x	J
-----	-----------	---	---

Farbenzwerge lohfarbig schwarz

1,0	C4-5 67-1	N (0)	4S	19
1,0	C4-5 67-2	91,5	4S	29
1,0	C4-5 67-3	92,5	4S	29
0.1	C4-5 67-4	V (0)	4S	37
1,0	C6-5 S-15	90,5	J	27
1,0	C3-5 68-1	96,0	CHS	37
1,0	C2-5 68-2	95,5	CHS	37
0.1	C3-5 68-6	95,5	CHS	37
0.1	C6-5 68-11	95,0	CHS	37 (382 b) 🏆
1,0	C6-5 68-7	95,5	CHS	37
0.1	C6-5 68-8	96,0	CHS	37
1,0	C6-5 68-9	94,0	CHS	37
1,0	C6-5 68-12	95,0	CHS	37 (380.5 b)
0.1	C5-5 64-6	V (0)	J	42
1,0	C4-5 70-1	96,0	4S	
1,0	C4-5 70-2	95,0	4S	37
0.1	C4-5 70-3	96,5	4S	
0.1	C4-5 70-4	96,0	4S	(383.5 b)

Farbenzwerge lohfarbig havanna

1,0	C6-5 68-6	95,0	J	37
0.1	C3-5 68-3	93,0	J	37
1,0	C6-4 68-6	V (0)	CHS	37
1,0	C6-5 68-4	93,5	CHS	37
0.1	C6-5 68-5	93,5	CHS	37
0.1	C6-5 68-7	94,0	CHS	37
0.1	C3-5 64-5	92,0	J	42

Farbenzwerge marder blau

1,0	C3-5 59-5	95,0	J	
0.1	C3-5 59-6	96,0	J	🏆
1,0	C3-5 59-1	94,0	J	
0.1	C3-5 59-2	93,5	J	42

Farbenzwerge siamesen gelb

1,0	C7-5 83-1	92,5	J
1,0	C4-5 66-5	93,0	J
0.1	C4-5 66-1	95,0	J

Farbenzwerge russenfarbig schwarz

1,0	C3-4 S-1	95,5	CHS	
1,0	C3-5 65-2	95,5	CHS	
0.1	C3-5 65-4	95,0	CHS	
0.1	C3-5 65-8	96,0	CHS	(382 b)
1,0	C4-5 11-1	V (0)	J	27
1,0	C4-5 11-5	90,5	J	27
0.1	C4-5 11-6	95,0	J	27
0.1	C5-5 S-7	V (0)	4S	
0.1	C5-5 S-2	97,0	4S	
0.1	C5-5 S-9	95,5	4S	
0.1	C5-5 S-12	94,5	4S	
1,0	C6-5 80-1	95,0	J	53
0.1	C6-4 65-14	94,0	J	
1,0	C3-5 S-3	93,5	J	29
1,0	C3-5 S-4	94,0	J	
1,0	C3-5 S-5	94,5	J	29

ŠJM P203 P235

Farbenzwerge russenfarbig blau

0.1	C5-5 62-1	95,0	J	32
-----	-----------	------	---	----

Farbenzwerge hellsilber

1,0	C3-5 69-5	94,5	J	48
0.1	C6-5 65-4	95,0	J	48
0.1	C6-5 65-5	95,5	J	53
0.1	C6-5 65-6	96,0	J	🏆
0.1	C6-5 65-7	94,5	J	37

Farbenzwerge

1,0	C5-5 64-5	95,0	J	53
0.1	C4-5 64-4	95,5	J	53
1,0	C4-5 64-3	95,5	J	53

Klubová expozice zakrslých králíků

Zwergwiddler weiss RA

1,0	C4-5 76-1	93,0	J	27
1,0	C6-5 76-2	93,5	J	
0.1	C6-5 76-3	95,0	J	

Zwergwidder weiss BA

0.1	C5-5 nedod.	x J	
1,0	C5-5 73-9	93,5 J	27
0.1	C5-5 73-10	93,5 J	27
0.1	C5-5 73-11	95,0 J	27
1,0	C4-4 67-1	93,5 J	
1,0	C2-5 62-1	93,5 J	27
1,0	C5-5 30-15	95,0 J	24
0.1	C5-5 30-17	V (0) J	16
1,0	C3-5 73-15	95,5 J	16
1,0	C3-5 73-13	95,0 J	16

Zwergwidder grau

1,0	C2-5 75-1	95,0 2+2	27	
0.1	C2-5 75-2	94,5 2+2	27	
1,0	C3-5 75-12	94,0 2+2	27	
1,0	C3-5 75-13	95,5 2+2	27 (379 b)	
1,0	C2-5 21-4	97,0 CHS		ŠJM
1,0	C2-4 21-4	96,0 CHS		
1,0	C3-5 21-23	95,5 CHS		
0.1	C2-5 21-7	96,0 CHS	(384.5 b)	P236
1,0	C2-5 73-1	96,0 4S	32	
1,0	C3-5 73-6	95,5 4S	32	
1,0	C3-5 73-8	95,5 4S	32	
0.1	C3-5 73-9	96,0 4S	32 (383 b)	🏆
1,0	C4-5 80-1	x J		
1,0	C4-5 62-1	94,5 4S	27	
1,0	C4-5 62-2	95,0 4S	27	
1,0	C4-5 62-3	94,5 4S	27	
1,0	C5-5 62-6	95,0 4S	42 (379 b)	

Zwergwidder eisengrau

1,0	S4-5 S1501	95,0 J	79
0.1	C3-5 62-1	93,5 2+2	42
0.1	C3-5 62-2	95,0 2+2	42
1,0	C3-5 62-5	94,0 2+2	42
0.1	C3-5 62-6	93,5 2+2	42 (376 b)

Zwergwidder perlfeharbig

1,0	C3-5 S-2	93,5 2+2	27
1,0	C3-5 S-3	93,5 2+2	27
1,0	C3-5 S-5	94,5 2+2	27
1,0	C5-5 S-9	94,0 2+2	27 (375.5 b)
0.1	C5-5 62-5	x J	

Zwergwidder schwarz

1,0	C3-5 21-2	96,0 4S	
1,0	C3-5 21-3	97,5 4S	
			ŠJM P202 P234
0.1	C3-5 21-7	96,0 4S	
0.1	C3-5 21-6	95,0 4S	(384.5 b)

1,0 C4-5 83-1 93,0 J 27

Zwergwidder blau

1,0	C4-5 76-2	94,5 J	
1,0	C5-5 76-4	93,5 J	

Zwergwidder chinchilla

0.1	C4-5 67-7	92,0 2+2	45
0.1	C4-5 67-8	91,5 2+2	42
0.1	C4-5 67-9	93,5 2+2	42
0.1	C4-5 67-10	93,0 2+2	42 (370 b)
0.1	C4-5 67-11	92,0 J	42
1,0	C4-5 67-13	93,5 CHS	79
1,0	C4-5 67-14	93,5 CHS	79
0.1	C5-5 67-17	93,0 CHS	79
0.1	C5-5 67-16	93,0 CHS	79 (373 b)

Zwergwidder thüringerfarbig

1,0	C4-5 67-2	94,0 2+2	34
1,0	C4-5 67-3	93,0 2+2	32
1,0	C5-5 67-10	91,5 2+2	27
0.1	C5-5 67-11	V (0) 2+2	42
0.1	C4-5 67-7	92,5 J	42
1,0	C4-5 S-11	95,5 CHS	37
0.1	C4-5 S-18	96,0 CHS	42
1,0	C5-5 S-23	95,0 CHS	37
0.1	C5-5 S-22	95,5 CHS	42 (382 b)
1,0	C4-5 S-10	95,0 CHS	42
1,0	C3-5 S-6	95,5 CHS	37
1,0	C5-5 S-28	95,0 CHS	37
0.1	C5-5 S-29	95,5 CHS	42 (381 b) 🏆
1,0	C4-5 67-13	94,0 2+2	
1,0	C4-5 67-15	V (0) 2+2	29
1,0	C4-5 67-17	94,0 2+2	29
0.1	C4-5 67-19	93,0 2+2	
1,0	C4-5 67-18	93,0 J	24
1,0	C4-5 67-14	93,5 J	
0.1	C4-5 67-16	91,5 J	24

Zwergwidder weissgrannen schwarz

1,0	C4-5 67-7	95,0 CHS	79
0.1	C4-5 67-8	94,5 CHS	79
0.1	C4-5 67-9	94,5 CHS	79
0.1	C4-5 67-11	96,0 CHS	79 (380 b) 🏆
1,0	SJ6-5 62-13	93,5 4S	27
1,0	SJ6-5 62-12	93,5 4S	27
1,0	SJ6-5 62-10	V (0) 4S	
1,0	SJ6-5 62-9	94,0 4S	27

Zwergwidder marder blau

1,0	C2-5 64-4	94,0 J	32
0.1	C5-5 64-5	93,5 J	27
0.1	C5-5 64-7	93,0 J	27
1,0	C5-5 64-8	96,0 J	27

Zwergwidder rhönfarbig

1,0	C5-5 67-8	V (0)	2+2	32	
1,0	C5-5 67-7	V (0)	2+2	32	
1,0	C4-5 67-1	90,5	2+2	32	
0.1	C4-5 67-2	93,5	2+2	42	
0.1	C4-5 67-6	93,0	J	42	
1,0	C1-5 16-1	V (0)	J	16	
0.1	C1-5 16-3	V (0)	J	16	
0.1	C1-5 16-4	V (0)	J	16	
1,0	C3-5 16-7	93,5	4S	16	
1,0	C3-5 16-8	92,5	4S	16	
0.1	C3-5 16-9	94,5	4S	16	
nedod.					
0.1	C3-5 16-10	V (0)	4S	16	
1,0	C3-5 S-1205	93,5	J	16	
nedod.					
0.1	C3-5 64-20	V (0)	4S	53	
1,0	C12-4 64-21	94,0	4S	53	
0.1	C5-5 64-27	94,0	4S	53	
1,0	C2-5 64-16	94,5	4S	53	

blau

1,0	E24 351	93,0	J		
0.1	E24 354	94,5	J	32	
0.1	4546 D223N	94,5	J		

grau

1,0	C5-5 67-4	96,0	2+2	37	
0.1	C5-5 67-6	95,0	2+2	48	
1,0	C3-5 67-1	95,5	2+2	37	
1,0	C3-5 67-2	95,5	2+2	37	(382 b) MJM
0.1	C6-5 80-3	95,5	J		
1,0	244 B547	96,5	J		🏆

schwarz

1,0	C3-5 64-6	96,0	CHS	32	
1,0	C5-5 64-12	95,0	CHS	27	
1,0	C3-5 64-5	95,5	CHS	32	
0.1	C4-5 64-10	95,5	CHS	27	(382 b) MJM

thüringerfarbig

1,0	C2-5 S-2	94,5	J	27	
0.1	C5-5 S-5	93,0	J	37	

Fuchszwerg weiss BA

1,0	C5-5 67-15	95,0	CHS	79	
1,0	C4-5 67-11	95,0	CHS	79	
0.1	C5-5 67-17	95,5	CHS	105	
1,0	C4-5 67-13	95,5	CHS	79	(381 b)
1,0	C5-5 67-16	95,5	CHS	79	
0.1	C3-5 67-10	96,0	CHS	105	
1,0	3310 C718	96,0	CHS		
1,0	C4-4 67-1	97,0	CHS		(384.5 b) ŠJM P201 P211

Rexzwerg

1,0	C5-5 11-7	95,5	4S	63	
1,0	C5-5 11-10	93,5	4S	63	
0.1	C3-5 11-4	95,5	4S		
0.1	C5-5 11-9	94,5	4S		(379 b)
1,0	C3-5 11-2	94,5	J	63	
0.1	C5-5 11-8	96,0	J		🏆 157

Rexzwerg blau

1,0	C2-5 65-3	96,0	CHS	42	
0.1	C2-5 65-4	96,0	CHS		
0.1	C2-5 65-5	94,5	CHS		
1,0	C2-5 65-6	96,0	CHS		(382.5 b) P216

Rexzwerg chinchilla

0.1	C3-5 S-201	95,5	2+2	42	
0.1	C3-5 S-202	95,5	2+2	42	
1,0	C4-5 S-203	95,5	2+2	37	
1,0	C4-5 S-204	94,0	2+2	37	(380.5 b)
0.1	C4-5 S-205	92,0	J	42	

Rexzwerg lohfarbig schwarz

1,0	C4-5 S14	94,5	J	29	
1,0	C4-5 S-9	93,5	J	32	
1,0	C4-5 S-12	94,0	J	32	
0.1	C4-5 S-10	93,0	J	79	
0.1	C4-5 S-11	94,5	J	53	

Rexzwerg

0.1	C	x	J		
-----	---	---	---	--	--

schwarz

1,0	C5-5 S-201	nekl.	2+2	37	
0.1	C5-5 S-202	92,5	2+2	42	
1,0	C3-5 S-401	94,5	2+2	53	
0.1	C3-5 S-402	94,5	2+2	42	
1,0	C1-5 71-2	93,0	J	48	
1,0	C3-5 71-5	92,5	J	48	
1,0	C3-5 71-6	93,0	J	48	
0.1	C3-5 71-7	94,0	J	48	
0.1	C4-5 71-11	95,0	J	48	
0.1	C4-5 71-13	95,0	J	48	
0.1	C4-5 71-14	N (0)	J		

Zwerg Schecken schwarz

1,0	C5-5 59-1	92,5	J		
1,0	C5-5 59-2	93,0	J		
1,0	C8-5 59-4	93,5	J		
0.1	C8-5 59-5	92,5	J		
1,0	S3-4 32-8	93,5	J	27	
1,0	S5-5 321	92,5	J	32	

Zwerg Schecken blau

0.1	C5-5 67-13	94,0	CHS	79
0.1	C3-5 67-7	94,0	CHS	79
1,0	C5-5 67-10	93,5	CHS	
0.1	C4-5 67-9	93,5	CHS	(375 b)
1,0	S5-5 321	94,5	J	

Zwerg Schecken havanna

1,0	S5-5 322	95,0	J	48
-----	----------	------	---	----

Zwerg Schecken schwarz-gelb

1,0	S3-4 32-2	x	J	
-----	-----------	---	---	--

weiss RA

0.1	C3-5 21-2	95,0	J	
0.1	C3-5 21-6	95,0	J	37
0.1	C1-5 65-2	95,0	CHS	40
1,0	C1-5 65-3	96,0	CHS	37
1,0	C3-5 65-5	95,5	CHS	34
0.1	C3-5 65-8	95,5	CHS	34 (382 b)

blau

1,0	C6-5 65-1	V (0)	J	
-----	-----------	-------	---	--

weissgrannen schwarz

1,0	C3-5 65-1	94,0	J	
-----	-----------	------	---	--

marder weissgrannen braun

0.1	C1-5 65-2	95,0	J	
-----	-----------	------	---	--

1,0	5532 S-785	96,0	J	
-----	------------	------	---	--

Expozice holubů

Kat.-Nr.:	Bewertung:	Aussteller:
		EUR:
1,0 764	92,0 J	42
0.1 765	92,0 J	42
1,0 776	94,0 K/4	42
0.1 762	92,0 K/4	42
0.1 778	92,0 K/4	42
0.1 771	96,0 K/4	42 (374 b)
1,0 A583-25	95,0 K/1	
1,0 H908-24	96,0 K/1	
0.1 H909-24	95,0 K/1	
0.1 G681-21	94,0 K/1	(380 b)
1,0 769	95,0 J	42
0.1 770	91,0 J	42

MJM

1,0 B26-21	94,0	K/1		
1,0 B206-22	96,0	K/1		
1,0 B579-25	95,0	K/1		
1,0 B566-25	94,0	K/1	(379 b)	MJM
1,0 A10-24	94,0	K/1		
1,0 C434-24	94,0	K/1		
1,0 D520-23	94,0	K/1		
1,0 A104-19	94,0	K/1	(376 b)	
1,0 176-23	95,0	K/1		
1,0 182-24	96,0	K/1		P318
1,0 154-25	95,0	K/1		
0.1 151-25	93,0	K/1	(379 b)	
1,0 187-24	94,0	K/2		
1,0 146-24	95,0	K/2		
1,0 170-25	95,0	K/2		
0.1 175-25	93,0	K/2	(377 b)	
1,0 783-23 M	94,0	K/1		
1,0 725-23 M	93,0	K/1	92	
1,0 393-24 M	94,0	K/1		
0.1 790-23 M	92,0	K/1	(373 b)	
1,0 394-25 M	93,0	J		
1,0 787-23 M	93,0	J		
1,0 287-24 Č	94,0	K/2		
1,0 501-23 Č	94,0	K/2		
0.1 755-22 Č	93,0	K/2	(376 b)	
1,0 509-23 Č	95,0	K/2		
0.1 296-24 Č	93,0	J		
1,0 514-23 Č	93,0	J	92	
0.1 759-22 Č	94,0	J	79	
1,0 AG365/20	96,0	K/1		
1,0 AP284/24	94,0	K/1		
1,0 AP933/22	94,0	K/1		
0.1 H851/21	96,0	K/1	(380 b)	
1,0 L473/25	93,0	J		
1,0 D504/24	94,0	J		
1,0 656-23	93,0	J		
1,0 774/25	0	K/1	16	
1,0 775/25	0	K/1	16	
1,0 335/24	95,0	K/1	16	
0.1 748/24	0	K/1	16	
1,0 411-24	96,0	J		
1,0 492-25	94,0	J		
0.1 302-24	94,0	J		
0.1 3141-23	94,0	J		
1,0 F653 25	95,0	K/1	24	
0.1 C736 24	95,0	K/1	24	
0.1 F667 25	94,0	K/1	24	
0.1 F655 25	93,0	K/1	24 (377 b)	
0.1 F656 25	95,0	J	24	
0.1 C733 24	92,0	J	24	
0.1 F651 25	94,0	J	24	
1,0 F664 25	94,0	J	24	

bezpruhý

1,0	881-25	ND	J		
1,0	882-25	ND	J		
1,0	890-25	ND	J		
1,0	985-25	ND	J		
1,0	AG363-24	97,0	K/1	21	P323
0.1	AG903-24	92,0	K/1	21	
0.1	C160-25	93,0	K/1	21	
0.1	C159-25	0	K/1	21	
1,0	A343-25	93,0	J	16	
0.1	AN975-24	93,0	J		
1,0	AU503-25	95,0	K/1		
1,0	AU550-25	95,0	K/1		
1,0	AU549-25	96,0	K/1	🏆	
1,0	AU541-25	94,0	K/1		(380 b)
1,0	K897-24	96,0	K/1		ŠJM
1,0	L706-22	95,0	K/1		
1,0	F44-23	94,0	K/1		
0.1	A24-25	95,0	K/1		(380 b)
1,0	F368-22	92,0	K/2		
1,0	A291-22	94,0	K/2		
1,0	L765-22	94,0	K/2		
0.1	A28-25	94,0	K/2		(374 b)
1,0	964	95,0	K/1	🏆	
1,0	963	93,0	K/1		
0.1	962	94,0	K/1		
0.1	961	95,0	K/1		(377 b)

pruhový

1,0	681/24	94,0	K/1		
1,0	623/24	94,0	K/1		
0.1	682/24	93,0	K/1		
0.1	619/24	92,0	K/1		(373 b)
1,0	C9571-19	95,0	J		
1,0	A1923-19	95,0	J		
1,0	AW45-18	94,0	J		
1,0	T134/23	95,0	K/1		
1,0	P227/25	95,0	K/1	21	
0.1	652/24	94,0	K/1	26	
0.1	P224/25	94,0	K/1	20	(378 b)
1,0	C134-25	94,0	K/1	21	
1,0	C144-25	94,0	K/1	21	
1,0	C121-25	92,0	K/1	21	
0.1	AC274-24	94,0	K/1	21	(374 b)
1,0	A342-25	93,0	J	16	
0.1	A341-25	95,0	J	16	

kapratý

1,0	L656/24	96,0	K/1		ŠJM
1,0	P231/25	95,0	K/1		
0.1	P225/25	95,0	K/1	20	
0.1	P657/25	93,0	K/1	20	(379 b)

1,0	C188-25	93,0	K/1	21	
1,0	C162-25	94,0	K/1	🏆	21
0.1	C189-25	92,0	K/1		21
0.1	C182-25	93,0	K/1		21 (372 b)

1,0	C934/23	95,0	J	21	
0.1	C948/23	94,0	J	21	
1,0	D307-24	94,0	J		
1,0	K496-23	94,0	J		
1,0	F6-25	94,0	J		
0.1	F16-25	94,0	J		
1,0	H68-25	93,0	J		
1,0	D344-24	94,0	J		
1,0	F3-25	94,0	J		
1,0	F24-25	95,0	J		
0.1	F8-25	93,0	J		
1,0	H67-25	93,0	J		
1,0	C433/24	96,0	J	🏆	19
0.1	D313/24	94,0	J		19
0.1	G820-24	93,0	J		
0.1	G409-25	96,0	J	🏆	
1,0	R24-25	94,0	K/1		37
1,0	R21-25	95,0	K/1	🏆	37
1,0	R40-25	94,0	J		37
0.1	R35-25	93,0	K/1		37
0.1	R45-25	93,0	K/1		37 (375 b)
1,0	R38-25	95,0	K/2		37
1,0	R47-25	95,0	K/2		37
0.1	R26-25	94,0	K/2		37
0.1	R5-25	95,0	K/2		37 (379 b)
1,0	F654-25	93,0	K/1		
0.1	F660-25	92,0	K/1		27
0.1	F658-25	94,0	K/1		27
0.1	F667-25	93,0	K/1		27 (372 b)
1,0	F672-25	95,0	J		27
0.1	F666-25	95,0	J		27
1,0	447	93,0	K		21
0.1	449	výl.	K		16
0.1	450	92,0	K		21
0.1	396	94,0	K		21
1,0	U652-25	94,0	K/1		27
1,0	U740-25	96,0	K/1	🏆	32
0.1	U678-25	95,0	K/1		27
0.1	U653-25	94,0	K/1		27 (379 b)
1,0	U677-25	95,0	K/2		27
0.1	U470-25	95,0	K/2		32
0.1	U591-25	96,0	K/2		32
0.1	U668-25	93,0	K/2		32 (379 b)

MJM

ŠJM

MJM

0.1	U726-25	95,0	K/3	21 (374 b)
1,0	U585-25	92,0	K/3	27
1,0	U593-25	94,0	K/3	27
1,0	U738-25	93,0	K/3	27
0.1	N662-25	95,0	K/1	
0.1	N663-25	94,0	K/1	32
0.1	N594-25	94,0	K/1	32
0.1	N630-25	95,0	K/1	32 (378 b)
0.1	N629-25	92,0	K/2	27
0.1	N592-25	93,0	K/2	27
0.1	N625-25	93,0	K/2	21 (372 b)
1,0	N624-25	94,0	K/2	27
1,0	C998-25	97,0	K/1	37
0.1	C881-25	93,0	K/1	37
0.1	C945-25	92,0	K/1	37
0.1	C992-25	93,0	K/1	37 (375 b)
1,0	C887-25	94,0	K/2	37
0.1	C925-25	94,0	K/2	37
0.1	C991-25	94,0	K/2	37
0.1	C934-25	95,0	K/2	37 (377 b)
1,0	S776-24	95,0	K/2	🏆
0.1	G997-23	93,0	K/2	
0.1	V740-25	92,0	K/2	(374 b)
1,0	L942-24	94,0	K/2	
1,0	T495-24	93,0	K/1	
1,0	T492-24	93,0	K/1	
1,0	B103-23	92,0	K/1	
1,0	T493-24	92,0	K/1	(370 b)
1,0	408-23 -	92,0	K/1	
1,0	411-23	95,0	K/1	
1,0	444-23	96,0	K/1	
0.1	401-23	95,0	K/1	(378 b)
1,0	352-25	94,0	K/2	21
1,0	358-25	94,0	K/2	21
0.1	382-25	90,0	K/2	21
0.1	383-25	94,0	K/2	21 (372 b)
1,0	AU554-25	95,0	K/1	
1,0	AU560-25	94,0	K/1	
0.1	AU556-25	92,0	K/1	
0.1	AU562-25	92,0	K/1	(373 b)
0.1	AU559-25	95,0	J	
1,0	361-22	94,0	K/1	
1,0	342-22	94,0	K/1	
1,0	741-24	96,0	K/1	🏆
1,0	835-25	95,0	K/1	(379 b)
1,0	762-24	94,0	K/2	16
0.1	696-25	91,0	K/2	16
0.1	962-25	92,0	K/2	16 (372 b)
1,0	820-25	95,0	K/2	16

P313

ŠJM

1,0	A53824	93,0	K/1	
1,0	A52424	96,0	K/1	
1,0	AL60725	92,0	K/1	
0.1	AL60825	94,0	K/1	(375 b)
1,0	AL62125	94,0	J	
0.1	AL60625	93,0	J	
0.1	906-25	94,0	K/1	(381 b)
1,0	681-23	96,0	K/1	
1,0	53-23	96,0	K/1	
1,0	65-23	95,0	K/1	
1,0	C264-24	93,0	K/1	
1,0	N306-23	95,0	K/1	
1,0	AA1-24	94,0	K/1	
1,0	V226-25	95,0	K/1	(377 b)
1,0	AA17-24	94,0	J	
1,0	AR87922	94,0	K/1	37
1,0	AR59224	95,0	K/1	
1,0	Y60425	96,0	K/1	🏆
1,0	AR59924	95,0	K/1	(380 b)

MJM
ŠJM
P301

červený

1,0	V575-24	92,0	K/1	
1,0	AU546-25	93,0	K/1	
0.1	V802-24	93,0	K/1	
0.1	AU552-25	92,0	K/1	(370 b)

1,0	70-24	95,0	K/1	
1,0	71-24	95,0	K/1	
1,0	702-23	94,0	K/1	
1,0	843-21	95,0	K/1	(379 b)
1,0	662-25	94,0	K/2	16
0.1	825-25	93,0	K/2	16
1,0	665-25	0	K/2	16
0.1	849-25	95,0	K/2	16
0.1		95,0	J	16
1,0		93,0	J	16
1,0	G634-23	95,0	K/1	
1,0	H850-24	95,0	K/1	
0.1	G561-23	95,0	K/1	
0.1	H841-24	94,0	K/1	(379 b)
0.1	AU557-25	94,0	J	19
1,0	AU555-25	96,0	J	🏆 19
1,0	AU561-25	95,0	J	19

pokračování expozice holubů

1,0	B527-24	95,0	K/1	
1,0	B520-24	95,0	K/1	
1,0	AP197-23	95,0	K/1	
0.1	B509-24	96,0	K/1	🏆 (381 b)

červený			
1,0	405	95,0 J	21
1,0	400	94,0 J	21
0.1	498	93,0 J	21
1,0	AK981/21	96,0 K/1	
1,0	M497/22	97,0 K/1	P18
1,0	AD93025	95,0 K/1	
0.1	AD92625	95,0 K/1	(383 b)
1,0	494	95,0 J	21
1,0	419	93,0 J	21
0.1	487	94,0 J	21
1,0	AK301-25	95,0 K/1	
1,0	AK308-25	95,0 K/1	
1,0	AK362-25	94,0 K/1	
1,0	AK369-25	93,0 K/1	(377 b)
1,0	G9-25	93,0 K/1	15
1,0	284-25	95,0 K/1	15
1,0	868-24	94,0 K/1	15
0.1	122-25	93,0 K/1	15 (375 b)
1,0	825/25	94,0 K/1	
1,0	888/25	94,0 K/1	
1,0	892/24	95,0 K/1	
0.1	881/25	95,0 K/1	(378 b)
1,0	E144-24	93,0 K/1	
1,0	AY947-22	94,0 K/1	
1,0	Z356-23	95,0 K/1	
0.1	E158-24	94,0 K/1	(376 b)
0.1	Z348-23	94,0 J	
1,0	C304-25	96,0 K/1	ŠJM
1,0	C328-25	96,0 K/1	
1,0	C310-25	95,0 K/1	
0.1	N39-25	93,0 K/1	(380 b) MJM
1,0	D431-24	95,0 K/2	
1,0	D419-24	96,0 K/2	
1,0	D529-23	95,0 K/2	
0.1	C339-25	94,0 K/2	(380 b)
1,0	X60-23	94,0 K/3	
1,0	D525-23	94,0 K/3	
1,0	D560-23	96,0 K/3	🏆
0.1	X48-23	96,0 K/3	(380 b)
1,0	690-24	95,0 K/1	
1,0	46-23	93,0 K/1	
0.1	955-24	93,0 K/1	
0.1	898-25	92,0 K/1	(373 b)
1,0	V363-24	94,0 K/1	
1,0	V351-24	92,0 K/1	
1,0	S512-25	92,0 K/1	
1,0	S518-25	93,0 K/1	(371 b)

1,0	L545	93,0 K/1	
1,0	L112	96,0 K/1	🏆
1,0	E271	93,0 K/1	
0.1	E262	93,0 K/1	(375 b)
1,0	865-20	92,0 K/1	
1,0	589-22	95,0 K/1	
0.1	582-22	92,0 K/1	
0.1	5-23	93,0 K/1	(372 b)
1,0	K628/20	95,0 K/1	
1,0	E603/24	94,0 K/1	
1,0	S158/22	96,0 K/1	🏆
1,0	E633/24	93,0 K/1	(378 b)
1,0	G291-25	94,0 K/1	15
1,0	H186-25	94,0 K/1	15
0.1	H187-25	93,0 K/1	15
1,0	AS327-24	93,0 K/1	15 (374 b)
1,0	X472-25	95,0 K/1	
1,0	X458-25	95,0 K/1	
0.1	X451-25	94,0 K/1	(378 b)
0.1	X465-25	94,0 K/1	
1,0	X459-25	95,0 J	
1,0	X466-25	96,0 J	ŠJM
1,0	K816-25	94,0 K/1	14
1,0	K805-25	95,0 K/1	14
1,0	K817-25	95,0 K/1	14
0.1	K802-25	93,0 K/1	14 (377 b)
1,0	V982/25	93,0 K/1	
1,0	C538/24	95,0 K/1	
1,0	L783/23	94,0 K/1	
1,0	P770/23	94,0 K/1	(376 b)
1,0	R788/23	92,0 J	
1,0	L705-25	91,0 K/1	
1,0	L706-25	94,0 K/1	
1,0	A3-24	96,0 K/1	🏆
0.1	A2-24	94,0 K/1	(375 b)
1,0	AP757/24	91,0 J	
1,0	R800/23	92,0 K/1	
1,0	R784/23	91,0 K/1	
1,0	AB41/25	91,0 K/1	
0.1	AP268/24	92,0 K/1	(366 b)
1,0	B930-25	93,0 K/1	11
1,0	B931-25	94,0 K/1	11
1,0	B940-25	93,0 K/1	11
0.1	B936-25	94,0 K/1	11 (374 b)
1,0		94,0 K/1	
1,0		94,0 K/1	
0.1		96,0 K/1	🏆
0.1		95,0 K/1	(379 b)
1,0		94,0 K/2	
1,0		95,0 K/2	
0.1		92,0 K/2	
0.1		95,0 K/2	(376 b)

1,0	N313-25	96,0	K/1		
1,0	S596-24	92,0	K/1		
1,0	N332-25	94,0	K/1		
1,0	C61-25	97,0	K/1	(379 b)	P314
1,0	H725/24	92,0	J		
0.1	AT888/22	93,0	J		
0.1	X750/25	93,0	J		
1,0	U744-23	94,0	K/1		
1,0	X760-25	90,0	K/1		
1,0	X255-21	výl.	K/1		
1,0	A265-21	92,0	K/1		
1,0	X759-25	96,0	J		P310
1,0	X702-25	94,0	J		
1,0	G7-24	94,0	K/1		
1,0	AU373-23	94,0	K/1		
1,0	AN105-25	92,0	K/1	27	
1,0	AN106-25	94,0	J	27	
0.1	AN112-25	96,0	K/1	27 (376 b)	
0.1	AN115-25	94,0	J	27	
1,0	F458-23	92,0	K/1		
1,0	F453-23	91,0	K/1		
1,0	K607-24	93,0	K/1		
1,0	K636-24	92,0	K/1	(368 b)	

Klubová výstava rysů

1,0	AN665-25	94,0	K/1	16	
1,0	AN697-25	93,0	K/1		
1,0	AN667-25	92,0	K/1	16	
1,0	AN699-25	93,0	K/1	16 (372 b)	
0.1	AN666-25	93,0	K/2	16	
0.1	AN670-25	92,0	K/2	16	
0.1	AN698-25	93,0	K/2		
0.1	AN668-25	92,0	K/2	16 (370 b)	
1,0	H521/24	96,0	K/1		P306
1,0	W76/24	95,0	K/1		
1,0	K137/25	96,0	K/1		
1,0	K32/25	94,0	K/1	(381 b)	
1,0	K53/25	95,0	K/2		
1,0	K17/25	94,0	K/2		
1,0	K36/25	94,0	K/2		
1,0	K40/25	94,0	K/2	(377 b)	
1,0	K58/25	94,0	K/3		
1,0	K68/25	95,0	K/3		
1,0	K125/25	94,0	K/3	37	
1,0	K38/25	94,0	K/3	37 (377 b)	
0.1	K45/25	95,0	K/4		
0.1	K21/25	96,0	K/4		
0.1	K1/25	95,0	K/4		
0.1	AU106/23	97,0	K/4	(383 b)	P308

0.1	K141/25	97,0	K/5		P309
0.1	AU137/23	95,0	K/5		
0.1	K132/25	96,0	K/5	37	
0.1	K50/25	95,0	K/5	37 (383 b)	
1,0	X766/25	92,0	K/1		
1,0	X744/25	92,0	K/1	27	
1,0	A332/21	94,0	K/1		
1,0	AT762/22	93,0	K/1	(371 b)	
1,0	X745/25	94,0	J		
0.1	X743/25	94,0	K/2	32	
0.1	X767/25	94,0	K/2		
0.1	X761/25	93,0	K/2		
0.1	X742/25	93,0	K/2	32 (374 b)	
1,0	K401-25	93,0	J		
1,0	K375-25	93,0	J		
0.1	K377-25	93,0	J		
0.1	K414-25	94,0	J		
0.1	K370-25	95,0	J		
1,0	S734/22	94,0	J		
1,0	S130/24	93,0	J		
1,0	M767/21	96,0	J		
1,0	S683/22	94,0	J		
1,0	V826/24	94,0	J		
1,0	R841-25	97,0	K/1		P307
1,0	R836-25	91,0	K/1		
0.1	R833-25	94,0	K/1		
0.1	R847/25	94,0	K/1	(376 b)	
0.1	R832/25	91,0	J		
1,0	AV815-22	93,0	K/1		
1,0	AV808-22	93,0	K/1		
1,0	H606-24	94,0	K/1		
0.1	P231-25	95,0	K/1	(375 b)	
0.1	P216-25	94,0	J		
0.1	H534-25	93,0	J		
1,0	K564/25	93,0	K/1		
1,0	D4088/13	93,0	K/1		
1,0	K544/25	93,0	K/1		
1,0	K561/25	93,0	K/1	(372 b)	
1,0	K567/25	93,0	J		
0.1	K569/25	95,0	J		
0.1	K565/25	94,0	K/2		
0.1	K566/25	93,0	K/2		
0.1	K568/25	93,0	K/2		
0.1	B119/25	94,0	K/2	(374 b)	
1,0	K143/25	95,0	K/1		P312
1,0	K142/25	96,0	K/1		
1,0	AE924/23	95,0	K/1		
0.1	K146/25	95,0	K/1	(381 b)	
0.1	X642/25	93,0	J		

1,0	V219-23	95,0	K/1	
1,0	B386-24	94,0	K/1	
1,0	A886-22	92,0	K/1	
0.1	S866-25	94,0	K/1	(375 b)
0.1	K922-25	92,0	K/2	
0.1	K928-25	94,0	K/2	
0.1	K918-25	95,0	K/2	🏆
0.1	K916-25	93,0	K/2	(374 b)
1,0		92,0	K/1	
1,0		95,0	K/1	
1,0		96,0	K/1	🏆
1,0		94,0	K/1	(377 b)
1,0	H921	93,0	K/1	
1,0	H922	94,0	K/1	
0.1	LA927/25	93,0	K/1	(373 b)
1,0	H927	93,0	K/1	
1,0	AY246/23	95,0	J	🏆
1,0	322-20	95,0	J	21
1,0	579-20	94,0	J	24
1,0	586-20	93,0	J	24
1,0	285/23	95,0	K/1	P311
1,0	464-22	95,0	K/1	
1,0	349-22	93,0	K/1	16
1,0	416-22	94,0	K/1	19 (377 b)
0.1	312-20	92,0	K/2	16
0.1	325/20	92,0	K/2	16
0.1	375-20	92,0	K/2	16
0.1	472/22	93,0	K/2	19 (369 b)
0.1	301/23	92,0	J	
1,0	P407-24	95,0	K/1	
0.1	E33-25	97,0	K/1	🏆
0.1	E39-25	94,0	K/1	24
0.1	P456-24	93,0	K/1	(379 b)

Klubová expozice brněnských voláčů

1,0	E9-25	95,0	K/1	
1,0	E70-25	94,0	K/1	
1,0	K50-23	93,0	K/1	
0.1	E34-25	95,0	K/1	(377 b)
1,0	E65-25	92,0	K/2	20
0.1	E64-25	92,0	K/2	21
0.1	E79-25	92,0	K/2	21
0.1	E4-25	96,0	K/2	🏆 (372 b)
1,0	F993-25	94,0	J	27
1,0	CB626-25	95,0	K/1	27
1,0	F394-25	95,0	K/1	27
0.1	CB620-25	95,0	K/1	27
0.1	F968-25	97,0	K/1	27 (382 b)

MJM ŠJM

0.1	F996	94,0	J	27
1,0	F987/25	94,0	K/1	27
1,0	E55/25	95,0	K/1	27
1,0	F393/25	94,0	J	27
0.1	F964/25	96,0	K/1	🏆 27
0.1	F1000/25	95,0	K/1	27 (380 b)
0.1	F986	výl.	J	27
0.1	E27-25	92,0	J	24
1,0	368-23	95,0	K/1	21
1,0	567-24	92,0	K/1	21
0.1	513-24	93,0	K/1	24
0.1	181-23	92,0	K/1	21 (372 b)
1,0	805-25	92,0	K/1	
1,0	806-25	92,0	K/1	
1,0	803-25	90,0	K/1	
1,0	890-25	91,0	K/1	(365 b)
1,0	491-23	93,0	K/2	24
1,0	598-23	93,0	K/2	24
0.1	611-23	93,0	K/2	24
0.1	149-25	93,0	K/2	21 (372 b)
1,0	818/25	N (0)	J	
1,0	E44-25	94,0	K/1	
1,0	E28-25	95,0	K/1	
0.1	E22-25	97,0	K/1	🏆
0.1	E41-25	92,0	K/1	(378 b)
1,0	989-19	94,0	K/3	21
1,0	160-25	N (0)	K/3	21
0.1	107-25	94,0	K/3	19
0.1	137-25	N (0)	K/3	19
1,0	E17-25	94,0	K/1	
1,0	E2-25	95,0	K/1	
0.1	E5-25	96,0	K/1	
0.1	E50-25	94,0	K/1	32 (379 b)
1,0	409/24	94,0	J	32

pokračování expozice holubů

1,0		93,0	K/1	
1,0		95,0	K/1	🏆
0.1		92,0	K/1	
0.1		92,0	K/1	(372 b)
0.1	AE452-23	94,0	J	
0.1	AE467-23	94,0	J	
0.1	C142-25	94,0	J	

černá strak

0.1	C156-25	94,0	J	
1,0	C161-25	95,0	J	🏆

0.1 C152-25	94,0	J	
1,0 C163-25	93,0	J	
1,0 C104-25	93,0	K/009	
0.1 G894-25	NV	K/009	
1,0 U907-22	94,0	K/009	
0.1 AU306-24	93,0	K/009	
0.1 AN427-23	94,0	K/25	53
1,0 AN440-23	93,0	K/25	53
1,0 G892-25	94,0	K/25	
0.1 U911-22	93,0	K/25	(374 b)
1,0 C166-25	95,0	J	
1,0 AE9-22	94,0	J	
0.1	x	J	
0.1 P210-25	94,0	J	
nedod.			
1,0 C171-25	x	J	
1,0	x	J	
0.1 C155-25	93,0	J	
1,0 C176-25	95,0	J	
1,0 G421-25	94,0	J	21
0.1 G422-25	94,0	J	
1,0 E666-24	92,0	J	
0.1 451-25	91,0	J	27
0.1 G311-25	96,0	J	
0.1 G408-25	95,0	J	21
1,0 G427-25	95,0	J	21
1,0 421-24	92,0	J	
1,0 G764-24	96,0	J	P305
1,0 G319-25	95,0	J	
1,0 G425-25	95,0	J	
1,0 442-24	96,0	K/1	☞
1,0 2-25	94,0	K/1	
0.1 10-25	95,0	K/1	
0.1 548-23	96,0	K/1	(381 b)
1,0 454-25	93,0	J	
1,0 455-25	91,0	J	27
1,0 G322-25	96,0	J	
1,0 G325-25	93,0	J	
1,0 488	97,0	J	ŠJM
1,0 688	94,0	J	
1,0 F769-25	93,0	J	
1,0 690	94,0	J	
0.1 696	94,0	J	
0.1 683	95,0	J	

1,0 G405-25 95,0 J
0.1 G433-25 93,0 J 21

tmavý kapratý

1,0 453-25 93,0 J 21

1,0 545 96,0 K/1 P321

1,0 7 95,0 K/1

1,0 14 94,0 K/1

0.1 71 95,0 K/1 (380 b)

1,0 18 93,0 J

1,0 3 94,0 J

1,0 AN408-25 96,0 K/1 ☞

0.1 AN407-25 94,0 K/1

1,0 AN410-25 95,0 K/1

žlutě

0.1 AN406-25 95,0 K/1 (380 b)

1,0 G487-24 94,0 K/1

0.1 G680-25 93,0 K/1

0.1 G686-25 93,0 K/1

0.1 G690-25 93,0 K/1 (373 b)

tmavý

1,0 G687-25 94,0 J

červený dominantní

1,0 AU23624 95,0 K/1

1,0 AU24024 95,0 K/1

1,0 G94725 94,0 K/1

0.1 AU23524 93,0 K/1 (377 b)

1,0 K765-24 93,0 K/1

1,0 AE894-22 92,0 K/1

1,0 AS933-24 94,0 K/1

0.1 K789-24 92,0 K/1 (371 b)

0.1 x J

0.1 x J

0.1 x J

0.1 x J

1,0 x J

1,0 901-25 93,0 J 11

1,0 905-25 93,0 J 11

1,0 923-25 93,0 J 11

0.1 922-25 95,0 J ☞ 11

0.1 945-25 94,0 J 11

1,0 921-25 94,0 J

0.1 903-25 94,0 J

0.1 118-24 92,0 J

0.1 314-23 93,0 J

1,0 516-22 94,0 J

1,0 120-24 93,0 J

1,0 109-24 93,0 J

1,0	96,0	J	ŠJM
0.1	91,0	J	16
0.1	93,0	J	16
nedodáno			
1,0	22-A637	x	J
nedodáno			
0.1	23-PF551	x	J
1,0	94,0	J	
1,0	94,0	J	16
1,0	94,0	J	16
1,0	95,0	J	
0.1	94,0	J	
žlutý			
1,0	25-R501	93,0	J 9
ČERNÝ			
1,0	25-AN695	neoc.	J 9
1,0	AA125CZ	95,0	J 27
0.1	AA121CZ	94,0	J 27
1,0	A973CZ	96,0	J 27
0.1	G223CZ	95,0	J 27
1,0	307-24	96,0	J
1,0	70-25	96,0	J
1,0	821-19	95,0	J
1,0	63-21	96,0	J
1,0	CZP413/25	96,0	K/1
1,0	CZP417/25	95,0	K/1
1,0	CZP402/25	93,0	K/1
1,0	CZL500/24	95,0	K/1 (379 b)
1,0	AG381-25	94,0	K/1
0.1	AG383-25	94,0	K/1
0.1	AG391-25	95,0	K/1
0.1	AG389-25	94,0	K/1 (377 b)
1,0	E250-25	92,0	J
1,0	AM965-25	95,0	J
1,0	M332-24	97,0	K/1 ŠJM
1,0	B415-25	94,0	K/1
0.1	M329-24	94,0	K/1
0.1	B405-25	95,0	K/1 (380 b) MJM
1,0	1912-25	0	J
1,0	H252/24	94,0	J
červená			
1,0	884-21	94,0	J
červená			
1,0	898-24	94,0	J

1,0	AM939-23	96,0	J	ŠJM
1,0	C50-23	96,0	J	
červená				
1,0	AP891/21	93,0	K/1	
bílá				
1,0	P82/25	93,0	K/1	
1,0	X127/24	95,0	K/1	
0.1	AM888/23	94,0	K/1	(375 b)
0.1	AM961-24	94,0	J	
0.1	AM962-24	96,0	J	
0.1	E246-25	92,0	J	

červená dominantní

1,0	N229/25	94,0	J
červený strak			
1,0	N224/25	96,0	J
červená plavá			
1,0	N236/25	95,0	J
červená plavá			
0.1	AM954/23	96,0	J

1,0	N773-24	95,0	J
1,0	496	94,0	J
1,0	554	93,0	J
0.1	389	94,0	J
0.1	Y5	94,0	J
0.1	619	93,0	J
1,0	W579-25	94,0	K/1
1,0	W572-25	94,0	K/1
0.1	W422-25	93,0	K/1
0.1	W430-25	93,0	K/1 (374 b)
0.1	W573-25	94,0	K/2
1,0	N653-24	94,0	K/2
1,0	N694-24	96,0	K/2
1,0	N623-24	95,0	K/2 (379 b) MJM
1,0	590-21	95,0	K/1
1,0	557-25	94,0	K/1
0.1	579-24	93,0	K/1
0.1	516-24	93,0	K/1 (375 b)
0.1	526-25	93,0	J
1,0	411-23	92,0	J
1,0	N428-24	94,0	J
1,0	N756-24	93,0	J
1,0	N655-24	95,0	J
1,0	F541-24	96,0	J

MJM

ŠJM

0.1	541-25	92,0	K/1	
0.1	546-25	94,0	K/1	
0.1	524-25	94,0	K/1	
0.1	414-23	95,0	K/1	(375 b)
1,0	539-25	95,0	J	
1,0	S194-23	95,0	J	
1,0	415-25	97,0	K/1	🏆
1,0	428-25	96,0	K/1	
0.1	402-25	95,0	K/1	
0.1	299-23	95,0	K/1	(383 b)
1,0	404-25	95,0	J	
1,0	K241/20	94,0	K/1	
1,0	E252/24	93,0	K/1	
1,0	K6/25	92,0	K/1	
0.1	E258/24	93,0	K/1	(372 b)
1,0	E412/23	93,0	J	
0.1	S180/22	93,0	J	
1,0	861-24	95,0	J	27
1,0	888-24	94,0	J	58
1,0	262-24	94,0	J	
žlutý				
0.1	285/25	92,0	J	53
1,0	N750-24	95,0	K/1	
1,0	A927-25	94,0	K/1	
1,0	A988-25	93,0	K/1	19
0.1	A932-25	91,0	K/1	(373 b)
0.1	N745-24	93,0	J	19
1,0	A985-25	95,0	J	19
1,0	D926/22	95,0	K/1	
1,0	E305/21	91,0	K/1	
0.1	F887/21	0	K/1	
0.1	D106/23	93,0	K/1	
1,0	M883-25	94,0	K/1	
1,0	M890-25	92,0	K/1	
0.1	M885-25	95,0	K/1	
0.1	M884-25	94,0	K/1	(375 b)
1,0	Z686-25	93,0	J	
0.1	A907-25	92,0	J	19
1,0	N751-24	95,0	J	19
0.1	A989-25	95,0	J	
1,0	D561-25	93,0	K/1	
1,0	D580-25	95,0	K/1	🏆
0.1	D576-25	91,0	K/1	
0.1	D578-25	90,0	K/1	(369 b)
1,0	D567-25	95,0	K/1	
1,0	D562-25	93,0	K/1	
0.1	573-25	93,0	K/1	
0.1	574-25	90,0	K/1	(371 b)

1,0	M471/25	94,0	J		
1,0	ER412/24	96,0	J		P24
á pruhová					
1,0	M888-25	96,0	K/1		ŠJM
1,0	M886-25	96,0	K/1		
0.1	M887-25	94,0	K/1		
0.1	M882-25	95,0	K/1	(381 b)	MJM
1,0	R88-24	93,0	K/1		
1,0	R92-24	93,0	K/1		
1,0	R83-21	93,0	K/1		
0.1	AK891-21	94,0	K/1	(373 b)	
1,0	AU495-25	91,0	K/1		
1,0	R973-22	94,0	K/1		
0.1	AB54-24	92,0	K/1	(371 b)	
1,0	AB92-24	94,0	K/1		
1,0	Y536-24	96,0	K/1		
1,0	D69-25	94,0	K/1		
1,0	D236-25	96,0	K/1	🏆	
0.1	D226-25	94,0	K/1	(380 b)	MJM
1,0	C88-23	94,0	K/1		
1,0	C82-23	95,0	K/1		
1,0	AL168-21	94,0	K/1		
0.1	C83-23	94,0	K/1	(377 b)	
0.1	25-W542	94,0	K/1		
0.1	24-AR527	95,0	K/1	(376 b)	
1,0	21-AV11	94,0	K/1		
1,0	25-W546	93,0	K/1		
1,0	22-G297	94,0	K/1		
1,0	23-L462	94,0	K/1		
1,0	22-G300	96,0	K/1		
0.1	22-G249	94,0	K/1	(378 b)	
1,0	25-W545	97,0	K/1	🏆	
1,0	20-BD640	96,0	K/1		
1,0	24-AV534	94,0	K/1		
0.1	25-W551	93,0	K/1	(380 b)	
1,0	G208-18	95,0	K/1		
1,0	AW731-20	94,0	K/1		
1,0	E7747-17	93,0	K/1		
1,0	AU354-24	91,0	K/1	(373 b)	
1,0	P702-25	95,0	K/1		
1,0	P709-25	95,0	K/1		
0.1	BC232-20	95,0	K/1		
0.1	T501-23	94,0	K/1	(379 b)	
1,0	333	93,0	K/1		
1,0	6096	94,0	K/1		
1,0	215	92,0	K/1		
0.1	349	92,0	K/1	(371 b)	
1,0	235	94,0	K/1		
1,0	331	91,0	K/1		
1,0	412	92,0	K/1		
0.1	381	92,0	K/1	(369 b)	

1,0	AL846-21	výl.	K/1		
1,0	470-20	94,0	K/1		
1,0	A222-24	92,0	K/1		
1,0	A221-24	93,0	K/1		
1,0	AW842-22	92,0	J		
1,0	E275/25	94,0	K/1		
1,0	AU258/24	95,0	K/1		
1,0	AU246/24	93,0	K/1		
0.1	AM148/21	94,0	K/1	(376 b)	
1,0	S887-22	94,0	J		
1,0	AK805-23	95,0	J		P317
1,0	L408-25	94,0	K/1	16	
1,0	L411-25	95,0	K/1	16	
1,0	T120-24	95,0	K/1		
1,0	L419-25	96,0	K/1	🏆 (380 b)	
1,0	H528-25	94,0	K/1		
1,0	B389-24	93,0	K/1		
1,0	H537-25	92,0	K/1		
1,0	H529-25	94,0	K/1	(373 b)	
1,0	L738/23	94,0	K/1		
1,0	726-23	94,0	K/1		
1,0	236-21	93,0	K/1		
1,0	76-23	92,0	K/1	(373 b)	
1,0	337/24	94,0	K/2		
1,0	AL124/24	91,0	K/2		
0.1	W274/25	95,0	K/2		
0.1	HH350/24	92,0	K/2	(372 b)	
1,0	AP543/2022	94,0	K/1		
1,0	B130/2024	94,0	K/1		
1,0	AR193/2022	95,0	K/1		
1,0	B110/2024	96,0	K/1	(379 b)	P315
1,0	D868-22	94,0	J		
1,0	W105-23	93,0	J		
1,0	W138-23	92,0	J		
1,0	CZ20Y426	94,0	K/1		
1,0	CZ25V836	93,0	K/1		
1,0	CZ24D676	93,0	K/1		
1,0	CZ24AC274	92,0	K/1	(372 b)	
1,0	AC374-24	94,0	J		
1,0	U444-25	95,0	J	🏆	
0.1	U447-25	94,0	J		
1,0	U191-25	93,0	J		
1,0	U199-25	94,0	J		
1,0	Z118-24	93,0	J		
červený plamínek					
1,0	CZ19A5324	92,0	K/3		
1,0	CZ20AY339	93,0	K/3		
1,0	E715/22	96,0	K/3	🏆	
1,0	HR174/22	94,0	K/3	(375 b)	

1,0	AP552-22	95,0	J		
1,0	D811-22	94,0	J		
1,0	AB946-21	94,0	J		
1,0	AP403/2023	95,0	K/1		
1,0	W681/2023	95,0	K/1		
1,0	AN262/2020	96,0	K/1		ŠJM
1,0	B188/2024	94,0	K/1	(380 b)	MJM
1,0	684-25	93,0	K/1		
0.1	688-25	93,0	K/1		
1,0	691-25	93,0	K/1		
0.1	690-25	92,0	K/1	(371 b)	
0.1	623-25	91,0	J		
0.1	622-25	91,0	J		
1,0	468-24	94,0	J		
1,0	655/24	94,0	K/3		
1,0	661/24	93,0	K/3		
0.1	646/24	92,0	K/3		
0.1	178/23	91,0	K/3	(370 b)	
žlutý sedlatý					
1,0	AM14222	95,0	K/1		
1,0	S10122	94,0	K/1		
1,0	E52824	96,0	K/1		ŠJM
1,0	D10-23	95,0	K/1	(380 b)	MJM
1,0	E342-25	92,0	K/1		
1,0	X597-21	95,0	K/1		
1,0	E85-24	94,0	K/1		
1,0	K305-24	92,0	K/1	(373 b)	
1,0	E345	93,0	J		
1,0	D740-22	94,0	J		
1,0	D736-22	94,0	J		
1,0	M406-22	95,0	J		
1,0	AN714-23	93,0	K/1		
1,0	P603-24	92,0	K/1		
1,0	D27-25	93,0	K/1		
1,0	AN713-23	92,0	K/1	(370 b)	
1,0	CZ24AB613	93,0	K/1		
1,0	CZ22AL394	92,0	K/1		
1,0	CZ22M894	95,0	K/1	🏆	
1,0	CZSK20D500	93,0	K/1	(373 b)	
1,0	R407-24	92,0	J		
1,0	D849-22	92,0	J		
1,0	AP457-22	92,0	J		
1,0	CZ20Z527	94,0	K/2		
1,0	CZ19D05938	93,0	K/2		
1,0	CZ23G295	93,0	K/2		
1,0	CZ22U943	94,0	K/2	(374 b)	

1,0	S46-24	92,0	K/3	
1,0	B664-24	93,0	K/3	
1,0	AD893-25	92,0	K/3	
1,0	AL120-21	91,0	K/3	(368 b)
1,0	CZ24K377	93,0	K/1	
1,0	CZ21AA522	93,0	K/1	
1,0	CZ21G392	96,0	K/1	
1,0	CZ23CO198	92,0	K/1	(374 b)
1,0	CZ24AF803	92,0	J	
1,0	CZ22C701	95,0	J	
1,0	24/678	95,0	K/1	
1,0	22/629	96,0	K/1	🏆
0.1	23/X185	94,0	K/1	
0.1	25/T110	95,0	K/1	(380 b)
1,0	AP486-23	92,0	J	
1,0	AE874-24	93,0	J	
1,0	AE847-24	94,0	J	
1,0	X287-23	92,0	K/1	
1,0	P349-22	92,0	K/1	
1,0	D661-22	94,0	K/1	
1,0	AE548-21	95,0	K/1	(373 b)
1,0	AE889	96,0	J	53
0.1	B915	96,0	J	48
1,0	AE882	výl.	K/1	48
1,0	GX611	96,0	K/1	🏆 48
HNĚDĚ PLAVÁ				
0.1	AE847	94,0	K/1	53
HNĚDĚ PLAVÁ				
0.1	GX615	94,0	K/1	48
0.1	Z615-25	92,0	J	19
0.1	Z626-25	93,0	J	19
1,0	612	94,0	K/1	11
1,0	666	94,0	K/1	11
0.1	629	94,0	K/1	11
0.1	628	93,0	K/1	11 (375 b)
1,0	661	95,0	J	11
1,0	640	96,0	J	11
0.1	H215-25	0	K/1	
1,0	H214-25	0	K/1	
1,0	H397-25	93,0	K/1	
0.1	H216-25	93,0	K/1	
1,0	AC10/23	93,0	K/1	
1,0	K770/18	94,0	K/1	
0.1	AK277/25	95,0	K/1	🏆
0.1	AK280/25	93,0	K/1	(375 b)
1,0	AK488/21	93,0	J	
1,0	AK255/25	95,0	J	🏆
0.1	AK295/25	93,0	J	
0.1	AC3/23	94,0	J	

1,0	717-24	93,0	K/1	
1,0	715-24	93,0	K/1	
1,0	739-24	92,0	K/1	
0.1	214-24	94,0	K/1	(372 b)
1,0	37-25	91,0	K/2	
1,0	391-25	93,0	K/2	
0.1	21-25	95,0	K/2	
0.1	22-25	94,0	K/2	(373 b)
1,0	954-23	96,0	K/1	🏆
1,0	151-23	95,0	K/1	
0.1	213-23	94,0	K/1	🏆
0.1	150-23	93,0	K/1	(378 b)
1,0	A361-24	94,0	K/1	
1,0	A389-24	95,0	K/1	
0.1	S761-25	93,0	K/1	
0.1	P156-23	93,0	K/1	(375 b)
1,0	385-22	94,0	K/1	
1,0	386-22	95,0	K/1	
0.1	395-22	95,0	K/1	
0.1	381-22	93,0	K/1	(377 b)
0.1	410-22	93,0	K/1	
0.1	401-22	94,0	K/1	
0.1	269-25	93,0	K/1	
0.1	175-25	0	K/1	
1,0		x	K/1	
1,0		x	K/1	
0.1		x	K/1	
0.1		x	K/1	
1,0	D152-25	95,0	K/2	21
1,0	D145-25	90,0	K/2	21
0.1	D151-25	93,0	K/2	21
0.1	C924-24	94,0	K/2	(372 b)
1,0	A399/23	95,0	J	
1,0	B704/21	výl.	J	
1,0	D81/25	95,0	J	
1,0	A981/24	96,0	J	🏆
1,0	D481/25	94,0	J	
1,0	A16/22/16	91,0	J	
1,0	566-21	97,0	K/1	ŠJM
1,0	743-22	95,0	K/1	
1,0	146-23	96,0	K/1	
0.1	244-25	94,0	K/1	(382 b)
1,0	629-24	94,0	J	
1,0	167-23	93,0	J	
0.1	W802-25 1	94,0	K/1	16
0.1	H506-25	91,0	K/1	16 (370 b)
1,0	W805-25	91,0	K/1	16
1,0	E409-24	94,0	K/1	16
1,0	AF996-23	92,0	K/1	
1,0	K909-25	NV	K/1	14
1,0	K910-25	95,0	K/1	🏆 14
0.1	K902-25	91,0	K/1	14

1,0	x	K/1	
1,0	x	K/1	
0.1	x	K/1	
0.1	x	K/1	
1,0	AC289/23	94,0	K/1
1,0	AC283/23	95,0	K/1
1,0	AG984/24	96,0	K/1
0.1	AK470/25	94,0	K/1 (379 b)
1,0	CZ173-25	92,0	J
1,0	CZ171-25	94,0	K/1
1,0	CZ172-25	96,0	K/1
0.1	CZ894-23	95,0	K/1 (378 b)
1,0	CZ131-24	93,0	K/1
1,0	CZ504-23	95,0	J
0.1	CZ123-24	93,0	J
1,0	K974-25	x	K/34
0.1	K975-25	x	K/34
0.1	A303-21	x	K/34
0.1	A324-21	x	K/34
1,0	CZ135-24	93,0	J
1,0	FP474-22	94,0	J
1,0	CZ178-25	96,0	J
1,0	268/24	95,0	K/1
1,0	285/24	94,0	K/1
1,0	217/24	94,0	K/1
0.1	264/24	94,0	K/1 (377 b)
1,0	AP286/24	94,0	J
0.1	D982/19	94,0	J
1,0	DP255-25	94,0	J
0.1	DP270-25	95,0	J
1,0	CZ989-24	94,0	J
1,0	H1622	95,0	K/1
1,0	H2922	94,0	K/1
1,0	AH9024	96,0	K/1
0.1	AH8324	94,0	K/1 (379 b)
1,0	AU87021	95,0	K/2
1,0	AM8324	94,0	K/2
1,0	AC84723	94,0	K/2
0.1	AK96225	94,0	K/2 (377 b)
1,0	AP760/24	93,0	J
1,0	AP285/24	x	J
1,0	R746/23	93,0	J
1,0	R734/23	93,0	J
1,0	C5494/17	91,0	J
1,0	AT949/18	0	J
0.1	999-25	92,0	J 27
0.1	941-24	95,0	J 27
1,0	916-25	0	J 27
1,0	706-24	94,0	K/1
1,0	703-24	93,0	K/1
1,0	734-24	93,0	K/1
1,0	714-24	93,0	K/1 (373 b)
1,0	911-24	94,0	K/1
1,0	526-24	94,0	K/1

0.1	720-24	92,0	K/1
0.1	709-24	93,0	K/1 (373 b)

modře plavý štítník pruhový

0.1	74-23	93,0	J 27
-----	-------	------	------

1,0	M657-25	93,0	K/1
1,0	L420-23	91,0	K/1
1,0	A270-24	93,0	K/1
0.1	M669-25	95,0	K/1 (372 b) P320
1,0	H429-25	94,0	K/1
0.1	G581-25	92,0	K/1
0.1	G583-25	94,0	K/1 (373 b)
1,0	H432-25	93,0	K/1
0.1	M594-23	92,0	J
0.1	A143-24	94,0	J
1,0	D924-25	94,0	K/1 16
1,0	D945-25	94,0	K/1 22
0.1	D931-25	92,0	K/1 16
0.1	D938-25	93,0	K/1 16 (373 b)
1,0		94,0	J 21
0.1		93,0	J 21
1,0		92,0	J 21
0.1		94,0	J 21
1,0		95,0	J 21
0.1		93,0	J 21
1,0		96,0	J 21
0.1		92,0	J 21
1,0		94,0	J 21
0.1		93,0	J 21
1,0	177-2022	94,0	K/1 27
1,0	911-2024	94,0	K/1 27
0.1	912-2024	95,0	K/1
0.1	981-2025	94,0	K/1 27 (377 b)
0.1	N406-25	92,0	J 27

Expozice orientálních racků a krátkozobých rejdičů

1,0	N403-25	93,0	K/4 27
1,0	A8155	0	K/4
0.1	N404-25	0	K/4 27
0.1	N402-25	93,0	K/4 27
0.1	X191-25	94,0	J
0.1	X214-25	92,0	J
0.1	X199-25	95,0	J
1,0	X207-25	96,0	J P302
1,0	P793-22	93,0	K/1
0.1	W292-24	96,0	K/1
0.1	W287-24	94,0	K/1
0.1	W289-24	94,0	K/1 (377 b) ŠJM

1,0	F649-25	95,0	J	
0.1	3741-22	neoc.	J	
černá bělopruhá				
1,0	E565-23	95,0	J	🏆
1,0	E566-23	94,0	J	
1,0	X204-25	95,0	J	
1,0	G799-24	94,0	J	
satinetá modrá šupkatá				
1,0	AK182-25	93,0	J	16
0.1	AK51-25	93,0	J	16
satinetá černá šupkatá				
1,0	528-24	95,0	J	🏆 27
0.1	524-24	94,0	J	27
satinetá černá				
1,0	522-24	0	J	27
satinetá hnědá šupinatá				
0.1	525-24	92,0	J	27
1,0	H156-25	96,0	K/1	
1,0	H38-25	97,0	K/1	19
1,0	H22-25	95,0	K/1	
1,0	E49-24	96,0	K/1	(384 b)
1,0	E29-24	94,0	K/1	
1,0	P407-23	96,0	K/1	
1,0	H27-25	96,0	K/1	🏆
0.1	E60-24	94,0	K/1	(380 b)
červený				
1,0	H130-25	95,0	K/1	
1,0	H119-25	94,0	K/1	
1,0	H26-25	94,0	K/1	19
0.1	H112-25	94,0	K/1	19 (377 b)
1,0	P387-23	95,0	K/1	
1,0	E70-24	96,0	K/1	🏆
1,0	H150-25	94,0	K/1	
0.1	H136-25	94,0	K/1	(379 b)
červený kalot				
1,0	R996-24	94,0	K/1	
0.1	H211-25	94,0	K/1	
0.1	AD684-25	94,0	K/1	(377 b)
1,0	AL39-22	95,0	K/1	
modrý kalot				
1,0	R990-24	93,0	K/1	
1,0	L984-24	93,0	K/1	
0.1	AV902-22	93,0	K/1	
0.1	R988-24	93,0	K/1	(372 b)

černý kalot				
0.1	L982-24	92,0	K/1	
0.1	R995-24	94,0	K/1	(376 b)
1,0	R989-24	94,0	K/1	
1,0	C878-23	96,0	K/1	🏆
1,0	901/25	94,0	K/1	
1,0	907/25	92,0	K/1	
0.1	886/25	94,0	K/1	
0.1	882/25	94,0	K/1	(374 b)
1,0	772/24	94,0	K/1	
1,0	315/24	93,0	K/1	
0.1	771/24	95,0	K/1	
0.1	806/23	94,0	K/1	(376 b)
0.1	C123CZ/25	93,0	J	53
1,0	B41SK/22	výl.	J	53
1,0	A766SK/22	N (0)	J	53
1,0	E305SK/21	N (0)	J	53
0.1	H901CZ/24	výl.	J	53
plavý žlutopruhý				
0.1	B368/19	N (0)	J	7
0.1	A886/24	93,0	J	7
1,0	22-M878	93,0	J	7
1,0	24-A881	92,0	J	7
1,0	AK485-25	94,0	J	14
0.1	E615-25	výl.	J	14
1,0	A373-24	94,0	K/1	16
1,0	P102-24	92,0	K/1	16
0.1	B654-21	N (0)	K/1	16
0.1	P156-24	93,0	K/1	16
1,0	19-J896	94,0	K/1	
1,0	23-G495	93,0	K/1	
1,0	23-G494	95,0	K/1	
0.1	25-E711	93,0	K/1	(375 b)
1,0	25-E717	93,0	K/2	
0.1	25-E680	93,0	K/2	
0.1	25-E718	neoc.	K/2	
0.1	25-716	94,0	K/2	
červený				
1,0	B525-24	96,0	J	ŠJM
1,0	E602-25	94,0	J	14
0.1	E612-25	95,0	J	14
1,0	P887-24	96,0	J	🏆
1,0	P889-24	94,0	J	

1,0	F649-25	94,0	K/1	16
1,0	F646-25	výl.	K/1	16
0.1	AM587-24	95,0	K/1	16
0.1	F614-25	výl.	K/1	16
1,0	A374-24	95,0	J	21
0.1	P109-24	93,0	J	21

Expozice okrasného ptactva

Kat.-Nr.:	Bewertung:	Aussteller:
		EUR:

Barnard klonkurský				
0.1	N (0)	J		68
0.1	N (0)	J		

Pyrura zelenolící (Pyrrhura molinae)				
1,0	ELI083-25	88,0	J	
1,0	ELI132-25	89,0	J	
0.1	ELI096-25	89,0	J	
0.1	ELI018-25	89,0	J	

Aratinga sluneční (Aratinga solstitialis)				
1,0	N (0)	K1,1		
0.1	N (0)	K1,1		

Amazónek černouchý (Pionus menstruus)				
1,0	neoc.	K1,1		
0.1	ND	K1,1		

Rosela žlutohlavá (Platycercus adscitus)				
1,0	90,0	K1,1		
0.1	90,0	K1,1	(180 b)	P406
1,0	x	J		
0.1	x	J		

Rosela Pennantova (Platycercus elegans)				
1,0	90,0	K1,1		
0.1	90,0	K1,1	(180 b)	
1,0	10881-22	89,0	J	
1,0	20948-21	90,0	K1,1	
0.1	5554-21	88,0	K1,1	

Rosela pestrá (Platycercus eximius)				
1,0	24617-21	N (0)	K1,1	157
0.1	23775-23	N (0)	K1,1	262
1,0		89,0	K1,1	
0.1		89,0	K1,1	

Korela chocholátá				
1,0	11237-24	N (0)	J	

1,0	15446-24	87,0	K1,1	
0.1	1328-24	85,0	K1,1	
1,0	1325-24	N (0)	J	37
0.1	18956-24	x	K1,1	
1,0	0228-24	90,0	K1,1	
0.1	13970-24	89,0	K1,1	(179,5 b) 
1,0		88,0	J	
0.1		88,0	J	

Rosela žlutobřichá (Platycercus caledonicus)				
1,0		90,0	K1,1	
0.1		90,0	K1,1	(180 b) 

Kakariki žlutočelý (Cyanoramphus auriceps)				
rudočelý				
1,0		88,0	J	
rudočelý				
0.1		87,0	J	

Kakariki rudočelý (Cyanoramphus novaezelandiae)				
0.1	801	86,5	J	27

Barnard límcový (Barnardius zonarius)				
1,0		N (0)	J	
1,0		N (0)	J	68
1,0		89,0	K1,1	
0.1		89,0	K1,1	

Papoušek zpěvavý (Psephotus haematonotus)				
1,0	1414-25	88,0	J	
1,0	1410-25	88,0	J	27
0.1	1408-25	88,0	J	27
0.1	11980-21	89,0	J	
0.1	10764-24	89,0	J	
0.1	2036-25	89,0	J	21
1,0	10765-24	89,0	J	
0.1	10761-24	89,0	J	
0.1	2058-25	88,0	J	21
1,0	12955-20	88,0	J	
1,0	14346-22	89,0	J	
1,0	10773-24	89,0	J	21
1,0	18585-20	89,0	J	
1,0	2061-25	88,0	J	21
1,0	23567-24	88,0	J	
1,0	14930-21	90,0	K4,0	
1,0	10762-24	90,0	K4,0	
1,0	23568-24	90,0	K4,0	21
1,0	10763-24	89,0	K4,0	P404

Neoféma tyrkysová (Neophema pulchella)				
1,0		86,0	J	
0.1		88,0	J	

Neoféma modrohlavá (Neophema splendida)

1,0	39992-24	88,0	J	
0.1	1285-24	87,0	J	53
1,0		N (0)	J	
0.1		87,0	J	

Neoféma Bourkova (Neopsephotus bourkii)

1,0	14453-24	89,0	J	
0.1	4153-25	87,0	J	
1,0	14409-24	90,0	J	P402
1,0	15186-23	90,0	J	P25 P403
1,0	1386-25	x	J	
0.1	8645-24	x	J	
0.1	1387-25	x	J	

Andulka vlnkovaná (Melopsittacus undulatus)

1,0		x	J	
0.1		x	J	
1,0		N (0)	J	
1,0		N (0)	J	
0.1		N (0)	J	
0.1		N (0)	J	
1,0		N (0)	J	
0.1		80.0	J	

Agapornis růžohrdlý (Agapornis roseicollis)

1,0		88,0	J	
-----	--	------	---	--

Agapornis Fischerův (Agapornis fischeri)

1,0	C	87,0	K4,0	
1,0	C	88,0	K4,0	
1,0	C	N (0)	K4,0	
1,0	C	87,0	K4,0	
1,0		87,0	J	
1,0	7660-21	N (0)	J	
0.1	7663-21	N (0)	J	

Papoušek královský (Alisterus scapularis)

1,0		90,0	K1,1	
0.1		90,0	K1,1	(180 b) P405

Papoušek nádherný (Polytelis swainsonii)

NEDODÁNO				
1,0	5382-24	N (0)	K1,1	
0.1	2041-25	N (0)	K1,1	105
1,0		90,0	K1,1	
0.1		87,0	K1,1	

Papoušek kouřový (Polytelis anthopeplus)

1,0		90,0	K1,1	
0.1		90,0	K1,1	(180 b) 

1,0		90,0	K1,1	
0.1		90,0	K1,1	(180 b) 
1,0		N (0)	K1,1	
0.1		N (0)	K1,1	

Alexandr malý (Psittacula krameri)

1,0	023-19	87,0	J	79
1,0	1449-25	N (0)	J	84
0.1	1448-25	N (0)	J	84
1,0	083-24	N (0)	J	95
0.1	085-24	N (0)	J	95

Alexandr velký (Psittacula eupatria)

1,0		86,0	J	
-----	--	------	---	--

Korela chocholátá (Nymphicus hollandicus)

1,0		x	J	
1,0		x	J	
0.1		x	J	
0.1		x	J	
1,0		N (0)	J	
0.1		N (0)	J	
1,0		88,0	J	
0.1		88,0	J	
1,0	11236-24	90,0	J	
0.1	1682-24	89,0	J	
0.1	1687-24	90,0	J	
0.1	56234-24	90,0	J	
1,0	1665-24	89,0	J	
0.1	13632-23	90,0	J	

P401

Rýžovník šedý (Lonchura oryzivora)

1,0		85,0	J	
0.1		86,0	J	
1,0		86,0	J	
0.1		N (0)	J	

Křepelka čínská

1,0	12976-24	85,0	J	3
1,0	11766-24	88,0	J	3
0.1	11762-24	88,0	J	8
0.1	12973-24	89,0	J	8
0.1	12975-24	88,0	J	8
0.1	17446-25	85,0	J	8
0.1	7451-25	88,0	J	8
1,0	5013-24	87,0	J	3
1,0	5011-24	87,0	J	3
1,0	5020-24	88,0	J	3

Kanár

1,0		x	J	
1,0		x	J	

Chůvička Japonská

1,0	6819-25	87,0	J	11
1,0	6817-25	88,0	J	11
0.1	6816-25	87,0	J	11